### Coshocton County Engineer's Office 2018 OPWC County Resurfacing Program

#### Addendum Number 1 – June 18, 2018

**Issue Date** Monday, June 18, 2018

**Issued By:** Andrew Jones, Deputy Engineer

**Bid Date:** Wednesday, June 20, 2018

**Bid Time:** 9:15 a.m. Local Time

#### Addendum 1

- 1. BF 24 Update Street Name to Walnut Street.
- 2. BF-29 Update Hill Street The length of the roadway is 2,300 feet at a width of approximately 25 feet. The quantities presented in the original bid package were correct, but the length was listed incorrectly.

All other materials contained within the original bid documents remain the same and unchanged unless noted in subsequent addendums.

As per the bidding requirements, all addendums must be acknowledged on the Bid Form Proposals on page Bidding Form 1 (BF 36).

## Coshocton County Engineer City of Coshocton Walnut Street

Road: Walnut Street

From: 15th Street

To: Adams Street

Length: 2628 feet

Width: 32 feet

Courses: 1" leveling course, Item 448, Type 1, PG 64-22

Courses: 1" surface course, Item 448, Type 1, PG 64-22

Tack Coat: Item 407 ss-1h, applied at the rate of 0.05 gallons per square yard

ESTIMATED QUANTITIES								
REF. NO.	ITEM	DESCRIPTION	QUANTITY					
2	254	Pavement Planing	9819	sq. yards				
3	407	Tack coat @ 0.05 gallon/SY	434	gallons				
4	448, type 1	1" leveling course	483	tons				
5	407	Tack coat @ 0.05 gallon/SY- intermed.	434	gallons				
6	448, type 1	1" surface course	523	tons				
11	604	Manholes, adj. to grade	7	each				
12	638	Valvebox, adj. to grade	8	each				
16	643	12 foot Stop Bars	72	L.F.				
18	643	Centerline, 4"	0.5	miles				
19	643	Edge Line, 4"	0.995	miles				
22	614	Maintaining Traffic	lum	lump sum				

# Coshocton County Engineer City of Coshocton Hill Street

Road: Hill Street

From: Cemetary Street

**To:** Whitewoman Street

Length: 2,300 feet

Width: 25 feet

Courses: 1" leveling course, Item 448, Type 1, PG 64-22

Courses: 1" surface course, Item 448, Type 1, PG 64-22

Courses: 1-½" surface course, Item 448, Type 1, PG 64-22, spot leveling

Tack Coat: Item 407 ss-1h, applied at the rate of 0.05 gallons per square yard

ESTIMATED QUANTITIES								
REF. NO.	ITEM	DESCRIPTION	QUANTITY					
3	407	Tack coat @ 0.05 gallon/SY	309	gallons				
4	448, type 1	1" leveling course	344	tons				
5	407	Tack coat @ 0.05 gallon/SY- intermed.	309	gallons				
6	448, type 1	1" surface course	344	tons				
7	448, type 1	1-½" surface course	60	tons				
11	604	Manholes, adj. to grade	2	each				
12	638	Valvebox, adj. to grade	3	each				
16	643	12 foot Stop Bars	60	L.F.				
22	614	Maintaining Traffic	lump sum					