

2021 CURRENT AGRICULTURAL USE VALUE OF LAND TABLE

USE ONLY IN COUNTIES REAPPRAISED OR UPDATED IN TAX YEAR 2021

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
AARON	SIL	0-2	S	MW	1180	230
AARON	SIL	2-6	S	MW	940	230
AARON	SIL	2-8	S	MW	910	230
AARON	SIL	3-8	S	MW	900	230
AARON	SIL	6-12	M	MW	580	230
AARON	SIL	6-15	S	MW	620	230
AARON	SIL	6-15	M	MW	510	230
AARON	SIL	8-15	S	MW	600	230
AARON	SIL	8-15	M	MW	490	230
AARON	SIL	15-25	M	MW	350	230
AARON	SICL	6-15	M	MW	350	230
AARON-GILPIN,C		6-12	M	W	350	230
AARON-GILPIN,C		8-15	S	W	430	230
AARON-UPSHUR,C		2-6	S	W	360	230
AARON-UPSHUR,C		2-8	S	W	350	230
AARON-UPSHUR,C		8-15	M	W	350	230
ABSCOTA,V.	S	0-2	S	W	350	230
ADRIAN	MUCK	0-1	S	VP	370	230
ADRIAN	MUCK	0-2	S	VP	370	230
ADRIAN,DRAINED	MUCK	0-2	S	VP	370	230
ADRIAN,UNDRAINED	MUCK	0-2	S	VP	350	230
AETNA,FAN,OF-PH	SIL	0-2	S	SWP	1670	230
AETNA,OF-PH	SIL	0-2	S	SWP	1670	230
ALEXANDRIA	SIL	0-2	S	W	820	230
ALEXANDRIA	SIL	2-6	S	W	720	230
ALEXANDRIA	SIL	2-6	M	W	470	230
ALEXANDRIA	SIL	6-12	S	W	470	230
ALEXANDRIA	SIL	6-12	M	W	350	230
ALEXANDRIA	SIL	6-18	S	W	350	230
ALEXANDRIA	SIL	12-18	S	W	350	230
ALEXANDRIA	SIL	12-18	M	W	350	230
ALEXANDRIA	SIL	12-20	M	W	350	230
ALEXANDRIA	SIL	18-25	S	W	350	230
ALEXANDRIA	SIL	18-25	M	W	350	230
ALEXANDRIA	SICL	6-12	SE	W	350	230
ALEXANDRIA	SICL	12-18	M	W	350	230
ALEXANDRIA	SICL	12-18	SE	W	350	230
ALEXANDRIA	SICL	18-25	SE	W	350	230
ALFORD,T-SUBST	SIL	1-4	S	W	1990	990
ALFORD	SIL	0-2	S	W	2240	1240
ALFORD	SIL	1-8	S	W	1990	990
ALFORD	SIL	2-6	S	W	1990	990
ALFORD	SIL	2-8	S	W	1990	990
ALFORD	SIL	6-12	S	W	1720	720
ALFORD	SIL	6-12	M	W	1260	260
ALFORD	SIL	6-15	M	W	1130	230
ALFORD	SIL	8-15	S	W	1050	230
ALFORD	SIL	8-15	M	W	880	230
ALFORD	SIL	10-25	S	W	350	230
ALFORD	SIL	15-25	S	W	350	230
ALGANSEE,OF-PH	FS	0-2	S	SWP	1790	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
ALGIERS	SIL	0-2	S	SWP	1670	230
ALGIERS,OF-PH	SIL	0-2	S	SWP	1670	230
ALGIERS,FF-PH	SIL	0-2	S	SWP	940	230
ALGIERS	SICL	0-2	S	SWP	1640	230
ALLEGHENY	L	2-6	S	W	920	230
ALLEGHENY	L	3-8	S	W	810	230
ALLEGHENY	L	6-12	S	W	720	230
ALLEGHENY	L	8-15	S	W	510	230
ALLEGHENY	L	15-25	S	W	350	230
ALLEGHENY	SIL	2-6	S	W	920	230
ALLEGHENY	SIL	5-10	S	W	720	230
ALLEGHENY	SIL	5-10	M	W	530	230
ALLEGHENY	SIL	6-12	S	W	720	230
ALLEGHENY	SIL	10-15	S	W	510	230
ALLEGHENY	SIL	10-15	M	W	390	230
ALLEGHENY	SIL	12-18	S	W	390	230
ALLEGHENY,SS-SUBST	SIL	5-10	S	W	720	230
ALLEGHENY-MONONGAHELA	SIL	2-5	S	W	950	230
ALLEGHENY-MONONGAHELA	SIL	2-5	M	W	760	230
ALLEGHENY,V	L	8-15	S	W	930	230
ALLEGHENY,V	L	15-25	S	W	350	230
ALLIS	L	0-2	S	P	350	230
ALLIS	CL	0-2	S	P	350	230
ALLIS	SIL	0-2	S	P	350	230
ALLIS	ST-SIL	0-2	S	P	350	230
ALLIS	SICL	0-2	S	P	350	230
ALLIS	SICL	2-6	S	P	350	230
ALVADA	L	0-1	S	VP	2400	510
ALVADA	SICL	0-1	S	VP	2230	340
AMANDA	L	12-18	M	W	350	230
AMANDA	L	18-25	S	W	350	230
AMANDA	SIL	2-6	S	W	870	230
AMANDA	SIL	2-6	M	W	690	230
AMANDA	SIL	6-12	M	W	430	230
AMANDA	SIL	12-18	M	W	350	230
AMANDA	SIL	12-20	M	W	350	230
AMANDA	SIL	18-25	S	W	350	230
AMANDA	SIL	18-25	M	W	350	230
AMANDA	SICL	6-12	SE	W	350	230
AMANDA	SICL	12-20	SE	W	350	230
AMANDA,V	SIL	6-12	M	W	1160	230
AMANDA,V	SIL	12-18	M	W	350	230
AMANDA-LOUDONVILLE,C		2-6	M	W	640	230
AMANDA-LOUDONVILLE,C		6-12	M	W	380	230
AMANDA-LOUDONVILLE,C		12-20	M	W	350	230
AMANDA-OCKLEY,C		6-12	M	W	810	230
AMANDA-OCKLEY,C		12-20	M	W	350	230
AMANDA-WOOSTER,C		2-6	S	W	600	230
AMANDA-WOOSTER,C		6-12	M	W	350	230
AMANDA-WOOSTER,C		12-18	M	W	350	230
AQUENTS,CLAYEY		0-1	S	VP	350	230
AQUENTS,NEARLY LEVEL		0-2	S	VP	350	230
ARKPORT	FS	2-6	S	W	610	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
ARKPORT	FS	6-12	S	W	490	230
ARKPORT	LFS	0-2	S	W	870	230
ARKPORT	LFS	2-6	S	W	610	230
ARKPORT	LFS	6-12	S	W	490	230
ARKPORT	LFS	12-18	S	W	350	230
ARKPORT	FSL	0-6	S	W	870	230
ARKPORT	FSL	6-12	S	W	600	230
ARKPORT	FSL	12-18	S	W	350	230
ARKPORT,V.	LFS	0-2	S	W	350	230
ARKPORT,V.	LFS	2-6	S	W	350	230
ASHTON	SIL	0-2	S	W	1200	230
ASHTON,OF-PH	SIL	0-2	S	W	1200	230
ASHTON	SIL	0-3	S	W	1200	230
ASHTON	SIL	2-6	S	W	1060	230
ATHERTON	SIL	0-2	S	VP	910	230
ATLAS	SIL	2-6	S	SWP	650	230
ATLAS	SIL	2-6	M	SWP	470	230
ATLAS	SIL	6-12	M	SWP	350	230
ATLAS	SIL	6-12	SE	SWP	350	230
ATLAS	SICL	6-12	M	SWP	350	230
AURAND	FSL	0-2	S	SWP	2230	340
AURAND	L	0-2	S	SWP	2400	510
AURAND	L	0-3	S	SWP	2400	510
AURAND	SIL	0-3	S	SWP	2400	510
AVA	SIL	0-3	S	MW	1440	440
AVA	SIL	3-8	M	MW	910	230
AVA	SIL	8-15	M	MW	630	230
AVERY	SIL	2-6	S	MW	1290	290
AVONBURG	SIL	0-2	S	SWP	1080	230
AVONBURG	SIL	2-6	S	SWP	960	230
AVONBURG	SIL	2-6	M	SWP	720	230
AVONBURG-ATLAS,C.		2-6	M	SWP	720	230
BARKCAMP	GR-LS	8-25	S	W	350	230
BARKCAMP	GR-SL	0-8	S	W	350	230
BARKCAMP,VERY STONY	CN-SL	0-8	S	W	350	230
BARKCAMP,VERY STONY	FLV-SL	0-8	S	W	350	230
BARKCAMP,VERY STONY	FLV-SL	8-25	S	W	350	230
BARKCAMP	L	8-25	S	W	350	230
BARKCAMP	CL	0-8	S	W	350	230
BARKCAMP	CL	8-25	S	W	350	230
BEASLEY	SIL	6-12	M	W	350	230
BEASLEY	SIL	12-18	M	W	350	230
BEAUCOUP,OF-PH	SICL	0-2	S	VP	1900	230
BELMORE	SL	0-2	S	W	350	230
BELMORE	SL	1-4	S	W	350	230
BELMORE	SL	1-6	S	W	350	230
BELMORE	SL	2-6	S	W	350	230
BELMORE	SL	6-12	S	W	350	230
BELMORE	L	0-2	S	W	380	230
BELMORE	L	1-4	S	W	350	230
BELMORE	L	2-6	S	W	350	230
BELMORE	L	6-12	S	W	350	230
BELMORE	L	6-12	M	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
BELMORE	L	12-18	S	W	350	230
BELMORE	L	12-18	M	W	350	230
BELMORE,T-SUBST	L	2-6	S	W	350	230
BELPRE	C	6-12	S	W	350	230
BELPRE	C	12-18	S	W	350	230
BELPRE	C	18-25	S	W	350	230
BENNINGTON	L	0-2	S	SWP	1020	230
BENNINGTON	SIL	0-2	S	SWP	1020	230
BENNINGTON	SIL	0-3	S	SWP	1020	230
BENNINGTON	SIL	2-4	S	SWP	910	230
BENNINGTON	SIL	2-6	S	SWP	760	230
BENNINGTON	SIL	2-6	M	SWP	580	230
BENNINGTON,SH-SUBST	SIL	0-2	S	SWP	850	230
BENNINGTON,SH-SUBST	SIL	2-6	S	SWP	370	230
BENNINGTON-PYRMONT,LM-SUBST	SIL	0-2	S	SWP	350	230
BENNINGTON-TIRO	SIL	0-2	S	SWP	870	230
BENNINGTON-FITCHVILLE	SIL	2-6	S	SWP	730	230
BERKS	SIL	3-8	S	W	350	230
BERKS	SIL	12-18	S	W	350	230
BERKS	SIL	18-25	S	W	350	230
BERKS	SIL	15-25	S	W	350	230
BERKS	CN-SIL	0-6	S	W	350	230
BERKS	CN-SIL	2-6	S	W	350	230
BERKS	CN-SIL	2-8	S	W	350	230
BERKS	CN-SIL	6-12	S	W	350	230
BERKS	CN-SIL	6-15	S	W	350	230
BERKS	CN-SIL	6-18	S	W	350	230
BERKS	CN-SIL	8-15	S	W	350	230
BERKS	CN-SIL	12-18	S	W	350	230
BERKS	CN-SIL	12-20	S	W	350	230
BERKS	CN-SIL	15-25	S	W	350	230
BERKS	CN-SIL	15-25	M	W	350	230
BERKS	SH-SIL	3-8	S	W	350	230
BERKS	SH-SIL	8-15	S	W	350	230
BERKS	SH-SIL	15-25	S	W	350	230
BERKS	CH-SIL	2-8	S	W	350	230
BERKS	STV-SIL	15-25	M	W	350	230
BERKS-AARON,C		6-15	S	W	350	230
BERKS-GUERNSEY,C.		8-15	S	W	350	230
BERKS-GUERNSEY,C.		15-25	S	W	350	230
BERKS-MUSKINGUM-NEOTOMA	CN-SIL	6-18	S	W	350	230
BERKS-TARHOLLOW,C		6-15	S	W	350	230
BERKS-WESTMORELAND	SIL	15-25	S	W	350	230
BETHESDA	SIL	0-8	S	W	350	230
BETHESDA	SIL	8-20	S	W	350	230
BETHESDA	SIL	8-25	S	W	350	230
BETHESDA	L	0-8	S	W	350	230
BETHESDA	L	8-25	S	W	350	230
BETHESDA	CN-L	0-8	S	W	350	230
BETHESDA	CN-L	8-20	S	W	350	230
BETHESDA	CN-L	8-25	S	W	350	230
BETHESDA	CN-CL	0-8	S	W	350	230
BETHESDA	CN-CL	8-15	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
BETHESDA	CN-CL	8-20	S	W	350	230
BETHESDA	CN-CL	8-25	S	W	350	230
BETHESDA	CN-CL	15-25	S	W	350	230
BETHESDA	CNV-CL	0-8	S	W	350	230
BETHESDA	CNV-CL	3-15	S	W	350	230
BETHESDA	CNV-CL	8-20	S	W	350	230
BETHESDA	SH-CL	0-8	S	W	350	230
BETHESDA	SH-CL	8-25	S	W	350	230
BETHESDA	SHV-CL	3-15	S	W	350	230
BETHESDA	SHV-CL	8-25	S	W	350	230
BETHESDA	CL	0-8	S	W	350	230
BETHESDA	CL	8-25	S	W	350	230
BETHESDA	SICL	0-8	S	W	350	230
BETHESDA	SICL	2-12	S	W	350	230
BETHESDA	SICL	8-20	S	W	350	230
BETHESDA	SICL	15-25	S	W	350	230
BETHESDA	CN-SICL	0-8	S	W	350	230
BETHESDA	CN-SICL	8-25	S	W	350	230
BETHESDA	SH-SICL	0-8	S	W	350	230
BETHESDA	SH-SICL	8-25	S	W	350	230
BETHESDA	SHV-SIC	0-8	S	W	350	230
BETHESDA	SH-SIL	1-15	S	W	350	230
BETHESDA	SH-SIL	15-25	S	W	350	230
BIGLICK-MILTON,C		0-2	S	W	350	230
BIGLICK-MILTON,C		2-6	S	W	350	230
BIRKBECK	SIL	0-2	S	MW	1770	770
BIRKBECK	SIL	1-4	S	MW	1680	680
BIRKBECK	SIL	2-6	S	MW	1570	570
BIRKBECK	SIL	2-6	M	MW	1300	300
BIXLER	LFS	0-2	S	SWP	900	230
BIXLER	LFS	0-3	S	SWP	900	230
BIXLER	LFS	2-6	S	SWP	660	230
BIXLER,C-SUBST	LS	0-2	S	SWP	690	230
BLAIRTON-RARDEN-GILPIN,AS		5-20	S	MW	350	230
BLAKESLEE	SIL	0-2	S	MW	1040	230
BLAKESLEE	SIL	2-6	S	MW	930	230
BLAKESLEE	SIL	6-12	S	MW	590	230
BLANCHESTER	SICL	0-1	S	VP	1350	230
BLANCHESTER	SIL	0-1	S	VP	1350	230
BLANCHESTER	SIL	0-2	S	VP	1520	230
BLOUNT	L	0-2	S	SWP	1530	230
BLOUNT	L	0-3	S	SWP	1530	230
BLOUNT	L	2-6	S	SWP	1260	230
BLOUNT	L	2-6	M	SWP	1010	230
BLOUNT	SIL	0-2	S	SWP	1530	230
BLOUNT	SIL	0-4	S	SWP	1370	230
BLOUNT	SIL	2-4	S	SWP	1270	230
BLOUNT	SIL	2-6	S	SWP	1260	230
BLOUNT	SIL	2-6	M	SWP	1010	230
BLOUNT,L-SUBST	L	0-2	S	SWP	1530	230
BLOUNT,L-SUBST	L	2-6	S	SWP	1260	230
BLOUNT,LM-SUBST	SIL	0-3	S	SWP	1530	230
BLOUNT-DEL REY	SIL	1-6	S	SWP	980	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
BLOUNT-HOUCTOWN,C		0-3	S	SWP	1550	230
BLOUNT-JENERA,C		0-3	S	SWP	1390	230
BLOUNT-RIMER,C.		2-6	S	SWP	570	230
BOGART	GR-L	0-2	S	MW	860	230
BOGART	GR-L	2-6	S	MW	730	230
BOGART	L	0-2	S	MW	1030	230
BOGART	L	2-5	S	MW	810	230
BOGART	L	2-6	S	MW	810	230
BOGART	L	6-12	M	MW	470	230
BOGART	SL	0-2	S	MW	860	230
BOGART	SIL	0-2	S	MW	1030	230
BOGART	SIL	2-5	S	MW	840	230
BOGART	SIL	2-6	S	MW	840	230
BOGART	SIL	6-12	S	MW	590	230
BOGART	SOILS	5-10	S	MW	630	230
BOGART	SOILS	5-10	M	MW	450	230
BOGART,T-SUBST	L	2-6	S	MW	810	230
BOGART,T-SUBST	L	6-12	S	MW	470	230
BOGART-HASKINS	L	2-6	S	MW	750	230
BOGART-HASKINS,C		2-6	S	MW	750	230
BOGART,V	L	0-3	S	MW	1170	230
BOGART,V	L	3-8	S	MW	840	230
BONNELL	SIL	15-25	S	W	350	230
BONNELL	SIL	15-25	M	W	350	230
BONNELL	SICL	15-25	SE	W	350	230
BONNIE,FF-PH	SIL	0-2	S	VP	350	230
BONNIE,PO-PH	SIL	0-2	S	VP	350	230
BONO	SICL	0-2	S	VP	1910	470
BONO	SIC	0-2	S	VP	1720	280
BONO,LO-SUBST	SIC	0-2	S	VP	1340	230
BONPAS	SIL	0-2	S	VP	1710	230
BONPAS,OV-PH	SIL	0-2	S	VP	1600	230
BONPAS	SICL	0-2	S	VP	1600	230
BOSTON-BRATTON,C		6-12	M	W	350	230
BOSTON-BRATTON,C		6-12	SE	W	350	230
BOSTON-BRATTON,C		12-18	M	W	350	230
BOSTON-BRATTON,C		12-18	SE	W	350	230
BOSTON-BRATTON,C		18-25	M	W	350	230
BOSTON-GRAYFORD	SIL	2-6	S	W	350	230
BOSTON-GRAYFORD	SIL	2-6	M	W	350	230
BOYER	LS	1-6	S	W	570	230
BOYER	LS	6-12	S	W	350	230
BOYER	GR-LS	12-18	S	W	350	230
BOYER	L	0-4	S	W	570	230
BRACEVILLE	L	0-2	S	MW	860	230
BRACEVILLE	L	2-6	S	MW	730	230
BRACEVILLE	L	6-12	M	MW	360	230
BRADY	SL	0-3	S	SWP	570	230
BRATTON	SIL	2-6	S	W	450	230
BRATTON	SIL	2-6	M	W	350	230
BRATTON	SIL	2-8	S	W	350	230
BRATTON	SIL	3-8	M	W	350	230
BRATTON	SIL	6-12	M	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
BRATTON	SIL	12-18	M	W	350	230
BRATTON	SICL	12-18	SE	W	350	230
BRATTON-OPEQUON,C		8-15	M	W	350	230
BRENTON	SIL	0-2	S	SWP	2130	240
BRONSON	SL	1-6	S	MW	940	230
BROOKE	SICL	4-12	M	W	350	230
BROOKE	SICL	12-18	M	W	350	230
BROOKE	SICL	12-25	M	W	350	230
BROOKSIDE	SIL	8-15	S	W	350	230
BROOKSIDE	SIL	8-15	M	W	350	230
BROOKSIDE	SIL	15-25	S	W	350	230
BROOKSIDE	SIL	15-25	M	W	350	230
BROOKSIDE	SICL	6-12	S	W	350	230
BROOKSIDE	SICL	8-15	S	W	350	230
BROOKSIDE	SICL	8-15	M	W	350	230
BROOKSIDE	SICL	12-18	S	W	350	230
BROOKSIDE	SICL	12-20	S	W	350	230
BROOKSIDE	SICL	15-25	S	W	350	230
BROOKSIDE	SICL	18-25	S	W	350	230
BROOKSIDE-VANDALIA,C		8-15	S	W	350	230
BROOKSIDE-VANDALIA,C		15-25	S	W	350	230
BROOKSIDE-VANDALIA,C		15-25	M	W	350	230
BROOKSTON	SIL	0-2	S	VP	2410	520
BROOKSTON	CL	0-2	S	VP	2290	400
BROOKSTON	SICL	0-2	S	VP	2290	400
BROOKSTON	SICL	2-6	S	VP	2020	230
BROOKSTON,OV-PH	SIL	0-2	S	VP	1520	230
BROUGHTON	SIC	6-12	SE	MW	350	230
BROUGHTON	SIC	12-18	SE	MW	350	230
BROUGHTON	SICL	2-6	S	MW	350	230
BROUGHTON	SICL	2-6	M	MW	350	230
BROUGHTON	SICL	6-12	M	MW	350	230
BROUGHTON	SICL	12-18	M	MW	350	230
BROUGHTON	C	2-6	M	MW	350	230
BROUGHTON	C	6-12	M	MW	350	230
BROUGHTON	C	6-12	SE	MW	350	230
BROUGHTON	C	12-18	M	MW	350	230
BROUGHTON	C	18-25	SE	MW	350	230
BROWNSVILLE	CN-SIL	6-12	S	W	350	230
BROWNSVILLE	CN-SIL	12-18	S	W	350	230
BROWNSVILLE	CN-SIL	15-25	S	W	350	230
BROWNSVILLE	CN-SIL	18-25	S	W	350	230
BROWNSVILLE-WESTMORELAND,C		18-25	S	W	350	230
BRUSHCREEK	SIL	6-12	M	MW	350	230
BRUSHCREEK-LAWSHE,C		12-25	M	MW	350	230
CALCUTTA	SIL	0-3	S	SWP	480	230
CAMBRIDGE	SIL	2-6	S	MW	660	230
CAMBRIDGE	SIL	2-6	M	MW	470	230
CAMBRIDGE	SIL	6-12	S	MW	530	230
CAMBRIDGE	SIL	6-12	M	MW	350	230
CAMBRIDGE	SIL	12-18	S	MW	350	230
CAMBRIDGE	SIL	12-18	M	MW	350	230
CAMBRIDGE,SS-SUBST	SIL	2-6	S	MW	660	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
CAMBRIDGE,SS-SUBST	SIL	6-12	M	MW	350	230
CANA	SIL	2-6	S	MW	890	230
CANA	SIL	2-6	M	MW	520	230
CANA	SIL	6-12	M	MW	480	230
CANA	SIL	12-18	M	MW	350	230
CANA	SIL	12-20	M	MW	350	230
CANA,V	SIL	2-6	S	MW	660	230
CANA,V	SIL	6-18	S	MW	350	230
CANA,V	SIL	8-15	M	MW	350	230
CANA,V	SIL	15-25	M	MW	350	230
CANADICE	SIL	0-2	S	P	350	230
CANADICE	SICL	0-2	S	P	350	230
CANADICE,V	MUCK	0-2	S	P	350	230
CANADICE-CANEADEA	SIL	0-2	S	P	350	230
CANAL	SIL	0-2	S	SWP	880	230
CANEADEA	SIL	0-2	S	SWP	700	230
CANEADEA	SIL	2-6	S	SWP	520	230
CANEADEA	SIL	6-12	M	SWP	350	230
CANEADEA	SIL	12-18	M	SWP	350	230
CANEADEA	SICL	0-2	S	SWP	350	230
CANEADEA	SICL	0-3	S	SWP	350	230
CANEADEA-CANADICE	SIL	0-2	S	SWP	350	230
CANEADEA-CANADICE,C		0-2	S	SWP	350	230
CANFIELD	SIL	0-2	S	MW	1320	320
CANFIELD	SIL	2-5	S	MW	1110	230
CANFIELD	SIL	2-5	M	MW	990	230
CANFIELD	SIL	2-6	S	MW	1110	230
CANFIELD	SIL	2-6	M	MW	990	230
CANFIELD	SIL	3-8	S	MW	1110	230
CANFIELD	SIL	5-10	S	MW	930	230
CANFIELD	SIL	5-10	M	MW	740	230
CANFIELD	SIL	6-12	S	MW	930	230
CANFIELD	SIL	6-12	M	MW	740	230
CANFIELD	SIL	8-15	S	MW	680	230
CANFIELD	SIL	12-18	S	MW	560	230
CANFIELD	SIL	12-18	M	MW	370	230
CANFIELD	SIL	12-20	S	MW	540	230
CANFIELD,SS-SUBST	SIL	2-6	S	MW	1110	230
CANFIELD,V,MOD.SHALLOW	SIL	2-6	S	MW	930	230
CANFIELD,V,MOD.SHALLOW	SIL	6-12	S	MW	350	230
CAPTINA	SIL	2-6	S	MW	590	230
CAPTINA	SIL	6-12	M	MW	350	230
CAPTINA	SIL	12-18	M	MW	350	230
CARDINAL	SIL	6-12	M	MW	350	230
CARDINAL	SIL	12-18	M	MW	350	230
CARDINGTON	FSL	2-6	S	MW	950	230
CARDINGTON	SIL	0-2	S	MW	1160	230
CARDINGTON	SIL	2-6	S	MW	1020	230
CARDINGTON	SIL	2-6	M	MW	750	230
CARDINGTON	SIL	6-12	S	MW	750	230
CARDINGTON	SIL	6-12	M	MW	620	230
CARDINGTON	SIL	6-12	SE	MW	350	230
CARDINGTON	SIL	12-18	M	MW	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
CARDINGTON	SIL	12-20	M	MW	350	230
CARDINGTON	SIL	12-25	M	MW	350	230
CARDINGTON	SICL	6-12	M	MW	500	230
CARDINGTON	SICL	6-12	SE	MW	350	230
CARLISLE	MK-SIL	0-2	S	VP	1770	230
CARLISLE	MUCK	0-1	S	VP	1770	230
CARLISLE	MUCK	0-2	S	VP	1770	230
CARLISLE,PO-PH	MUCK	0-2	S	VP	350	230
CARLISLE,DRAINED	MUCK	0-2	S	VP	1770	230
CARLISLE,UNDRAINED	MUCK	0-2	S	VP	350	230
CARLISLE	SICL	0-2	S	VP	1650	230
CASCO	GR-L	6-12	S	W	350	230
CASCO	GR-L	8-15	M	W	350	230
CASCO	GR-L	12-18	M	W	350	230
CASCO	GR-L	12-18	SE	W	350	230
CASCO	GR-L	12-20	M	W	350	230
CASCO	L	2-6	S	W	350	230
CASCO	L	2-6	M	W	350	230
CASCO	L	6-12	M	W	350	230
CASCO	L	15-25	S	W	350	230
CASCO	L	18-25	M	W	350	230
CASCO	SIL	0-6	S	W	430	230
CASCO	SIL	12-18	M	W	350	230
CASCO	CL	18-25	SE	W	350	230
CASCO-ELDEAN	L	12-18	M	W	350	230
CASCO-ELDEAN,C		12-18	M	W	350	230
CASCO-FOX	SOILS	6-12	M	W	350	230
CASCO-KENDALLVILLE,C		12-18	S	W	350	230
CASCO-MIAMI-FOX,C		12-18	M	W	350	230
CASCO-RODMAN	GR-L	6-18	M	W	350	230
CASCO-RODMAN	GR-L	12-18	S	W	350	230
CASCO-RODMAN,C		2-12	M	W	350	230
CASCO-RODMAN,C		12-18	M	W	350	230
CASCO-RODMAN-FOX	SOILS	18-25	M	W	350	230
CASCO,V,VERY FLAGGY SUBSL	L	0-2	S	W	350	230
CASCO,V,VERY FLAGGY SUBSL	L	2-6	S	W	350	230
CASCO,V,VERY FLAGGY SUBSL	L	6-18	S	W	350	230
CASTALIA	CBV-L	0-2	S	W	350	230
CASTALIA	CN-SIL	0-2	S	W	350	230
CASTALIA	CN-SIL	2-6	S	W	350	230
CASTALIA	CNV-L	0-2	S	W	350	230
CASTALIA	CNV-L	2-6	S	W	350	230
CASTALIA	CNV-L	12-18	S	W	350	230
CASTALIA	CNV-SIL	0-2	S	W	350	230
CASTALIA	CNV-SIL	2-6	S	W	350	230
CASTALIA	STV-FSL	1-6	S	W	350	230
CASTALIA	STV-L	1-6	S	W	350	230
CASTALIA-MARBLEHEAD,C	STV	0-6	S	W	350	230
CAVODE	SIL	2-5	S	SWP	410	230
CAVODE	SIL	5-10	S	SWP	350	230
CAVODE	SIL	5-10	M	SWP	350	230
CELINA	SIL	0-2	S	MW	1570	570
CELINA	SIL	2-6	S	MW	1320	320

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
CELINA	SIL	2-6	M	MW	1050	230
CELINA	SIL	6-12	M	MW	760	230
CELINA	BY-SIL	2-6	S	MW	670	230
CELINA,LM-SUBST	SIL	0-2	S	MW	1570	570
CELINA-CROSBY	SIL	0-2	S	MW	1580	580
CELINA-LOSANTVILLE	SIL	2-6	S	MW	1120	230
CELINA-LOSANTVILLE	SIL	2-6	M	MW	780	230
CELINA-MIAMI	SIL	6-12	M	MW	760	230
CELINA-XENIA	SIL	0-2	S	MW	1570	570
CELINA-XENIA	SIL	2-6	S	MW	1320	320
CELINA,V	SIL	6-15	S	MW	350	230
CELINA-STRAWN,C		0-2	S	MW	880	230
CELINA-STRAWN,C		2-6	S	MW	770	230
CENTERBURG	SIL	1-4	S	MW	1300	300
CENTERBURG	SIL	2-6	S	MW	1080	230
CENTERBURG	SIL	2-6	M	MW	960	230
CENTERBURG	SIL	6-12	S	MW	830	230
CENTERBURG	SIL	6-12	M	MW	680	230
CERESCO	SL	0-2	S	SWP	1330	230
CERESCO,OF-PH	SL	0-2	S	SWP	1330	230
CHAGRIN	L	0-2	S	W	1690	690
CHAGRIN,ALK-PH	L	0-2	S	W	1550	550
CHAGRIN,FF-PH	L	0-2	S	W	550	230
CHAGRIN,OF-PH	L	0-2	S	W	1690	690
CHAGRIN,RF-PH	L	0-2	S	W	1670	670
CHAGRIN	SIL	0-2	S	W	1690	690
CHAGRIN,ALK-PH.	SIL	0-2	S	W	1860	860
CHAGRIN,FF-PH	SIL	0-2	S	W	550	230
CHAGRIN,OF-PH	SIL	0-2	S	W	1690	690
CHAGRIN,RF-PH	SIL	0-2	S	W	2260	1260
CHANNAHON	SIL	0-2	S	W	350	230
CHANNAHON	SIL	2-6	S	W	350	230
CHANNAHON-FAIRMONT	SOILS	18-25	M	W	350	230
CHANNAHON-BIGLICK,C		6-12	S	W	350	230
CHAVIES	L	0-2	S	W	350	230
CHAVIES	L	0-6	S	W	350	230
CHAVIES	L	2-6	S	W	350	230
CHAVIES	SIL	6-15	S	W	350	230
CHAVIES,RF-PH	SIL	0-2	S	W	350	230
CHAVIES,RF-PH	SIL	2-6	S	W	350	230
CHAVIES,RF-PH	FSL	0-2	S	W	350	230
CHENANGO	GR-L	0-2	S	W	570	230
CHENANGO	GR-L	2-6	S	W	390	230
CHENANGO	GR-L	6-12	S	W	350	230
CHENANGO	GR-L	6-12	M	W	350	230
CHENANGO	GR-L	12-18	S	W	350	230
CHENANGO	SIL	0-2	S	W	680	230
CHENANGO	SIL	2-6	S	W	560	230
CHENANGO	SIL	6-12	M	W	350	230
CHENANGO	SIL	12-18	M	W	350	230
CHILI	GR-L	0-3	S	W	630	230
CHILI	GR-L	2-5	S	W	460	230
CHILI	GR-L	2-6	S	W	460	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
CHILI	GR-L	3-8	S	W	370	230
CHILI	GR-L	5-10	M	W	350	230
CHILI	GR-L	6-12	S	W	350	230
CHILI	GR-L	6-12	M	W	350	230
CHILI	GR-L	8-15	S	W	350	230
CHILI	GR-L	10-15	M	W	350	230
CHILI	GR-L	12-18	S	W	350	230
CHILI	GR-L	12-18	M	W	350	230
CHILI	GR-L	12-25	M	W	350	230
CHILI	GR-L	18-25	S	W	350	230
CHILI	GR-L	18-25	M	W	350	230
CHILI	L	0-2	S	W	760	230
CHILI	L	0-3	S	W	760	230
CHILI	L	2-5	S	W	630	230
CHILI	L	2-5	M	W	440	230
CHILI	L	2-6	S	W	630	230
CHILI	L	3-8	S	W	630	230
CHILI	L	5-10	S	W	380	230
CHILI	L	5-10	M	W	350	230
CHILI	L	6-12	S	W	370	230
CHILI	L	6-12	M	W	350	230
CHILI	L	6-15	S	W	350	230
CHILI	L	8-15	M	W	350	230
CHILI	L	6-18	M	W	350	230
CHILI	L	10-15	S	W	350	230
CHILI	L	10-15	M	W	350	230
CHILI	L	12-18	S	W	350	230
CHILI	L	12-18	M	W	350	230
CHILI	L	12-20	S	W	350	230
CHILI	L	15-20	M	W	350	230
CHILI	L	15-25	S	W	350	230
CHILI	L	18-25	S	W	350	230
CHILI	L	18-25	M	W	350	230
CHILI,L-SUBST	L	2-6	S	W	630	230
CHILI,L-SUBST	L	6-12	S	W	370	230
CHILI	SIL	0-2	S	W	760	230
CHILI	SIL	0-3	S	W	760	230
CHILI	SIL	2-6	S	W	630	230
CHILI	SIL	3-8	S	W	480	230
CHILI	SIL	6-12	S	W	380	230
CHILI	SIL	6-12	M	W	350	230
CHILI	SIL	8-15	S	W	350	230
CHILI-AMANDA,C		18-25	S	W	350	230
CHILI-CONOTTON	GR-L	12-18	S	W	350	230
CHILI-CONOTTON	SOILS	12-18	S	W	350	230
CHILI-CONOTTON	SOILS	12-18	SE	W	350	230
CHILI-CONOTTON	SOILS	18-25	S	W	350	230
CHILI-CONOTTON,GRAVELLY	SOILS	18-25	S	W	350	230
CHILI-HOMEWOOD	SIL	6-12	S	W	460	230
CHILI-HOMEWOOD	SIL	12-18	S	W	350	230
CHILI-OSHTEMO,C		6-18	S	W	350	230
CHILI-OSHTEMO,C		12-18	S	W	350	230
CHILI-OSHTEMO,C		12-18	M	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
CHILI-OSHTEMO,C		18-25	S	W	350	230
CHILI-WOOSTER,C		6-12	S	W	350	230
CHILI-WOOSTER,C		6-12	M	W	350	230
CHILI-WOOSTER,C		12-18	S	W	350	230
CHILI-WOOSTER,C		12-18	M	W	350	230
CHILI-WOOSTER,C		18-25	S	W	350	230
CHILI-WOOSTER,C		18-25	M	W	350	230
CHILI	SOILS	5-10	SE	W	350	230
CHILI	SOILS	10-15	SE	W	350	230
CHILI	SOILS	15-20	SE	W	350	230
CHILO	SICL	0-2	S	VP	1660	230
CIDERMILL	SIL	0-2	S	W	1430	430
CIDERMILL	SIL	0-3	S	W	1430	430
CIDERMILL	SIL	2-6	S	W	930	230
CINCINNATI	SIL	1-8	S	W	1080	230
CINCINNATI	SIL	2-6	S	W	1080	230
CINCINNATI	SIL	2-6	M	W	960	230
CINCINNATI	SIL	3-8	M	W	800	230
CINCINNATI	SIL	6-12	S	W	820	230
CINCINNATI	SIL	6-12	M	W	700	230
CINCINNATI	SIL	6-15	M	W	580	230
CINCINNATI	SIL	8-15	M	W	580	230
CINCINNATI	SIL	12-18	M	W	390	230
CINCINNATI-HICKORY	SOILS	12-25	SE	W	350	230
CINCINNATI-WELLSTON,C		6-12	M	MW	630	230
CLARKSBURG	SIL	6-12	M	MW	480	230
CLARKSBURG	SIL	6-15	S	MW	470	230
CLARKSBURG	SIL	8-15	M	MW	350	230
CLARKSBURG	SIL	12-18	M	MW	350	230
CLARKSBURG	SIL	15-25	S	MW	350	230
CLARKSBURG	CN-SIL	15-25	S	MW	350	230
CLAVERACK,V,SI-SUBSL	LFS	0-2	S	MW	560	230
CLAVERACK,V,SI-SUBSL	LFS	2-6	S	MW	430	230
CLAVERACK,V,SI-SUBSL	LFS	6-12	S	MW	350	230
CLAVERACK,V,MOD SHAL	LFS	2-6	S	MW	350	230
CLAYSVILLE-GUERNSEY,C		8-15	S	SWP	350	230
CLERMONT	SIL	0-1	S	P	1080	230
CLERMONT	SIL	0-2	S	P	1080	230
CLIFTY,OF-PH	SIL	0-2	S	W	980	230
CLYMER	L	8-15	S	W	350	230
CLYMER	L	15-25	S	W	350	230
CLYMER	SIL	3-8	S	W	350	230
CLYMER	SIL	6-12	S	W	350	230
CLYMER	SIL	8-15	S	W	350	230
CLYMER	SIL	12-18	S	W	350	230
COBLEN,RF-PH	L	0-2	S	MW	2350	1350
COHOCTAH	FSL	0-2	S	VP	1210	230
COHOCTAH,OF-PH	FSL	0-2	S	VP	1880	230
COHOCTAH,FF-PH	FSL	0-2	S	VP	1210	230
COHOCTAH,OF-PH	L	0-1	S	VP	2070	230
COHOCTAH	L	0-2	S	VP	2070	230
COLONIE	LFS	2-6	S	W	350	230
COLONIE	LFS	6-18	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
COLONIE	LFS	12-18	S	W	350	230
COLWOOD	FSL	0-2	S	VP	2800	910
COLWOOD	L	0-1	S	VP	2980	1090
COLWOOD	L	0-2	S	VP	2980	1090
COLWOOD	SIL	0-2	S	VP	2980	1090
COLWOOD,BR-SUBST	SIL	0-1	S	VP	1590	230
COLWOOD,LM-SUBST	SIL	0-2	S	VP	1590	230
COLWOOD,V,ACID	SICL	0-2	S	VP	1090	230
COLWOOD,V,ACID	SIL	0-2	S	VP	830	230
COLYER	SH-L	0-2	S	W	350	230
COLYER	SH-L	2-12	S	W	350	230
COLYER-TRAPPIST,C		12-18	M	W	350	230
CONDIT	SIL	0-1	S	P	350	230
CONDIT	SIL	0-2	S	P	350	230
CONDIT	SICL	0-2	S	P	350	230
CONDIT-BENNINGTON	SIL	0-2	S	P	470	230
CONNEAUT	SIL	0-1	S	P	480	230
CONNEAUT	SIL	0-2	S	P	480	230
CONNEAUT	SIL	1-4	S	P	350	230
CONNEAUT,SH-SUBST	SIL	0-2	S	P	480	230
CONOTTON	GR-L	0-2	S	W	470	230
CONOTTON	GR-L	0-3	S	W	470	230
CONOTTON	GR-L	0-6	S	W	360	230
CONOTTON	GR-L	1-6	S	W	360	230
CONOTTON	GR-L	2-6	S	W	360	230
CONOTTON	GR-L	2-12	S	W	350	230
CONOTTON	GR-L	3-8	S	W	350	230
CONOTTON	GR-L	6-12	S	W	350	230
CONOTTON	GR-L	6-12	M	W	350	230
CONOTTON	GR-L	6-15	S	W	350	230
CONOTTON	GR-L	6-18	S	W	350	230
CONOTTON	GR-L	12-18	M	W	350	230
CONOTTON	GR-L	15-25	S	W	350	230
CONOTTON	GR-L	18-25	M	W	350	230
CONOTTON	L	0-2	S	W	580	230
CONOTTON	L	2-6	S	W	470	230
CONOTTON-CHILI,C	GR-L	18-25	S	W	350	230
CONOTTON-OSHTEMO,C		12-18	S	W	350	230
CONOTTON-OSHTEMO,C		18-25	S	W	350	230
CONOTTON,V	GR-L	10-20	S	W	350	230
COOLVILLE	SIL	0-2	S	MW	830	230
COOLVILLE	SIL	1-6	S	MW	670	230
COOLVILLE	SIL	1-8	S	MW	570	230
COOLVILLE	SIL	2-6	S	MW	670	230
COOLVILLE	SIL	3-8	S	MW	570	230
COOLVILLE	SIL	6-12	M	MW	350	230
COOLVILLE	SIL	8-15	S	MW	350	230
COOLVILLE-BLAIRTON,AS		5-20	S	MW	350	230
COOLVILLE-RARDEN	SIL	6-12	M	MW	350	230
COOLVILLE-RARDEN	SIL	8-15	S	MW	350	230
COOLVILLE-RARDEN	SIL	12-18	M	MW	350	230
COOLVILLE-TILSIT	SIL	2-6	S	MW	670	230
CORWIN	SIL	0-2	S	MW	1780	780

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
CORWIN	SIL	2-6	S	MW	1570	570
COSHOCTON	L	2-6	S	MW	720	230
COSHOCTON	L	6-15	S	MW	350	230
COSHOCTON	L	15-25	S	MW	350	230
COSHOCTON	SIL	1-7	S	MW	750	230
COSHOCTON	SIL	2-6	S	MW	750	230
COSHOCTON	SIL	3-8	S	MW	650	230
COSHOCTON	SIL	6-12	S	MW	510	230
COSHOCTON	SIL	6-12	M	MW	400	230
COSHOCTON	SIL	6-15	S	MW	470	230
COSHOCTON	SIL	6-15	M	MW	400	230
COSHOCTON	SIL	8-15	S	MW	460	230
COSHOCTON	SIL	8-15	M	MW	390	230
COSHOCTON	SIL	12-18	S	MW	350	230
COSHOCTON	SIL	12-18	M	MW	350	230
COSHOCTON	SIL	15-25	S	MW	350	230
COSHOCTON	SIL	15-25	M	MW	350	230
COSHOCTON	SIL	18-25	M	MW	350	230
COSHOCTON,VERY STONY	SIL	6-15	S	MW	350	230
COSHOCTON,VERY STONY	SIL	12-25	S	MW	350	230
COSHOCTON,VERY STONY	SIL	15-25	S	MW	350	230
COSHOCTON-GUERNSEY	SIL	8-15	S	MW	350	230
COSHOCTON-GUERNSEY	SIL	15-25	S	MW	350	230
COSHOCTON-GUERNSEY	STV-SIL	8-15	S	MW	350	230
COSHOCTON-GUERNSEY	STV-SIL	15-25	S	MW	350	230
COSHOCTON-KEENE	SIL	3-8	S	MW	1050	230
COSHOCTON-RIGLEY,C		15-25	S	MW	350	230
COSHOCTON-WESTMORELAND,C		15-25	S	MW	350	230
CRANE	SIL	0-2	S	SWP	1720	230
CRANE	SIL	1-4	S	SWP	1720	230
CRIDER	SIL	1-6	S	W	1670	670
CRIDER	SIL	2-6	S	W	1670	670
CROSBY	SIL	0-2	S	SWP	1580	230
CROSBY	SIL	2-6	S	SWP	1340	230
CROSBY	SIL	2-6	M	SWP	1080	230
CROSBY,LM-SUBST	SIL	0-2	S	SWP	1520	230
CROSBY	BY-SIL	0-2	S	SWP	650	230
CROSBY	BY-SIL	0-6	S	SWP	540	230
CROSBY	BY-SIL	2-6	S	SWP	460	230
CROSBY-CELINA	SIL	0-2	S	SWP	1570	230
CROSBY-CELINA	SIL	2-4	S	SWP	1410	230
CROSBY-CELINA	SIL	2-6	S	SWP	1340	230
CROSBY-FINCASTLE	SIL	0-2	S	SWP	2000	230
CROSBY-FINCASTLE	SIL	2-6	S	SWP	1920	230
CROSBY-LEWISBURG	SIL	0-2	S	SWP	1340	230
CROSBY-LEWISBURG	SIL	2-6	S	SWP	1020	230
CROUSE-MIAMIAN	SIL	6-12	M	MW	1040	230
CROUSE-MIAMIAN	SIL	12-18	M	MW	750	230
CRUZE	SIL	6-12	M	MW	360	230
CRUZE	SIL	8-15	S	MW	350	230
CRUZE	SIL	12-20	S	MW	350	230
CUBA,OF-PH	SIL	0-2	S	W	780	230
CUBA,FF-PH	SIL	0-2	S	W	470	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
CULLEOKA	SIL	3-8	S	W	820	230
CULLEOKA	SIL	8-15	S	W	370	230
CYCLONE	L	0-2	S	VP	2290	400
CYGNET	L	0-2	S	MW	1300	300
CYGNET	L	0-3	S	MW	1290	290
DAMASCUS	L	0-2	S	P	350	230
DAMASCUS,T-SUBST	L	0-2	S	P	350	230
DAMASCUS	SIL	0-2	S	P	350	230
DANA	SIL	0-2	S	MW	2260	1260
DANA	SIL	0-4	S	MW	2150	1150
DANA	SIL	2-6	S	MW	2000	1000
DANA,BR-SUBST	SIL	2-8	S	MW	1990	990
DARIEN	SIL	0-1	S	SWP	570	230
DARIEN	SIL	0-2	S	SWP	570	230
DARIEN	SIL	1-4	S	SWP	470	230
DARIEN	SIL	2-6	S	SWP	400	230
DARIEN	SIL	6-12	S	SWP	350	230
DARIEN,BR-SUBST	SIL	0-2	S	SWP	550	230
DARIEN,BR-SUBST	SIL	2-6	S	SWP	400	230
DARIEN-HORNELL,C	SIL	2-6	S	SWP	350	230
DARIEN-PLATEA	SIL	6-12	S	SWP	350	230
DARIEN-PLATEA	SIL	6-12	M	SWP	350	230
DARROCH	L	0-2	S	SWP	2370	480
DARROCH	SIL	0-2	S	SWP	2370	480
DARROCH,V,CO-SUBSL	FSL	0-2	S	SWP	2190	300
DEFIANCE	SIL	0-2	S	SWP	560	230
DEFIANCE	SICL	0-2	S	SWP	440	230
DEFIANCE,OF-PH	SICL	0-2	S	SWP	760	230
DEFIANCE,FF-PH	SICL	0-2	S	SWP	370	230
DEFIANCE	SIC	0-2	S	SWP	350	230
DEFIANCE,FF-PH	SIC	0-2	S	SWP	350	230
DEKALB	FSL	0-2	S	W	550	230
DEKALB	FSL	2-6	S	W	440	230
DEKALB	SL	2-6	S	W	440	230
DEKALB	SL	6-12	S	W	350	230
DEKALB	SL	12-18	S	W	350	230
DEKALB	SL	12-25	M	W	350	230
DEKALB	SL	18-25	S	W	350	230
DEKALB	CN-SL	6-15	S	W	350	230
DEKALB,STONY	CN-SL	6-15	S	W	350	230
DEKALB	L	2-5	S	W	550	230
DEKALB	L	3-8	S	W	460	230
DEKALB	L	5-10	S	W	380	230
DEKALB	L	5-10	M	W	350	230
DEKALB	L	6-12	S	W	380	230
DEKALB	L	6-12	M	W	350	230
DEKALB	L	8-15	S	W	350	230
DEKALB	L	10-15	M	W	350	230
DEKALB	L	12-18	S	W	350	230
DEKALB	L	12-18	M	W	350	230
DEKALB	L	15-20	M	W	350	230
DEKALB	L	15-25	S	W	350	230
DEKALB	L	18-25	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
DEKALB	CN-L	2-6	S	W	440	230
DEKALB	CN-L	6-12	S	W	350	230
DEKALB	CN-L	6-15	S	W	350	230
DEKALB	CN-L	8-15	S	W	350	230
DEKALB	CN-L	12-18	S	W	350	230
DEKALB	CN-L	12-25	S	W	350	230
DEKALB	CN-L	15-25	S	W	350	230
DEKALB	CN-L	18-25	S	W	350	230
DEKALB	CNV-L	1-6	S	W	350	230
DEKALB	ST-L	5-20	S	W	350	230
DEKALB	STV-L	2-12	S	W	350	230
DEKALB	STV-L	12-25	S	W	350	230
DEKALB-WESTMORELAND,C		15-25	S	W	350	230
DELMAR	SIL	0-2	S	P	350	230
DEL REY	L	0-2	S	SWP	1270	230
DEL REY	L	0-3	S	SWP	1270	230
DEL REY	L	2-6	S	SWP	1030	230
DEL REY,S-SUBST	L	0-2	S	SWP	950	230
DEL REY	SIL	0-2	S	SWP	1270	230
DEL REY	SIL	0-3	S	SWP	1270	230
DEL REY	SIL	1-3	S	SWP	1130	230
DEL REY	SIL	1-4	S	SWP	1130	230
DEL REY	SIL	2-6	S	SWP	1030	230
DEL REY,T-SUBST	SIL	0-3	S	SWP	1270	230
DEL REY	SICL	0-2	S	SWP	1110	230
DEL REY	SICL	2-6	S	SWP	990	230
DEL REY-FULTON	SIL	1-6	S	SWP	600	230
DEL REY,V	SIL	0-3	S	SWP	1500	230
DEL REY-BLOUNT,C		0-3	S	SWP	1370	230
DIGBY	FSL	0-2	S	SWP	1520	230
DIGBY	FSL	2-6	S	SWP	1260	230
DIGBY	SL	0-2	S	SWP	1520	230
DIGBY	SL	0-3	S	SWP	1520	230
DIGBY	SL	2-6	S	SWP	1260	230
DIGBY	L	0-2	S	SWP	1620	230
DIGBY	L	0-3	S	SWP	1620	230
DIGBY	L	1-4	S	SWP	1530	230
DIGBY	L	2-6	S	SWP	1420	230
DIGBY	SIL	0-2	S	SWP	1620	230
DIGBY	SIL	2-6	S	SWP	1420	230
DIGBY,V	L	0-2	S	SWP	350	230
DIGBY,V	SIL	0-2	S	SWP	1580	230
DIXBORO	FSL	0-2	S	SWP	870	230
DIXBORO	FSL	0-3	S	SWP	870	230
DIXBORO-KIBBIE,C		0-2	S	SWP	2090	230
DOLES	SIL	0-2	S	SWP	810	230
DOLES	SIL	0-3	S	SWP	810	230
DRUMMER,GR-SUBST	SICL	0-2	S	VP	2660	770
DUBOIS	SIL	0-2	S	SWP	840	230
DUBOIS	SIL	2-6	S	SWP	720	230
DUNBRIDGE	LFS	1-4	S	W	350	230
DUNBRIDGE	LFS	2-6	S	W	350	230
DUNBRIDGE	LS	0-2	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
DUNBRIDGE	LS	2-6	S	W	350	230
DUNBRIDGE	FSL	2-6	S	W	350	230
DUNBRIDGE	SL	0-2	S	W	350	230
DUNBRIDGE	SL	0-4	S	W	350	230
DUNBRIDGE	SL	1-4	S	W	350	230
DUNBRIDGE-SPINKS,OVER LM	LFS	0-2	S	W	350	230
DUNBRIDGE-SPINKS,OVER LM	LFS	2-6	S	W	350	230
DUNBRIDGE-SPINKS,OVER LM	ST-LFS	0-2	S	W	350	230
DUNBRIDGE-SPINKS,C,DEEP TO LM	LFS	0-2	S	W	350	230
DUNBRIDGE-SPINKS,C,DEEP TO LM	LFS	2-6	S	W	350	230
DUNCANNON	SIL	0-2	S	W	990	230
DUNCANNON	SIL	2-6	S	W	820	230
DUNCANNON	SIL	6-12	S	W	610	230
DUNCANNON-LAKIN,C		12-18	S	W	350	230
DUNCANNON-LAKIN,C		18-25	S	W	350	230
DUNHAM	SICL	0-2	S	P	2660	770
DUNHAM,OV-PH	SIL	0-2	S	P	2530	640
EDEN	SICL	3-8	M	W	350	230
EDEN	SICL	8-15	M	W	350	230
EDEN	SICL	15-25	S	W	350	230
EDEN	SICL	15-25	M	W	350	230
EDEN	FL-SICL	12-18	M	W	350	230
EDEN	FL-SICL	18-25	M	W	350	230
EDEN,C		2-6	M	W	350	230
EDEN,C		6-12	M	W	350	230
EDEN,C		12-18	M	W	350	230
EDEN,C		18-25	M	W	350	230
EDENTON	L	6-12	M	W	470	230
EDENTON	L	12-18	M	W	350	230
EDENTON	L	18-25	M	W	350	230
EDENTON	SIL	2-6	S	W	830	230
EDENTON	SIL	2-6	M	W	690	230
EDENTON	SIL	6-12	M	W	410	230
EDENTON	SIL	12-18	M	W	350	230
EDENTON	CL	12-25	SE	W	350	230
EDENTON	SOILS	6-12	SE	W	350	230
EDENTON	SOILS	12-18	SE	W	350	230
EDENTON-FAIRMONT	SOILS	18-25	M	W	350	230
EDENTON-FAIRMONT	SOILS	18-25	SE	W	350	230
EDWARDS	MUCK	0-1	S	VP	1390	230
EDWARDS	MUCK	0-2	S	VP	1390	230
EEL	L	0-2	S	MW	1370	370
EEL,FF-PH	L	0-2	S	MW	840	230
EEL	SIL	0-2	S	MW	1370	370
EEL,FF-PH	SIL	0-2	S	MW	840	230
EEL,OF-PH	SIL	0-2	S	MW	1370	370
EEL,OVER LM	SIL	0-2	S	MW	350	230
EEL,GR-SUBST,OF-PH	SIL	0-1	S	MW	1370	370
EEL,GR-SUBST,OF-PH	SIL	0-2	S	MW	1370	370
EEL,V,OF-PH	SIL	0-2	S	MW	2020	1020
EEL,MOD DEEP TO LM,FF-PH	SIL	0-2	S	MW	350	230
ELBA	SICL	3-8	S	W	460	230
ELBA	SICL	8-15	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
ELBA	SICL	8-15	M	W	350	230
ELBA	SICL	15-25	S	W	350	230
ELBA	SICL	15-25	M	W	350	230
ELBA-BELPRE,C		12-18	S	W	350	230
ELBA-BELPRE,C		18-25	M	W	350	230
ELBA-GUERNSEY	SICL	15-25	M	W	350	230
ELBA-UPSHUR	SICL	15-25	M	W	350	230
ELDEAN	L	0-2	S	W	1080	230
ELDEAN	L	2-6	S	W	820	230
ELDEAN	L	2-6	M	W	690	230
ELDEAN	L	6-12	S	W	680	230
ELDEAN	L	6-12	M	W	560	230
ELDEAN	GR-CL	6-12	SE	W	350	230
ELDEAN	GR-CL	12-18	SE	W	350	230
ELDEAN	GR-L	0-2	S	W	790	230
ELDEAN	GR-L	2-6	S	W	680	230
ELDEAN	GR-L	2-6	M	W	610	230
ELDEAN	GR-L	6-12	M	W	380	230
ELDEAN	SIL	0-2	S	W	1080	230
ELDEAN	SIL	0-3	S	W	1080	230
ELDEAN	SIL	1-4	S	W	1060	230
ELDEAN	SIL	2-6	S	W	820	230
ELDEAN	SIL	2-6	M	W	690	230
ELDEAN	SIL	6-12	M	W	560	230
ELDEAN	SIL	12-18	M	W	350	230
ELDEAN	CL	6-12	SE	W	350	230
ELDEAN-CASCO	GR-L	6-12	M	W	350	230
ELDEAN-CASCO	GR-L	12-18	M	W	350	230
ELDEAN-CASCO,C		6-12	M	W	350	230
ELDEAN-CASCO,C		6-15	M	W	350	230
ELDEAN-CASCO,C		6-18	SE	W	350	230
ELDEAN-KENDALLVILLE	L	0-2	S	W	1010	230
ELDEAN-KENDALLVILLE	L	2-6	S	W	920	230
ELDEAN-KENDALLVILLE	L	6-12	M	W	350	230
ELDEAN-MIAMIAN,C		2-6	S	W	450	230
ELDEAN-MIAMIAN,C		2-6	M	W	350	230
ELDEAN-MIAMIAN,C		6-12	S	W	350	230
ELDEAN-MIAMIAN,C		6-12	M	W	350	230
ELDEAN-MIAMIAN,C		6-12	SE	W	350	230
ELDEAN-MIAMIAN,C		12-18	M	W	350	230
ELDEAN-MIAMIAN,C		12-18	SE	W	350	230
ELDEAN-MORLEY,C		2-6	M	W	800	230
ELDEAN-MORLEY,C		6-15	M	W	350	230
ELKINSVILLE	SIL	0-2	S	W	1730	730
ELKINSVILLE	SIL	0-3	S	W	1730	730
ELKINSVILLE	SIL	1-6	S	W	1650	650
ELKINSVILLE	SIL	1-8	S	W	1650	650
ELKINSVILLE	SIL	2-6	S	W	1650	650
ELKINSVILLE	SIL	3-8	S	W	1410	410
ELKINSVILLE	SIL	6-12	S	W	1210	230
ELKINSVILLE	SIL	6-12	M	W	990	230
ELKINSVILLE	SIL	8-15	S	W	990	230
ELKINSVILLE	SIL	15-25	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
ELKINSVILLE,RF-PH	SIL	0-2	S	W	1720	720
ELLIOTT	SIL	0-2	S	SWP	1500	230
ELLIOTT	SIL	0-3	S	SWP	1360	230
ELLIOTT	SIL	0-4	S	SWP	1340	230
ELLIOTT	SIL	1-4	S	SWP	1340	230
ELLIOTT	SICL	0-2	S	SWP	1320	230
ELLIOTT	SICL	0-3	S	SWP	1320	230
ELLIOTT,BR-SUBST	SIL	0-2	S	SWP	1500	230
ELLSWORTH	SIL	0-2	S	MW	830	230
ELLSWORTH	SIL	2-6	S	MW	660	230
ELLSWORTH	SIL	2-6	M	MW	450	230
ELLSWORTH	SIL	6-12	S	MW	350	230
ELLSWORTH	SIL	6-12	M	MW	350	230
ELLSWORTH	SIL	12-18	S	MW	350	230
ELLSWORTH	SIL	12-18	M	MW	350	230
ELLSWORTH	SIL	12-25	M	MW	350	230
ELLSWORTH	SIL	18-25	S	MW	350	230
ELLSWORTH	SIL	18-25	M	MW	350	230
ELLSWORTH,SS-SUBST	SIL	2-6	S	MW	510	230
ELLSWORTH,SS-SUBST	SIL	6-12	S	MW	350	230
ELLSWORTH,SS-SUBST	SIL	6-12	M	MW	350	230
ELLSWORTH,SH-SUBST	SIL	6-12	S	MW	350	230
ELLSWORTH,SH-SUBST	SIL	12-18	S	MW	350	230
ELNORA	LFS	0-4	S	MW	350	230
ELNORA	LFS	1-3	S	MW	350	230
ELNORA	LFS	1-5	S	MW	350	230
ELNORA	LFS	2-6	S	MW	350	230
ELNORA,BR-SUBST	LFS	0-4	S	MW	350	230
ENDOQUENTS,LOAMY		0-1	S	VP	350	230
ENOCH	L	0-8	S	W	350	230
ENOCH	L	8-25	S	W	350	230
ENOCH,VERY STONY	SH-SICL	0-8	S	W	350	230
ENOCH,VERY STONY	SH-SICL	15-25	S	W	350	230
ERNEST	SIL	5-10	S	MW	350	230
ERNEST	SIL	6-15	S	MW	350	230
ERNEST	SIL	8-15	S	MW	350	230
ERNEST	SIL	10-15	M	MW	350	230
ERNEST	SIL	15-20	M	MW	350	230
ERNEST	SIL	15-25	S	MW	350	230
EUCLID	SIL	0-2	S	SWP	1870	230
EUCLID,RF-PH	SIL	0-2	S	SWP	1870	230
EUCLID,OF-PH	SIL	0-2	S	SWP	1870	230
FAIRMOUNT	SICL	12-25	M	W	350	230
FAIRMOUNT	FLV-SIC	18-25	M	W	350	230
FAIRMOUNT-EDEN	FL-SICL	12-25	M	W	350	230
FAIRPOINT	SIL	0-8	S	W	350	230
FAIRPOINT	SIL	3-15	S	W	350	230
FAIRPOINT	SIL	8-20	S	W	350	230
FAIRPOINT	SIL	8-25	S	W	350	230
FAIRPOINT	CNV-SIL	0-8	S	W	350	230
FAIRPOINT	CNV-SIL	8-25	S	W	350	230
FAIRPOINT	L	0-8	S	W	350	230
FAIRPOINT	L	8-25	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
FAIRPOINT	CL	0-8	S	W	350	230
FAIRPOINT	CL	8-20	S	W	350	230
FAIRPOINT	CN-CL	8-20	S	W	350	230
FAIRPOINT	CN-CL	8-25	S	W	350	230
FAIRPOINT	GR-CL	0-8	S	W	350	230
FAIRPOINT	GR-CL	8-25	S	W	350	230
FAIRPOINT	SHV-CL	3-15	S	W	350	230
FAIRPOINT	SICL	0-8	S	W	350	230
FAIRPOINT	SICL	1-15	S	W	350	230
FAIRPOINT	SICL	2-12	S	W	350	230
FAIRPOINT	SICL	8-25	S	W	350	230
FAIRPOINT	SICL	15-25	S	W	350	230
FAIRPOINT	CN-SICL	1-8	S	W	350	230
FAIRPOINT	CN-SICL	8-25	S	W	350	230
FARMERSTOWN	SIL	0-8	S	W	350	230
FARMERSTOWN	SIL	8-20	S	W	350	230
FARMERSTOWN	L	0-8	S	W	350	230
FARMERSTOWN	L	8-20	S	W	350	230
FAYWOOD	SIL	8-15	M	W	350	230
FAYWOOD	SIL	15-25	M	W	350	230
FAYWOOD	SICL	15-25	M	W	350	230
FAYWOOD-LOWELL,C	SIL	8-15	M	W	350	230
FINCASTLE	SIL	0-2	S	SWP	1740	230
FINCASTLE	SIL	0-4	S	SWP	1620	230
FINCASTLE	SIL	2-4	S	SWP	1600	230
FINCASTLE	SIL	2-6	S	SWP	1530	230
FINCASTLE	SIL	2-6	M	SWP	1330	230
FINCASTLE,BR-SUBST	SIL	0-2	S	SWP	1280	230
FINCASTLE,BR-SUBST	SIL	2-6	S	SWP	1030	230
FITCHVILLE	SIL	0-2	S	SWP	880	230
FITCHVILLE	SIL	0-3	S	SWP	880	230
FITCHVILLE	SIL	1-4	S	SWP	790	230
FITCHVILLE	SIL	2-5	S	SWP	770	230
FITCHVILLE	SIL	2-6	S	SWP	770	230
FITCHVILLE	SIL	3-8	S	SWP	660	230
FITCHVILLE	SIL	6-12	S	SWP	500	230
FITCHVILLE,C-SUBST	SIL	0-3	S	SWP	880	230
FITCHVILLE,C-SUBST	SIL	3-8	S	SWP	660	230
FITCHVILLE,LOW TERRACE	SIL	0-2	S	SWP	1870	230
FITCHVILLE,T-SUBST	SIL	2-6	S	SWP	770	230
FITCHVILLE-BENNINGTON,C	SIL	0-2	S	SWP	800	230
FITCHVILLE,V,GRAV-SUBSL	SIL	0-2	S	SWP	990	230
FITCHVILLE,V,GRAV-SUBSL	SIL	1-6	S	SWP	920	230
FITCHVILLE,V,GRAV-SUBSL	SIL	2-6	S	SWP	900	230
FLATROCK,OF-PH	SIL	0-2	S	MW	1640	640
FLATROCK,FF-PH	SIL	0-2	S	MW	1100	230
FLATROCK,LM-SUBST,OF-PH	SIL	0-2	S	MW	1640	640
FLATROCK,OF-PH	L	0-2	S	MW	1640	640
FLUVAQUENTS,SILTY,FF-PH		0-1	S	VP	350	230
FOX	SL	0-2	S	W	380	230
FOX	SL	2-6	S	W	350	230
FOX	GR-L	0-2	S	W	380	230
FOX	GR-L	2-6	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
FOX	GR-L	2-6	M	W	350	230
FOX	GR-L	6-12	S	W	350	230
FOX	GR-L	6-12	M	W	350	230
FOX	GR-L	12-25	S	W	350	230
FOX	GR-L	12-18	M	W	350	230
FOX	GR-L	18-25	M	W	350	230
FOX	L	0-2	S	W	570	230
FOX	L	2-6	S	W	370	230
FOX	L	2-6	M	W	350	230
FOX	L	6-12	S	W	350	230
FOX	L	6-12	M	W	350	230
FOX	L	12-18	M	W	350	230
FOX	L	12-20	M	W	350	230
FOX	SIL	0-2	S	W	570	230
FOX	SIL	2-6	S	W	370	230
FOX	SIL	2-6	M	W	350	230
FOX	SIL	6-12	M	W	350	230
FOX	SIL	12-18	M	W	350	230
FOX,T-SUBST	SIL	0-2	S	W	570	230
FOX,T-SUBST	SIL	2-6	S	W	370	230
FOX,T-SUBST	SIL	2-6	M	W	350	230
FOX	CL	6-12	M	W	350	230
FOX	CL	6-12	SE	W	350	230
FOX	CL	12-18	SE	W	350	230
FOX	SICL	6-12	SE	W	350	230
FOX	SOILS	6-12	SE	W	350	230
FOX	SOILS	12-18	SE	W	350	230
FOX-CASCO	SOILS	6-12	SE	W	350	230
FOX-CASCO	SOILS	12-18	M	W	350	230
FOX-CASCO,C		12-18	M	W	350	230
FOX-CASCO-RODMAN	SOILS	12-25	M	W	350	230
FOX-CASCO-RODMAN	SOILS	12-25	SE	W	350	230
FOX-LYBRAND,C		6-12	M	W	350	230
FOX-MIAMI	SIL	6-12	M	W	350	230
FOX-MIAMIAN	SIL	6-12	M	W	350	230
FRANKSTOWN,V-MERTZ,C,VERY STON		2-6	S	W	350	230
FRANKSTOWN,V-MERTZ,C		3-8	S	W	670	230
FREDERICKTOWN	GR-L	6-15	M	W	350	230
FREDERICKTOWN	GR-L	15-25	M	W	350	230
FREDERICKTOWN	SIL	2-6	S	W	560	230
FRENCHTOWN	SIL	0-2	S	P	600	230
FRENCHTOWN,SS-SUBST	SIL	0-2	S	P	350	230
FRIES	SIL	0-2	S	VP	790	230
FRIES	SICL	0-1	S	VP	790	230
FRIES	SICL	0-2	S	VP	790	230
FULTON	FSL	0-2	S	SWP	610	230
FULTON	L	0-2	S	SWP	790	230
FULTON	L	0-3	S	SWP	790	230
FULTON	L	2-6	S	SWP	530	230
FULTON	SIL	0-2	S	SWP	790	230
FULTON	SIL	0-4	S	SWP	790	230
FULTON	SIL	2-6	S	SWP	530	230
FULTON	SIL	2-6	M	SWP	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
FULTON	SICL	0-2	S	SWP	610	230
FULTON	SICL	0-3	S	SWP	610	230
FULTON	SICL	2-6	S	SWP	350	230
FULTON	SICL	2-6	M	SWP	350	230
FULTON,S-SUBST	SIL	0-2	S	SWP	850	230
FULTON,T-SUBST	SIL	0-2	S	SWP	790	230
FULTON,GRAV-SUBST	SICL	0-2	S	SWP	610	230
FULTON,L-SUBST	SICL	0-2	S	SWP	610	230
FULTON,L-SUBST	SICL	2-6	S	SWP	350	230
FULTON,T-SUBST	SICL	0-2	S	SWP	610	230
FULTON,T-SUBST	SICL	2-6	S	SWP	350	230
FULTON,V,S-SUBSL	L	0-2	S	SWP	960	230
GALEN	LFS	0-2	S	MW	1150	230
GALEN	LFS	1-6	S	MW	980	230
GALEN	LFS	2-6	S	MW	910	230
GALEN	FS	0-2	S	MW	1150	230
GALEN	FS	2-6	S	MW	910	230
GALEN,LM-SUBST	LFS	0-6	S	MW	350	230
GALEN,SH-SUBST	LFS	0-6	S	MW	350	230
GALLIA	L	6-12	S	W	950	230
GALLIA	L	8-15	S	W	880	230
GALLIA	L	8-15	M	W	350	230
GALLIA	L	12-18	S	W	550	230
GALLIA	SIL	2-6	S	W	1210	230
GALLIA	SIL	6-12	S	W	950	230
GALLIA	SIL	12-18	S	W	550	230
GALLIPOLIS	SIL	0-2	S	MW	1520	520
GALLIPOLIS	SIL	2-6	S	MW	1340	340
GALLIPOLIS	SIL	1-6	S	MW	1340	340
GALLIPOLIS	SIL	6-15	S	MW	810	230
GALLMAN	SL	2-6	S	W	650	230
GALLMAN	L	0-2	S	W	930	230
GALLMAN	L	1-4	S	W	850	230
GALLMAN	L	2-6	S	W	810	230
GALLMAN	L	6-12	S	W	550	230
GALLMAN	SIL	0-2	S	W	930	230
GALLMAN	SIL	2-6	S	W	810	230
GALLMAN,L-SUBST	SIL	0-2	S	W	1510	510
GALLMAN,L-SUBST	SIL	2-6	S	W	1320	320
GALLMAN,L-SUBST	SIL	6-12	S	W	940	230
GALLMAN,L-SUBST	L	6-12	M	W	770	230
GALLMAN,T-SUBST	SIL	2-6	S	W	1320	320
GASCONADE	SICL	6-12	S	W	350	230
GASCONADE	SICL	12-18	M	W	350	230
GAVERS	SIL	2-6	S	SWP	470	230
GEEBURG	SIL	2-6	S	MW	350	230
GEEBURG	SIL	2-6	M	MW	350	230
GEEBURG	SIL	6-12	S	MW	350	230
GEEBURG	SIL	6-12	M	MW	350	230
GEEBURG	SIL	6-18	S	MW	350	230
GEEBURG	SIL	12-18	S	MW	350	230
GEEBURG	SIL	12-18	M	MW	350	230
GEEBURG	SIL	12-25	M	MW	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
GEEBURG	SICL	6-12	M	MW	350	230
GEEBURG	SICL	6-12	SE	MW	350	230
GEEBURG	SICL	12-18	M	MW	350	230
GEEBURG	SICL	18-25	M	MW	350	230
GENESEE	FSL	0-2	S	W	1080	230
GENESEE	L	0-2	S	W	1080	230
GENESEE,FF-PH	L	0-2	S	W	940	230
GENESEE,OF-PH	L	0-2	S	W	1340	340
GENESEE	SIL	0-2	S	W	1080	230
GENESEE,OF-PH	SIL	0-2	S	W	1340	340
GENESEE,FF-PH	SIL	0-2	S	W	940	230
GENESEE,S-SUBST	L	0-2	S	W	1080	230
GENESEE,S-SUBST	SIL	0-2	S	W	1080	230
GENESEE,T-SUBST,OF-PH	SIL	0-2	S	W	1340	340
GENESEE,T-SUBST,RF-PH	SIL	0-2	S	W	1340	340
GENESEE,V,FF-PH	L	0-2	S	W	350	230
GERMANO	SL	2-6	S	W	380	230
GERMANO	SL	6-15	M	W	350	230
GERMANO	SL	15-25	S	W	350	230
GERMANO	FSL	6-15	S	W	350	230
GERMANO	FSL	15-25	S	W	350	230
GERMANO-GILPIN,C		6-15	S	W	350	230
GERMANO-GILPIN,C		15-25	S	W	350	230
GESSIE,FF-PH	L	0-2	S	W	1410	410
GESSIE,OF-PH	SIL	0-2	S	W	1530	530
GESSIE,FF-PH	SIL	0-2	S	W	1410	410
GILFORD	FSL	0-1	S	VP	2430	540
GILFORD	FSL	0-2	S	VP	2430	540
GILFORD	MK-L	0-1	S	VP	2660	770
GILPIN	SIL	2-6	S	W	440	230
GILPIN	SIL	2-8	S	W	440	230
GILPIN	SIL	3-8	S	W	440	230
GILPIN	SIL	6-12	S	W	350	230
GILPIN	SIL	6-12	M	W	350	230
GILPIN	SIL	6-15	S	W	350	230
GILPIN	SIL	6-15	M	W	350	230
GILPIN	SIL	8-15	S	W	350	230
GILPIN	SIL	8-15	M	W	350	230
GILPIN	SIL	12-18	S	W	350	230
GILPIN	SIL	15-25	S	W	350	230
GILPIN	SIL	18-25	S	W	350	230
GILPIN-AARON,C		6-15	S	W	350	230
GILPIN-COSHOCTON	SIL	6-15	S	W	350	230
GILPIN-COSHOCTON,C	SIL	6-15	S	W	350	230
GILPIN-COSHOCTON	SIL	8-15	S	W	350	230
GILPIN-COSHOCTON	SIL	15-25	S	W	350	230
GILPIN-COSHOCTON,C		15-25	S	W	350	230
GILPIN-GUERNSEY,C		15-25	S	W	350	230
GILPIN-LATHAM	SIL	15-25	S	W	350	230
GILPIN-LOWELL	SIL	8-15	S	W	350	230
GILPIN-LOWELL	SIL	15-25	S	W	350	230
GILPIN-LOWELL,C		6-15	S	W	350	230
GILPIN-LOWELL,C		15-25	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
GILPIN-RARDEN,C		6-15	S	W	350	230
GILPIN-RARDEN,C		15-25	S	W	350	230
GILPIN-RARDEN,C		15-25	M	W	350	230
GILPIN-SUMMITVILLE-UPSHUR,C		6-12	S	W	350	230
GILPIN-SUMMITVILLE-UPSHUR,C		12-18	S	W	350	230
GILPIN-SUMMITVILLE-UPSHUR,C		12-18	SE	W	350	230
GILPIN-SUMMITVILLE-UPSHUR,C		18-25	S	W	350	230
GILPIN-SUMMITVILLE-UPSHUR,C		18-25	SE	W	350	230
GILPIN-TARHOLLOW,C		6-15	S	W	350	230
GILPIN-TILSIT,C		6-12	S	W	380	230
GILPIN-UPSHUR,C		2-6	M	W	350	230
GILPIN-UPSHUR,C		6-12	M	W	350	230
GILPIN-UPSHUR,C		8-15	S	W	350	230
GILPIN-UPSHUR,C		12-18	S	W	350	230
GILPIN-UPSHUR,C		12-18	M	W	350	230
GILPIN-UPSHUR,C		12-20	M	W	350	230
GILPIN-UPSHUR,C		15-25	S	W	350	230
GILPIN-UPSHUR,C		15-25	M	W	350	230
GILPIN-WESTMORELAND	SIL	2-6	M	W	410	230
GILPIN-WESTMORELAND	SIL	6-12	M	W	350	230
GILPIN-WESTMORELAND	SIL	12-18	M	W	350	230
GILPIN-WESTMORELAND	SIL	12-18	SE	W	350	230
GINAT	SIL	0-2	S	P	460	230
GLENDORA,FF-PH	LFS	0-2	S	VP	350	230
GLENFORD	SIL	0-2	S	MW	1550	550
GLENFORD	SIL	0-3	S	MW	1550	550
GLENFORD	SIL	1-7	S	MW	1290	290
GLENFORD	SIL	1-8	S	MW	1290	290
GLENFORD	SIL	2-5	S	MW	1290	290
GLENFORD	SIL	2-6	S	MW	1290	290
GLENFORD	SIL	3-8	S	MW	1250	250
GLENFORD	SIL	5-10	S	MW	1090	230
GLENFORD	SIL	5-10	M	MW	890	230
GLENFORD	SIL	6-12	S	MW	1090	230
GLENFORD	SIL	6-12	M	MW	890	230
GLENFORD	SIL	6-15	S	MW	980	230
GLENFORD	SIL	6-15	M	MW	690	230
GLENFORD	SIL	7-15	S	MW	890	230
GLENFORD	SIL	8-15	S	MW	890	230
GLENFORD	SIL	12-18	S	MW	500	230
GLENFORD	SIL	12-18	M	MW	350	230
GLENFORD	SIL	18-25	M	MW	350	230
GLENFORD,OF-PH	SIL	0-2	S	MW	1550	550
GLYNWOOD	L	0-2	S	MW	990	230
GLYNWOOD	L	2-4	S	MW	750	230
GLYNWOOD	L	2-6	S	MW	730	230
GLYNWOOD	L	2-6	M	MW	350	230
GLYNWOOD	L	6-12	S	MW	350	230
GLYNWOOD	L	6-12	M	MW	350	230
GLYNWOOD	L	12-18	M	MW	350	230
GLYNWOOD,LM-SUBST	L	0-2	S	MW	990	230
GLYNWOOD	SIL	0-2	S	MW	990	230
GLYNWOOD	SIL	2-6	S	MW	730	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
GLYNWOOD	SIL	2-6	M	MW	350	230
GLYNWOOD	SIL	6-12	S	MW	350	230
GLYNWOOD	SIL	6-12	M	MW	350	230
GLYNWOOD	SIL	12-18	M	MW	350	230
GLYNWOOD	CL	2-6	M	MW	350	230
GLYNWOOD	CL	6-12	M	MW	350	230
GLYNWOOD	CL	6-12	SE	MW	350	230
GLYNWOOD	CL	12-18	SE	MW	350	230
GLYNWOOD	SICL	2-6	M	MW	350	230
GLYNWOOD	SICL	6-12	M	MW	350	230
GLYNWOOD	SICL	6-12	SE	MW	350	230
GLYNWOOD-BLOUNT-HOUCKTOWN,C		1-4	S	MW	1090	230
GRANBY	LFS	0-2	S	VP	1530	230
GRANBY,T-SUBST	LFS	0-1	S	VP	1530	230
GRANBY	LS	0-2	S	VP	1530	230
GRANBY,C-SUBST	LS	0-2	S	VP	1530	230
GRANBY	SL	0-2	S	VP	1710	230
GRESHAM	SIL	2-5	S	SWP	350	230
GRESHAM	SIL	2-6	S	SWP	350	230
GRESHAM	SIL	5-10	S	SWP	350	230
GUERNSEY	SIL	1-6	S	MW	940	230
GUERNSEY	SIL	1-7	S	MW	940	230
GUERNSEY	SIL	2-5	S	MW	940	230
GUERNSEY	SIL	2-6	S	MW	940	230
GUERNSEY	SIL	3-8	S	MW	840	230
GUERNSEY	SIL	5-10	S	MW	750	230
GUERNSEY	SIL	5-10	M	MW	490	230
GUERNSEY	SIL	6-12	S	MW	750	230
GUERNSEY	SIL	6-12	M	MW	510	230
GUERNSEY	SIL	6-15	S	MW	750	230
GUERNSEY	SIL	6-15	M	MW	440	230
GUERNSEY	SIL	8-15	S	MW	490	230
GUERNSEY	SIL	10-15	M	MW	350	230
GUERNSEY	SIL	12-18	S	MW	350	230
GUERNSEY	SIL	15-25	S	MW	350	230
GUERNSEY	SIL	15-25	M	MW	350	230
GUERNSEY	SICL	3-8	S	MW	730	230
GUERNSEY	SICL	6-12	M	MW	510	230
GUERNSEY	SICL	6-12	SE	MW	350	230
GUERNSEY	SICL	7-15	M	MW	480	230
GUERNSEY	SICL	8-15	M	MW	480	230
GUERNSEY	SICL	15-25	M	MW	350	230
GUERNSEY	SOILS	12-18	SE	MW	350	230
GUERNSEY-GILPIN	SIL	8-15	S	MW	350	230
GUERNSEY-GILPIN		8-15	S	MW	350	230
GUERNSEY-GILPIN,C		15-25	S	MW	350	230
GUERNSEY-UPSHUR	SICL	6-15	M	MW	350	230
GUERNSEY-UPSHUR	SICL	15-25	M	MW	350	230
GUERNSEY-UPSHUR,C		2-6	S	MW	940	230
GUERNSEY-UPSHUR,C		6-12	M	MW	520	230
GUERNSEY-UPSHUR,C		8-15	S	MW	350	230
GUERNSEY-UPSHUR,C		12-18	M	MW	350	230
GUERNSEY-UPSHUR,C		12-20	M	MW	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
GUERNSEY-UPSHUR,C		15-25	S	MW	350	230
GUERNSEY-WESTMORE	SIL	6-12	M	MW	370	230
GUERNSEY-WESTMORE	SIL	12-18	M	MW	350	230
GUERNSEY-WESTMORELAND	SIL	8-15	S	MW	350	230
GUERNSEY-WESTMORELAND	SIL	15-25	S	MW	350	230
GUERNSEY,V,THIN SOLUM	SICL	10-15	M	MW	350	230
GUERNSEY,V,THIN SOLUM	SICL	15-20	M	MW	350	230
HACKERS	SIL	0-2	S	W	1020	230
HACKERS	SIL	0-3	S	W	1020	230
HACKERS	SIL	2-6	S	W	830	230
HACKERS	SIL	3-8	S	W	780	230
HACKERS	SIL	6-12	S	W	630	230
HANEY	FSL	0-2	S	MW	1140	230
HANEY	FSL	2-6	S	MW	900	230
HANEY	SL	0-2	S	MW	1140	230
HANEY	SL	2-6	S	MW	900	230
HANEY	L	0-2	S	MW	1300	300
HANEY	L	1-6	S	MW	1090	230
HANEY	L	2-6	S	MW	1090	230
HANEY	L	6-12	M	MW	870	230
HANEY	SIL	0-2	S	MW	1300	300
HANEY	SIL	2-6	S	MW	1090	230
HANEY	SIL	6-15	M	MW	400	230
HANEY-RAWSON	L	6-12	S	MW	850	230
HANEY-RAWSON	SL	1-6	S	MW	1120	230
HANEY-RAWSON	SL	6-12	S	MW	680	230
HANOVER	SIL	2-5	S	W	1110	230
HANOVER	SIL	2-5	M	W	870	230
HANOVER	SIL	2-6	S	W	1110	230
HANOVER	SIL	2-6	M	W	870	230
HANOVER	SIL	5-10	S	W	990	230
HANOVER	SIL	5-10	M	W	720	230
HANOVER	SIL	6-12	S	W	750	230
HANOVER	SIL	6-12	M	W	680	230
HANOVER	SIL	6-12	SE	W	350	230
HANOVER	SIL	10-15	M	W	590	230
HANOVER	SIL	12-18	S	W	590	230
HANOVER	SIL	12-18	M	W	350	230
HANOVER	SIL	12-18	SE	W	350	230
HANOVER	SIL	15-20	M	W	350	230
HANOVER	SIL	18-25	S	W	350	230
HAPLAQUENTS,LOAMY		0-2	S	VP	350	230
HARBOR	FSL	0-3	S	MW	540	230
HARBOR	FSL	6-12	S	MW	350	230
HARROD,FF-PH	SIL	0-1	S	MW	1500	500
HARROD,FF-PH	SIL	0-2	S	MW	1500	500
HARTSHORN	SIL	0-2	S	W	820	230
HARTSHORN,OF-PH	SIL	0-2	S	W	820	230
HARTSHORN,V,WET	SIL	0-2	S	SWP	520	230
HASKINS	FSL	0-2	S	SWP	1480	230
HASKINS	FSL	2-6	S	SWP	1280	230
HASKINS	SL	0-3	S	SWP	1490	230
HASKINS	SL	1-4	S	SWP	1490	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
HASKINS	L	0-2	S	SWP	1750	230
HASKINS	L	0-3	S	SWP	1750	230
HASKINS	L	2-6	S	SWP	1550	230
HASKINS	LS	0-2	S	SWP	1310	230
HASKINS	SIL	0-2	S	SWP	1750	230
HASKINS	SIL	0-3	S	SWP	1750	230
HASKINS	SIL	2-6	S	SWP	1550	230
HASKINS,ST-SUBST	FSL	0-2	S	SWP	1480	230
HASKINS-CANEADEA,C		2-6	S	SWP	690	230
HASKINS-DIGBY,OVER CLAY	FSL	0-2	S	SWP	1700	230
HASKINS-DIGBY,OVER CLAY	FSL	2-6	S	SWP	1460	230
HASKINS-DIGBY,OVER CLAY	L	0-2	S	SWP	1750	230
HASKINS-DIGBY,OVER CLAY	L	2-6	S	SWP	1690	230
HASKINS-DIGBY,OVER CLAY	SIL	0-2	S	SWP	1750	230
HASKINS-DIGBY,OVER CLAY	SIL	2-6	S	SWP	1690	230
HASKINS-DIGBY,T-SUBST	FSL	0-2	S	SWP	1550	230
HASKINS-DIGBY,T-SUBST	FSL	2-6	S	SWP	1440	230
HASKINS-DIGBY,T-SUBST	L	0-2	S	SWP	1720	230
HASKINS-DIGBY,T-SUBST	L	2-6	S	SWP	1550	230
HASKINS-SEWARD,C		2-6	S	SWP	1030	230
HASKINS,V,DARK SURFACE	L	0-2	S	SWP	1750	230
HAUBSTADT	SIL	0-2	S	MW	1150	230
HAUBSTADT	SIL	2-6	S	MW	910	230
HAUBSTADT	SIL	6-12	M	MW	350	230
HAUBSTADT	SIL	6-12	SE	MW	350	230
HAUBSTADT	SIL	12-18	M	MW	350	230
HAUBSTADT	SIL	12-18	SE	MW	350	230
HAYMOND,OF-PH	SIL	0-2	S	W	1330	330
HAYTER	L	2-6	S	W	1000	230
HAYTER	L	6-12	S	W	720	230
HAYTER	L	12-18	S	W	470	230
HAYTER	L	18-25	S	W	350	230
HAYTER-VANDALIA	CN-L	12-25	S	W	350	230
HAZLETON	CN-L	2-6	S	W	460	230
HAZLETON	CN-L	6-15	S	W	350	230
HAZLETON	CN-L	8-15	S	W	350	230
HAZLETON	CN-L	15-25	S	W	350	230
HAZLETON	CN-SL	15-25	S	W	350	230
HAZLETON	L	3-8	S	W	490	230
HAZLETON	L	8-15	S	W	520	230
HAZLETON	L	15-25	S	W	350	230
HENNEPIN-ALEXANDRIA	SIL	18-25	S	W	350	230
HENNEPIN-MIAMIAN	L	18-25	M	W	350	230
HENNEPIN-MIAMIAN	SIL	18-25	S	W	350	230
HENNEPIN-MIAMIAN	SIL	18-25	M	W	350	230
HENNEPIN-MIAMIAN,C		12-18	SE	W	350	230
HENNEPIN-MIAMIAN,C		12-25	SE	W	350	230
HENNEPIN-WYNN	SIL	18-25	M	W	350	230
HENSHAW	SIL	0-2	S	SWP	1740	230
HENSHAW	SIL	0-4	S	SWP	1660	230
HENSHAW	SIL	1-4	S	SWP	1660	230
HENSHAW	SIL	2-6	S	SWP	1500	230
HENSHAW,V,DARK	SIL	0-2	S	SWP	1740	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
HICKORY	L	12-18	M	W	350	230
HICKORY	SIL	2-6	M	W	680	230
HICKORY	SIL	6-12	M	W	490	230
HICKORY	SIL	12-18	M	W	350	230
HICKORY	SIL	12-20	M	W	350	230
HICKORY	SIL	18-25	S	W	350	230
HICKORY	SIL	18-25	M	W	350	230
HICKORY	CL	6-12	SE	W	350	230
HICKORY	CL	12-18	SE	W	350	230
HICKORY	CL	18-25	SE	W	350	230
HICKORY-FAIRMONT,C		18-25	M	W	350	230
HICKORY-GILPIN,C		12-20	M	W	350	230
HICKORY-MORRISVILLE	SIL	18-25	M	W	350	230
HOLLY	SIL	0-2	S	P	600	230
HOLLY,ALK-PH	SIL	0-2	S	P	350	230
HOLLY,OF-PH	SIL	0-1	S	P	600	230
HOLLY,FF-PH	SIL	0-2	S	P	350	230
HOLLY,PO-PH	SIL	0-2	S	P	350	230
HOLTON,OF-PH	SIL	0-2	S	SWP	830	230
HOMER	SIL	0-2	S	SWP	1560	230
HOMER	SIL	2-6	S	SWP	1290	230
HOMEWOOD	SIL	2-6	S	W	770	230
HOMEWOOD	SIL	6-12	S	W	350	230
HOMEWOOD	SIL	6-12	M	W	350	230
HOMEWOOD	SIL	6-15	S	W	350	230
HOMEWOOD	SIL	8-15	M	W	350	230
HOMEWOOD	SIL	12-18	M	W	350	230
HOMEWOOD	SIL	15-20	M	W	350	230
HOMEWOOD	SIL	15-25	M	W	350	230
HOMEWOOD	SIL	18-25	M	W	350	230
HOMEWOOD-GILPIN,C		12-20	M	W	350	230
HOMEWOOD-WESTMORELAND	SIL	15-25	M	W	350	230
HOMEWORTH	L	0-2	S	SWP	850	230
HOMEWORTH	L	2-6	S	SWP	680	230
HOMEWORTH	SIL	0-2	S	SWP	850	230
HOMEWORTH	SIL	2-6	S	SWP	680	230
HORNELL	SIL	0-2	S	SWP	350	230
HORNELL	SIL	2-6	S	SWP	350	230
HORNELL	SIL	3-8	S	SWP	350	230
HORNELL	SIL	6-12	S	SWP	350	230
HORNELL	SIL	6-12	M	SWP	350	230
HORNELL	SIL	12-18	S	SWP	350	230
HORNELL	SIL	12-18	M	SWP	350	230
HORNELL	L	2-6	S	SWP	350	230
HORNELL	SICL	0-2	S	SWP	610	230
HOUCTOWN	L	0-2	S	MW	1560	560
HOUCTOWN	L	2-6	S	MW	1460	460
HOUCTOWN	SL	0-2	S	MW	1460	460
HOUCTOWN	SL	2-4	S	MW	1360	360
HOUCTOWN	SIL	0-2	S	MW	1560	560
HOUCTOWN	SIL	2-4	S	MW	1480	480
HOUCTOWN-GLYNWOOD,C		6-12	M	MW	800	230
HOUCTOWN-GLYNWOOD-JENERA,C		1-4	S	MW	1120	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
HOYTVILLE	SIL	0-2	S	VP	2250	360
HOYTVILLE	CL	0-1	S	VP	2180	290
HOYTVILLE	CL	0-2	S	VP	2180	290
HOYTVILLE	SICL	0-1	S	VP	2180	290
HOYTVILLE	SICL	0-2	S	VP	2180	290
HOYTVILLE	SIC	0-1	S	VP	2160	270
HOYTVILLE	SIC	0-2	S	VP	2160	270
HOYTVILLE	C	0-2	S	VP	2150	260
HOYTVILLE,SHALLOW TO CARB	C	0-1	S	VP	1480	230
HOYTVILLE,V,MOD.SHALLOW	SICL	0-2	S	VP	1570	230
HOYTVILLE,V,THIN SOLUM	C	0-2	S	VP	1480	230
HUNTINGTON	SIL	0-2	S	W	1200	230
HUNTINGTON,OF-PH	SIL	0-2	S	W	1200	230
HUNTINGTON,RF-PH	SIL	0-2	S	W	1200	230
HYATTS	SIL	0-2	S	SWP	850	230
HYATTS	SIL	2-4	S	SWP	610	230
ILION	SIL	0-2	S	VP	930	230
IONIA	SIL	0-2	S	MW	1110	230
IONIA	SIL	2-6	S	MW	990	230
IVA,T-SUBST	SIL	0-2	S	SWP	770	230
JENERA	FSL	0-2	S	MW	1330	330
JENERA	FSL	2-6	S	MW	1110	230
JENERA-SHINROCK,T-SUB		1-4	S	MW	1190	230
JENEVA	SIL	2-6	S	MW	1570	570
JESSUP	SIL	1-8	S	W	430	230
JESSUP	SIL	8-15	M	W	350	230
JESSUP	SIL	12-18	S	W	350	230
JESSUP	SIL	15-25	M	W	350	230
JIMTOWN	SL	0-2	S	SWP	590	230
JIMTOWN	L	0-2	S	SWP	700	230
JIMTOWN	L	0-3	S	SWP	630	230
JIMTOWN	L	2-5	S	SWP	540	230
JIMTOWN	L	2-6	S	SWP	540	230
JIMTOWN	SIL	0-2	S	SWP	700	230
JIMTOWN	SIL	0-3	S	SWP	700	230
JIMTOWN	SIL	2-5	S	SWP	570	230
JIMTOWN	SIL	2-6	S	SWP	570	230
JIMTOWN,T-SUBST	L	2-6	S	SWP	540	230
JOHNSBURG	SIL	2-8	S	SWP	910	230
JOLIET	L	0-1	S	P	350	230
JOLIET	SIL	0-1	S	P	350	230
JOLIET	SIL	0-2	S	P	350	230
JOLIET	SICL	0-1	S	P	350	230
JOLIET	SICL	0-2	S	P	350	230
JONESBORO-ROSSMOYNE	SIL	0-2	S	MW	1390	390
JONESBORO-ROSSMOYNE	SIL	2-6	S	MW	1130	230
JONESBORO-ROSSMOYNE	SIL	6-12	M	MW	440	230
JULES,OF-PH	SIL	0-2	S	W	1500	500
JULES,FF-PH	SIL	0-2	S	W	370	230
KANE	SIL	0-2	S	SWP	1530	230
KANAWHA	L	2-6	S	W	1320	320
KANAWHA	SIL	1-6	S	W	1320	320
KANAWHA	SIL	1-8	S	W	1320	320

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
KANAWHA	SIL	2-6	S	W	1320	320
KANAWHA	SIL	6-12	S	W	350	230
KEENE	SIL	1-7	S	MW	660	230
KEENE	SIL	1-8	S	MW	650	230
KEENE	SIL	2-6	S	MW	660	230
KEENE	SIL	2-8	S	MW	630	230
KEENE	SIL	3-8	S	MW	630	230
KEENE	SIL	6-12	S	MW	350	230
KEENE	SIL	6-12	M	MW	350	230
KEENE	SIL	6-15	S	MW	350	230
KEENE	SIL	6-15	M	MW	350	230
KEENE	SIL	8-15	S	MW	350	230
KEENE	SIL	12-18	S	MW	350	230
KEENE	SIL	12-18	M	MW	350	230
KEENE	SIL	18-25	S	MW	350	230
KEENE,SH-PH	SICL	12-18	SE	MW	350	230
KEENE-LATHAM	SIL	12-18	M	MW	350	230
KENDALLVILLE	L	2-6	S	W	1020	230
KENDALLVILLE	L	6-12	M	W	350	230
KENDALLVILLE	L	12-18	M	W	350	230
KENDALLVILLE	SIL	0-2	S	W	1140	230
KENDALLVILLE	SIL	2-6	S	W	1020	230
KENDALLVILLE	SIL	2-6	M	W	850	230
KENDALLVILLE	SIL	6-12	M	W	350	230
KENDALLVILLE	SIL	12-18	M	W	350	230
KENDALLVILLE	CL	6-12	SE	W	350	230
KENDALLVILLE	CL	12-18	SE	W	350	230
KENDALLVILLE-ELDEAN	SIL	12-18	M	W	350	230
KENDALLVILLE-ELDEAN,C		6-12	M	W	350	230
KENDALLVILLE-ELDEAN,C		12-20	M	W	350	230
KENSINGTON	SIL	2-6	S	MW	740	230
KENSINGTON	SIL	6-15	S	MW	460	230
KENSINGTON	SIL	15-25	S	MW	350	230
KERSTON	MUCK	0-2	S	VP	1510	230
KIBBIE	LFS	0-2	S	SWP	1310	230
KIBBIE	VFSL	0-2	S	SWP	2200	310
KIBBIE	VFSL	2-6	S	SWP	1950	230
KIBBIE	FSL	0-2	S	SWP	2200	310
KIBBIE	FSL	2-6	S	SWP	1950	230
KIBBIE	L	0-2	S	SWP	2200	310
KIBBIE	L	0-3	S	SWP	2200	310
KIBBIE	L	2-6	S	SWP	1950	230
KIBBIE	SIL	0-2	S	SWP	2200	310
KIBBIE	SIL	2-6	S	SWP	1950	230
KIBBIE,T-SUBST	FSL	0-2	S	SWP	1730	230
KIBBIE,T-SUBST	FSL	2-6	S	SWP	1650	230
KIBBIE-BENNINGTON,C		2-6	S	SWP	940	230
KIBBIE-BLOUNT,C		0-2	S	SWP	1910	230
KIBBIE-BLOUNT,C		2-6	S	SWP	1650	230
KIBBIE-DEL REY	SIL	1-6	S	SWP	1480	230
KIBBIE,V,ACID	SIL	0-2	S	SWP	1520	230
KIBBIE,V,MOD.SHALLOW	FSL	0-2	S	SWP	1250	230
KILLBUCK	SIL	0-2	S	SWP	1250	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
KILLBUCK,FF-PH	SIL	0-2	S	SWP	520	230
KILLBUCK,OF-PH	SIL	0-2	S	SWP	1400	230
KILLBUCK	SL	0-2	S	SWP	590	230
KINGS,V	SICL	0-2	S	VP	1440	230
KINGSVILLE	FS	0-2	S	P	350	230
KINGSVILLE	FSL	0-2	S	P	540	230
KINGSVILLE	LFS	0-2	S	P	350	230
KINGSVILLE	SIC	0-2	S	P	350	230
KINN,OF-PH	SIL	0-2	S	MW	1670	670
KNOXDALE,OF-PH	SIL	0-2	S	W	1710	710
KOKOMO	SICL	0-1	S	VP	2410	520
KOKOMO	SICL	0-2	S	VP	2410	520
KOKOMO	SIL	0-1	S	VP	2410	520
KOKOMO,OV-PH	SIL	0-2	S	VP	2290	400
KYGER,FF-PH	LS	0-2	S	P	350	230
KYGER	LS	0-2	S	VP	350	230
LAIDIG	ST-L	5-10	S	W	350	230
LAIDIG	ST-L	10-15	S	W	350	230
LAIDIG	ST-L	15-20	S	W	350	230
LAKIN	LFS	1-6	S	W	650	230
LAKIN	LFS	2-6	S	W	650	230
LAKIN	LFS	2-8	S	W	650	230
LAKIN	LFS	3-12	S	W	540	230
LAKIN	LFS	6-12	S	W	530	230
LAKIN	LFS	8-15	S	W	350	230
LAKIN	LFS	8-25	S	W	350	230
LAKIN	LFS	12-18	S	W	350	230
LAKIN	LS	1-8	S	W	500	230
LAKIN	LS	2-6	S	W	500	230
LAKIN	LS	6-12	S	W	380	230
LAKIN-ALFORD,C		15-25	S	W	350	230
LAMBERJACK	L	0-2	S	SWP	1620	230
LAMSON	VFSL	0-2	S	VP	1290	230
LAMSON	FSL	0-2	S	VP	1290	230
LANDES	FSL	0-2	S	W	810	230
LANDES,OF-PH	FSL	0-2	S	W	810	230
LANDES	GR-SL	0-2	S	W	350	230
LANDES,FF-PH	LFS	0-6	S	W	350	230
LANDES	SL	0-2	S	W	810	230
LANDES,V,GRAV-SUBSL	SL	0-2	S	W	350	230
LANDES,OF-PH	L	0-2	S	W	920	230
LANDES,RF-PH	SL	0-2	S	W	810	230
LANIER	FSL	0-2	S	W	710	230
LANIER	SL	0-2	S	W	710	230
LANIER,OF-PH	SL	0-2	S	W	710	230
LATHAM	SIL	2-6	S	MW	570	230
LATHAM	SIL	6-12	S	MW	380	230
LATHAM	SIL	6-12	M	MW	350	230
LATHAM	SIL	8-15	S	MW	350	230
LATHAM	SIL	12-18	S	MW	350	230
LATHAM	SIL	12-18	M	MW	350	230
LATHAM	SIL	12-20	M	MW	350	230
LATHAM	SIL	15-25	S	MW	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
LATHAM	SIL	15-25	M	MW	350	230
LATHAM-GILPIN,AS		8-20	S	MW	350	230
LATHAM-STEINSBURG,AS		10-25	S	MW	350	230
LATHAM-STEINSBURG,C		15-25	S	MW	350	230
LATHAM-WHARTON	SIL	15-25	S	MW	350	230
LATTY,T-SUBST	SICL	0-1	S	VP	1670	230
LATTY	SICL	0-2	S	VP	1670	230
LATTY	SIC	0-2	S	VP	1570	230
LATTY	C	0-2	S	VP	1570	230
LATTY,OF-PH	SIC	0-2	S	VP	1570	230
LAWSHE	SICL	2-6	S	MW	350	230
LAWSHE	SICL	6-12	M	MW	350	230
LAWSHE	SICL	12-18	M	MW	350	230
LAWSHE	SIC	12-18	SE	MW	350	230
LENAWEE	L	0-2	S	VP	2430	540
LENAWEE	SIL	0-2	S	VP	2430	540
LENAWEE	SICL	0-2	S	VP	2240	350
LENAWEE,OV-PH	SIL	0-2	S	VP	2430	540
LENAWEE,V	SICL	0-2	S	VP	350	230
LEONI	GR-L	12-25	S	W	350	230
LEWISBURG	SIL	0-2	S	MW	640	230
LEWISBURG	SIL	2-6	S	MW	350	230
LEWISBURG	SIL	2-6	M	MW	350	230
LEWISBURG-CELINA	SIL	2-6	S	MW	770	230
LEWISBURG-CELINA	CL	2-6	M	MW	490	230
LEWISBURG-CELINA	CL	6-12	SE	MW	350	230
LEWISBURG-CROSBY,C		2-6	S	MW	650	230
LEWISBURG,V	SIL	0-2	S	MW	350	230
LEWISBURG,V	SIL	2-6	S	MW	350	230
LEWISBURG,V	SIL	6-12	S	MW	350	230
LEWISBURG	SOILS	6-12	SE	MW	350	230
LIBRARY,V	SIL	3-8	S	SWP	610	230
LIBRE	SIL	0-2	S	W	1330	330
LIBRE	SIL	2-6	S	W	1230	230
LIBRE	SIL	6-12	M	W	830	230
LICKING	SICL	6-12	M	MW	560	230
LICKING	SIL	0-2	S	MW	1320	320
LICKING	SIL	0-6	S	MW	1150	230
LICKING	SIL	1-6	S	MW	1050	230
LICKING	SIL	2-6	S	MW	1050	230
LICKING	SIL	3-8	S	MW	1030	230
LICKING	SIL	6-12	S	MW	940	230
LICKING	SIL	6-12	M	MW	670	230
LICKING	SIL	6-15	M	MW	670	230
LICKING	SIL	8-15	S	MW	670	230
LICKING	SIL	12-18	S	MW	350	230
LICKING	SIL	12-25	M	MW	350	230
LICKING	SIL	12-18	M	MW	350	230
LICKING	SIL	15-25	M	MW	350	230
LILY	L	8-15	S	W	350	230
LILY	L	15-25	S	W	350	230
LILY	SIL	8-15	S	W	350	230
LILY	SIL	15-25	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
LILY-RARDEN,C		15-25	S	W	350	230
LILY-UPSHUR,C		15-25	S	W	350	230
LINDSIDE	SIL	0-2	S	MW	1790	790
LINDSIDE,FF-PH	SIL	0-2	S	MW	1250	250
LINDSIDE,OF-PH	SIL	0-2	S	MW	1790	790
LINWOOD	MUCK	0-2	S	VP	1460	230
LINWOOD,PO-PH	MK-SIL	0-2	S	VP	350	230
LINWOOD,DRAINED	MK-SIL	0-2	S	VP	840	230
LINWOOD,UNDRAINED	MUCK	0-2	S	VP	350	230
LIPPINCOTT	MK-SIL	0-2	S	VP	1710	230
LIPPINCOTT	SICL	0-2	S	VP	1710	230
LOBDELL	FSL	0-2	S	MW	1410	410
LOBDELL	L	0-2	S	MW	1410	410
LOBDELL,OF-PH	L	0-2	S	MW	1410	410
LOBDELL	SIL	0-2	S	MW	1410	410
LOBDELL,ALK-PH	SIL	0-2	S	MW	1390	390
LOBDELL,FF-PH	SIL	0-2	S	MW	630	230
LOBDELL,OF-PH	SIL	0-2	S	MW	1410	410
LOBDELL,RF-PH	SIL	0-2	S	MW	1410	410
LOBDELL,CN-SUBST,OF-PH	SIL	0-2	S	MW	820	230
LOBDELL,CN-SUBST,OF-PH	L	0-2	S	MW	820	230
LOBDELL-SLOAN,C,OF-PH		0-2	S	MW	1290	290
LOCKPORT	SICL	1-4	S	SWP	350	230
LORAIN	C	0-2	S	VP	1070	230
LORAIN	SIC	0-2	S	VP	1070	230
LORAIN	SICL	0-2	S	VP	1250	230
LORAIN	SIL	0-2	S	VP	1360	230
LORAIN,L-SUBST	SICL	0-2	S	VP	1250	230
LORAIN,S-SUBST	SICL	0-2	S	VP	1250	230
LORAIN,SI-SUBST	SICL	0-2	S	VP	1250	230
LORDSTOWN	L	2-6	S	W	520	230
LORDSTOWN	L	6-12	S	W	350	230
LORDSTOWN	CN-SIL	2-6	S	W	350	230
LORDSTOWN	CN-SIL	6-12	S	W	350	230
LORDSTOWN	SIL	2-6	S	W	520	230
LORDSTOWN	SIL	6-12	S	W	350	230
LORDSTOWN	SIL	12-18	S	W	350	230
LORDSTOWN	SIL	18-25	S	W	350	230
LORDSTOWN-LOUDONVILLE	SIL	18-25	S	W	350	230
LORDSTOWN-ROCK OUTCROP,C		12-18	S	W	350	230
LORENZO-RODMAN,C		4-12	M	W	350	230
LORENZO-RODMAN,C		12-18	M	W	350	230
LOUDON	SIL	0-2	S	MW	1510	510
LOUDON	SIL	2-6	S	MW	1310	310
LOUDON	SIL	2-6	M	MW	1130	230
LOUDON	SIL	3-8	M	MW	1030	230
LOUDON	SIL	6-12	M	MW	870	230
LOUDON	SIL	6-15	S	MW	1040	230
LOUDON	SIL	6-15	M	MW	680	230
LOUDON	SIL	12-18	M	MW	500	230
LOUDON-EDENTON	SIL	18-25	M	MW	350	230
LOUDONVILLE	L	0-2	S	W	1420	420
LOUDONVILLE	L	2-6	S	W	1160	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
LOUDONVILLE	L	6-12	S	W	790	230
LOUDONVILLE	L	6-12	M	W	550	230
LOUDONVILLE	L	12-18	M	W	350	230
LOUDONVILLE	L	18-25	M	W	350	230
LOUDONVILLE	SIL	2-5	S	W	1160	230
LOUDONVILLE	SIL	2-5	M	W	790	230
LOUDONVILLE	SIL	2-6	S	W	1160	230
LOUDONVILLE	SIL	2-6	M	W	790	230
LOUDONVILLE	SIL	5-10	S	W	790	230
LOUDONVILLE	SIL	5-10	M	W	550	230
LOUDONVILLE	SIL	6-12	S	W	790	230
LOUDONVILLE	SIL	6-12	M	W	550	230
LOUDONVILLE	SIL	6-12	SE	W	350	230
LOUDONVILLE	SIL	6-15	S	W	650	230
LOUDONVILLE	SIL	6-18	S	W	550	230
LOUDONVILLE	SIL	10-15	M	W	350	230
LOUDONVILLE	SIL	12-18	S	W	350	230
LOUDONVILLE	SIL	12-18	M	W	350	230
LOUDONVILLE	SIL	12-18	SE	W	350	230
LOUDONVILLE	SIL	12-25	M	W	350	230
LOUDONVILLE	SIL	15-20	S	W	350	230
LOUDONVILLE	SIL	15-20	M	W	350	230
LOUDONVILLE	SIL	15-25	S	W	350	230
LOUDONVILLE	SIL	18-25	S	W	350	230
LOUDONVILLE	SIL	18-25	M	W	350	230
LOUDONVILLE	SIL	18-25	SE	W	350	230
LOUDONVILLE-MUSKINGUM	SOILS	2-5	S	W	950	230
LOUDONVILLE-MUSKINGUM	SOILS	2-5	M	W	700	230
LOUDONVILLE-MUSKINGUM	SOILS	5-10	M	W	350	230
LOUDONVILLE-MUSKINGUM	SOILS	5-15	SE	W	350	230
LOUDONVILLE-MUSKINGUM	SOILS	10-15	M	W	350	230
LOUDONVILLE-MUSKINGUM	SOILS	15-20	S	W	350	230
LOUDONVILLE-MUSKINGUM	SOILS	15-20	SE	W	350	230
LOUDONVILLE-STEINSBURG,C		6-12	M	W	410	230
LOUDONVILLE-STEINSBURG,C		12-20	M	W	350	230
LOWELL	SIL	1-7	S	W	1000	230
LOWELL	SIL	2-8	S	W	1000	230
LOWELL	SIL	3-8	S	W	1000	230
LOWELL	SIL	3-8	M	W	410	230
LOWELL	SIL	6-15	S	W	540	230
LOWELL	SIL	7-15	S	W	720	230
LOWELL	SIL	8-15	S	W	720	230
LOWELL	SIL	8-15	M	W	350	230
LOWELL	SIL	12-20	M	W	350	230
LOWELL	SIL	15-25	S	W	350	230
LOWELL	SIL	15-25	M	W	350	230
LOWELL	SICL	15-25	M	W	350	230
LOWELL-UPSHUR	SICL	15-25	S	W	350	230
LOWELL-UPSHUR,C		6-12	S	W	530	230
LOWELL-UPSHUR,C		12-18	S	W	350	230
LOWELL-UPSHUR,C		18-25	S	W	350	230
LOWELL-WESTMORELAND	SIL	3-8	S	W	990	230
LOWELL-WESTMORELAND	SIL	8-15	S	W	470	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
LOWELL-WESTMORELAND	SIL	15-25	S	W	350	230
LOWELL-WESTMORELAND,C		8-15	S	W	470	230
LOWELL-WESTMORELAND,C		15-25	S	W	350	230
LUCAS	SICL	2-6	S	MW	350	230
LUCAS	SICL	2-6	M	MW	350	230
LUCAS	SICL	6-12	M	MW	350	230
LUCAS	SICL	12-18	M	MW	350	230
LUCAS	SICL	12-25	M	MW	350	230
LUCAS	SIC	2-6	S	MW	350	230
LUCAS	SIC	6-12	SE	MW	350	230
LUCAS,L-SUBST	SIL	0-2	S	MW	480	230
LUCAS,L-SUBST	SICL	2-6	M	MW	350	230
LUCAS,L-SUBST	SICL	6-12	M	MW	350	230
LUMBERTON	SIL	0-2	S	W	860	230
LUMBERTON	SIL	2-6	S	W	730	230
LUMBERTON	SIL	6-12	M	W	360	230
LUMBERTON	SIL	12-18	M	W	350	230
LURAY	SIL	0-2	S	VP	1560	230
LURAY	SICL	0-2	S	VP	1420	230
LURAY-MARENGO	SIL	0-2	S	VP	1560	230
LURAY-MARENGO	SICL	0-2	S	VP	1420	230
LURAY,V,GRAV-SUBSL	SIL	0-2	S	VP	1490	230
LYBRAND	SIL	12-18	M	W	350	230
LYBRAND	SIL	18-25	M	W	350	230
LYBRAND	SICL	12-18	SE	W	350	230
LYBRAND	SICL	12-20	M	W	350	230
LYKENS	SIL	0-2	S	MW	1450	450
LYKENS	SIL	2-6	S	MW	930	230
LYKENS-MILTON	SIL	2-6	S	MW	930	230
MAHALASVILLE	SICL	0-2	S	VP	2220	330
MAHALASVILLE	SIL	0-2	S	VP	2220	330
MAHONING	L	0-2	S	SWP	530	230
MAHONING	SIL	0-2	S	SWP	530	230
MAHONING	SIL	2-6	S	SWP	470	230
MAHONING	SIL	2-6	M	SWP	350	230
MAHONING	SIL	6-12	S	SWP	350	230
MAHONING	ST-SIL	0-2	S	SWP	350	230
MAHONING,SH-SUBST	SIL	0-2	S	SWP	530	230
MAHONING,SH-SUBST	SIL	1-6	S	SWP	470	230
MAHONING,SH-SUBST	SIL	2-6	S	SWP	470	230
MAHONING,SH-SUBST	SIL	2-6	M	SWP	350	230
MAHONING,SH-SUBST	SIL	6-12	S	SWP	350	230
MAHONING,SS-SUBST	L	0-2	S	SWP	530	230
MAHONING,SS-SUBST	SIL	0-2	S	SWP	530	230
MAHONING,SS-SUBST	SIL	2-6	S	SWP	470	230
MAHONING-TIRO	SIL	0-2	S	SWP	600	230
MAHONING-TIRO	SIL	2-6	S	SWP	600	230
MARBLEHEAD	L	0-6	S	W	350	230
MARENGO	CL	0-2	S	VP	1990	230
MARENGO	SIL	0-2	S	VP	2050	230
MARENGO,OV-PH	SIL	0-2	S	VP	2050	230
MARENGO	SICL	0-2	S	VP	1990	230
MARKLAND	SIL	2-6	S	MW	770	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
MARKLAND	SIL	6-12	S	MW	350	230
MARKLAND	SIL	6-12	M	MW	350	230
MARKLAND	SIL	6-15	S	MW	350	230
MARKLAND	SIL	12-18	M	MW	350	230
MARKLAND	SICL	2-6	S	MW	660	230
MARKLAND	SICL	3-8	M	MW	400	230
MARKLAND	SICL	6-12	M	MW	350	230
MARKLAND	SICL	6-15	M	MW	350	230
MARKLAND	SICL	8-15	M	MW	350	230
MARKLAND	SICL	12-18	M	MW	350	230
MARKLAND	SICL	12-20	M	MW	350	230
MARKLAND	SICL	12-25	M	MW	350	230
MARKLAND	SICL	15-25	M	MW	350	230
MARKLAND	SICL	18-25	M	MW	350	230
MARKLAND-GLENFORD	SIL	0-2	S	MW	590	230
MARKLAND-GLENFORD	SIL	2-6	M	MW	350	230
MARSH		0-2	S	VP	350	230
MARTINSVILLE	FSL	2-6	S	W	1610	610
MARTINSVILLE	L	0-2	S	W	1990	990
MARTINSVILLE	L	1-4	S	W	1880	880
MARTINSVILLE	L	2-6	S	W	1720	720
MARTINSVILLE	SIL	0-2	S	W	1990	990
MARTINSVILLE	SIL	2-6	S	W	1720	720
MARTINSVILLE,RF-PH	L	0-2	S	W	1990	990
MARTINSVILLE,T-SUBST	L	2-6	S	W	1720	720
MARTINSVILLE-OCKLEY,T-SUBST	L	2-6	S	W	1720	720
MARTISCO	MK-SIL	0-2	S	VP	920	230
MARTISCO	MUCK	0-2	S	VP	920	230
MARTISCO,V	SIL	0-2	S	VP	350	230
MC GARY	SIL	0-2	S	SWP	1160	230
MC GARY	SIL	0-3	S	SWP	1160	230
MC GARY	SIL	0-4	S	SWP	1010	230
MC GARY	SIL	1-6	S	SWP	910	230
MC GARY	SIL	2-6	S	SWP	910	230
MC GARY	SICL	0-2	S	SWP	1000	230
MC GARY	SICL	2-6	S	SWP	800	230
MC GARY-FITCHVILLE	L	0-2	S	SWP	1160	230
MC GARY-FITCHVILLE	SIL	0-2	S	SWP	1160	230
MC GARY-FITCHVILLE	SIL	2-6	S	SWP	910	230
MC GARY-SEBRING	SIL	0-2	S	SWP	690	230
MC GARY,V,RF-PH	SICL	0-3	S	SWP	770	230
MC GUFFEY	MUCK	0-2	S	VP	1510	230
MECHANICSBURG	SIL	2-6	S	W	840	230
MECHANICSBURG	SIL	6-12	S	W	730	230
MECHANICSBURG	SIL	6-12	M	W	630	230
MECHANICSBURG	SIL	6-15	S	W	600	230
MECHANICSBURG	SIL	12-18	S	W	350	230
MECHANICSBURG	SIL	12-18	M	W	350	230
MECHANICSBURG	SIL	18-25	S	W	350	230
MEDWAY	L	0-2	S	MW	1900	900
MEDWAY	SIL	0-2	S	MW	1900	900
MEDWAY,OF-PH	SIL	0-1	S	MW	1900	900
MEDWAY,RF-PH	SIL	0-2	S	MW	2440	1440

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
MEDWAY,RF-PH	CL	0-2	S	MW	2420	1420
MEDWAY,OF-PH	SIL	0-2	S	MW	1900	900
MEDWAY,OV-PH	SIL	0-2	S	MW	1750	750
MEDWAY,LM-SUBST,OF-PH	SIL	0-2	S	MW	1900	900
MEDWAY,V,MOD.SHALLOW	SIL	0-2	S	MW	1570	570
MELVIN	SIL	0-2	S	P	350	230
MELVIN,OF-PH	SIL	0-2	S	P	350	230
MELVIN,FF-PH	SIL	0-2	S	P	350	230
MELVIN,PO-PH	SIL	0-2	S	P	350	230
MENTOR	SIL	0-2	S	W	1280	280
MENTOR	SIL	1-4	S	W	1170	230
MENTOR	SIL	2-6	S	W	1170	230
MENTOR	SIL	2-8	S	W	1180	230
MENTOR	SIL	6-12	S	W	760	230
MENTOR	SIL	6-12	M	W	530	230
MENTOR	SIL	6-15	S	W	750	230
MENTOR	SIL	8-15	S	W	590	230
MENTOR	SIL	12-18	S	W	420	230
MENTOR	SIL	12-18	M	W	350	230
MENTOR	SIL	12-20	M	W	350	230
MENTOR	SIL	12-25	S	W	350	230
MENTOR	SIL	15-25	S	W	350	230
MENTOR,GRAV-SUBST	SIL	0-2	S	W	1280	280
MENTOR,GRAV-SUBST	SIL	1-8	S	W	1170	230
MENTOR,GRAV-SUBST	SIL	2-6	S	W	1170	230
MENTOR,GRAV-SUBST	SIL	8-15	S	W	1030	230
MENTOR,RF-PH	SIL	0-2	S	W	1180	230
MERMILL	FSL	0-1	S	VP	2210	320
MERMILL	FSL	0-2	S	VP	2210	320
MERMILL	L	0-1	S	VP	2400	510
MERMILL	L	0-2	S	VP	2400	510
MERMILL	SIL	0-2	S	VP	2400	510
MERMILL	SCL	0-1	S	VP	2210	320
MERMILL	SCL	0-2	S	VP	2210	320
MERMILL	CL	0-1	S	VP	2210	320
MERMILL	CL	0-2	S	VP	2210	320
MERMILL	SICL	0-1	S	VP	2210	320
MERMILL	SICL	0-2	S	VP	2210	320
MERMILL,STRAT-SUBST	L	0-2	S	VP	2350	460
MERMILL-AURAND,C		0-1	S	VP	2250	360
MERMILL,V	SL	0-2	S	VP	350	230
METAMORA	SL	0-3	S	SWP	1760	230
METEA	LFS	0-2	S	W	590	230
METEA	LFS	2-6	S	W	350	230
METEA	LFS	6-12	S	W	350	230
MIAMI	L	6-12	M	W	860	230
MIAMI	L	12-18	M	W	480	230
MIAMI	SIL	0-2	S	W	1500	500
MIAMI	SIL	2-6	S	W	1260	260
MIAMI	SIL	2-6	M	W	1060	230
MIAMI	SIL	6-12	S	W	1060	230
MIAMI	SIL	6-12	M	W	860	230
MIAMI	SIL	12-18	S	W	660	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
MIAMI	SIL	12-18	M	W	480	230
MIAMI	SIL	18-25	S	W	350	230
MIAMI	SIL	18-25	M	W	350	230
MIAMI	SICL	6-12	SE	W	350	230
MIAMI	SICL	12-18	SE	W	350	230
MIAMI	SOILS	2-6	SE	W	610	230
MIAMI	SOILS	6-12	SE	W	470	230
MIAMI	SOILS	12-18	SE	W	350	230
MIAMI	SOILS	18-25	SE	W	350	230
MIAMI	BY-SIL	2-12	S	W	350	230
MIAMI	BY-SIL	6-12	M	W	350	230
MIAMI-CASCO-RODMAN,C		18-25	M	W	350	230
MIAMI-CELINA	BY-SIL	2-6	S	W	500	230
MIAMI-CELINA	BY-SIL	2-6	M	W	350	230
MIAMI-CELINA	SIL	2-6	S	W	1260	260
MIAMI-CELINA	SIL	2-6	M	W	1060	230
MIAMI-CELINA	SOILS	2-6	SE	W	870	230
MIAMI-FOX-HENNEPIN	SOILS	18-25	M	W	350	230
MIAMI-FOX-HENNEPIN	SOILS	18-25	SE	W	350	230
MIAMI-HENNEPIN	SIL	18-25	S	W	350	230
MIAMI-HENNEPIN	SIL	18-25	M	W	350	230
MIAMI-HENNEPIN	SOILS	18-25	SE	W	350	230
MIAMI-KENDALLVILLE	SIL	18-25	M	W	350	230
MIAMIAN	SIL	0-2	S	W	1500	500
MIAMIAN	SIL	2-6	S	W	1260	260
MIAMIAN	SIL	2-6	M	W	1060	230
MIAMIAN	SIL	6-12	S	W	1060	230
MIAMIAN	SIL	6-12	M	W	860	230
MIAMIAN	SIL	8-15	M	W	860	230
MIAMIAN	SIL	12-18	M	W	480	230
MIAMIAN	SIL	12-20	M	W	460	230
MIAMIAN	SIL	18-25	S	W	350	230
MIAMIAN	SIL	18-25	M	W	350	230
MIAMIAN	BY-SIL	2-6	S	W	500	230
MIAMIAN	CL	2-6	SE	W	490	230
MIAMIAN	CL	6-12	SE	W	350	230
MIAMIAN	CL	12-18	SE	W	350	230
MIAMIAN	CL	15-25	SE	W	350	230
MIAMIAN	SICL	2-6	M	W	930	230
MIAMIAN	SICL	6-12	M	W	680	230
MIAMIAN	SICL	12-18	M	W	350	230
MIAMIAN,BR-SUBST	SIL	6-12	M	W	860	230
MIAMIAN,BR-SUBST	SIL	12-20	M	W	460	230
MIAMIAN,LM-SUBST	SIL	0-2	S	W	1500	500
MIAMIAN,LM-SUBST	SIL	2-6	S	W	1260	260
MIAMIAN,LM-SUBST	SIL	2-6	M	W	1060	230
MIAMIAN,LM-SUBST	SIL	6-12	M	W	860	230
MIAMIAN,LM-SUBST	SICL	2-6	M	W	930	230
MIAMIAN,LM-SUBST	SICL	6-12	M	W	680	230
MIAMIAN-CASCO,C		12-18	M	W	480	230
MIAMIAN-CELINA	SIL	2-6	S	W	1270	270
MIAMIAN-CELINA	SIL	2-6	M	W	1100	230
MIAMIAN-CROUSE	SIL	18-25	M	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
MIAMIAN-ELDEAN	SIL	2-6	S	W	780	230
MIAMIAN-ELDEAN	SIL	2-6	M	W	350	230
MIAMIAN-ELDEAN	SIL	6-12	M	W	350	230
MIAMIAN-HENNEPIN	SIL	12-18	M	W	480	230
MIAMIAN-HENNEPIN	SIL	15-25	M	W	350	230
MIAMIAN-HENNEPIN	SIL	18-25	S	W	350	230
MIAMIAN-HENNEPIN	SIL	18-25	M	W	350	230
MIAMIAN-HENNEPIN	SIL	18-25	SE	W	350	230
MIAMIAN-HENNEPIN	SOILS	18-25	S	W	350	230
MIAMIAN-KENDALLVILLE	SIL	0-2	S	W	1500	500
MIAMIAN-KENDALLVILLE	SIL	2-6	S	W	970	230
MIAMIAN-KENDALLVILLE	SIL	6-12	M	W	520	230
MIAMIAN-KENDALLVILLE	SIL	12-18	M	W	480	230
MIAMIAN-KENDALLVILLE	SIL	18-25	M	W	350	230
MIAMIAN-LEWISBURG	SIL	0-2	S	W	880	230
MIAMIAN-LEWISBURG	SIL	2-6	S	W	680	230
MIAMIAN-LOSANTVILLE	CL	6-12	SE	W	350	230
MIAMIAN-LOSANTVILLE	CL	12-18	SE	W	350	230
MIAMIAN-RUSSELL	SIL	2-6	S	W	1260	260
MIAMIAN-RUSSELL	SIL	2-6	M	W	1060	230
MIAMIAN-RUSSELL	SIL	6-12	M	W	860	230
MIAMIAN-RUSSELL	SIL	12-18	M	W	480	230
MIAMIAN-RUSSELL, BR-SUBST	SIL	6-12	M	W	860	230
MIAMIAN-THRIFTON, C		6-12	SE	W	350	230
MIAMIAN-THRIFTON, C		12-20	SE	W	350	230
MIAMIAN-THRIFTON, C		18-25	M	W	350	230
MIAMIAN-WAPAHANI, C		6-12	SE	W	350	230
MIAMIAN-WAPAHANI, C		12-20	SE	W	350	230
MIAMIAN, V	SIL	6-15	M	W	350	230
MILFORD	SICL	0-1	S	VP	2450	560
MILFORD	SICL	0-2	S	VP	2450	560
MILFORD, GR-SUBST	SICL	0-2	S	VP	2450	560
MILFORD, S-SUBST	SICL	0-2	S	VP	2450	560
MILFORD	SIC	0-2	S	VP	1850	230
MILL	SIL	0-2	S	P	350	230
MILLGROVE	FSL	0-2	S	VP	2800	910
MILLGROVE	L	0-1	S	VP	2990	1100
MILLGROVE	L	0-2	S	VP	2990	1100
MILLGROVE	SIL	0-2	S	VP	2990	1100
MILLGROVE	CL	0-2	S	VP	2800	910
MILLGROVE	SICL	0-2	S	VP	2800	910
MILLGROVE	SIC	0-2	S	VP	2600	710
MILLGROVE, T-SUBST	L	0-2	S	VP	2400	510
MILLGROVE, OVER CLAY	L	0-2	S	VP	2400	510
MILLGROVE, OVER CLAY	SIL	0-2	S	VP	2400	510
MILLGROVE, OVER CLAY	SICL	0-2	S	VP	2210	320
MILLGROVE, RF-PH	SICL	0-2	S	VP	2800	910
MILLSDALE	L	0-2	S	VP	1710	230
MILLSDALE	SIL	0-1	S	VP	1710	230
MILLSDALE	SIL	0-2	S	VP	1710	230
MILLSDALE	SIL	0-3	S	VP	1710	230
MILLSDALE	SIL	2-6	S	VP	1460	230
MILLSDALE	SICL	0-1	S	VP	1600	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
MILLSDALE	SICL	0-2	S	VP	1600	230
MILLSDALE	SICL	0-3	S	VP	1600	230
MILLSDALE	SICL	2-6	S	VP	1350	230
MILLSDALE	ST-SICL	0-1	S	VP	350	230
MILLSDALE	ST-SICL	0-2	S	VP	350	230
MILTON	L	0-2	S	W	860	230
MILTON	L	2-6	S	W	730	230
MILTON	SIL	0-2	S	W	860	230
MILTON	SIL	1-4	S	W	830	230
MILTON	SIL	2-6	S	W	730	230
MILTON	SIL	2-6	M	W	490	230
MILTON	SIL	6-12	M	W	360	230
MILTON	SIL	12-18	M	W	350	230
MILTON	SIL	18-25	M	W	350	230
MILTON	CL	6-12	SE	W	350	230
MILTON	SICL	6-12	M	W	350	230
MILTON	SICL	6-18	SE	W	350	230
MILTON	SOILS	6-12	SE	W	350	230
MILTON,SHALLOW	SIL	2-6	S	W	350	230
MILTON,SHALLOW	SIL	6-12	M	W	350	230
MILTON,SHALLOW	SIL	12-18	M	W	350	230
MILTON,SHALLOW	SIL	18-25	M	W	350	230
MILTON,SHALLOW	SOILS	12-18	SE	W	350	230
MILTON-LYBRAND,C		12-18	M	W	350	230
MILTON,V	L	0-2	S	W	860	230
MILTON,V	L	2-6	S	W	730	230
MINER	SICL	0-1	S	VP	930	230
MINER	SICL	0-2	S	VP	930	230
MINER,SH-SUBST	SICL	0-2	S	VP	930	230
MINER,BR-SUBST	SIL	0-1	S	VP	930	230
MINOA	FSL	0-2	S	SWP	420	230
MINSTER,T-SUBST	SICL	0-1	S	VP	1750	230
MINSTER	SICL	0-1	S	VP	1750	230
MITIWANGA	L	0-2	S	SWP	350	230
MITIWANGA	CN-L	1-4	S	SWP	350	230
MITIWANGA	SIL	0-2	S	SWP	350	230
MITIWANGA	SIL	0-3	S	SWP	350	230
MITIWANGA	SIL	1-4	S	SWP	350	230
MITIWANGA	SIL	2-6	S	SWP	350	230
MITIWANGA,V	SIL	2-6	S	SWP	610	230
MITIWANGA,V	SIL	6-12	S	SWP	580	230
MONONGAHELA	L	8-15	S	MW	510	230
MONONGAHELA	SIL	2-5	S	MW	1000	230
MONONGAHELA	SIL	1-8	S	MW	1000	230
MONONGAHELA	SIL	5-10	S	MW	700	230
MONONGAHELA	SIL	5-10	M	MW	530	230
MONONGAHELA	SIL	8-15	M	MW	400	230
MONONGAHELA	SIL	10-15	S	MW	510	230
MONONGAHELA	SIL	10-15	M	MW	400	230
MONTGOMERY	SIL	0-2	S	VP	1930	490
MONTGOMERY	SICL	0-2	S	VP	1750	310
MONTGOMERY	SIC	0-2	S	VP	1560	230
MONTGOMERY,GRAV-SUBST	SICL	0-2	S	VP	1750	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
MONTGOMERY,V,FF-PH	SIL	0-2	S	VP	1610	230
MORLEY	L	2-6	S	W	910	230
MORLEY	L	12-18	M	W	350	230
MORLEY	SIL	2-6	S	W	910	230
MORLEY	SIL	2-6	M	W	550	230
MORLEY	SIL	6-12	S	W	550	230
MORLEY	SIL	6-12	M	W	420	230
MORLEY	SIL	12-18	M	W	350	230
MORLEY	SIL	18-25	S	W	350	230
MORLEY	SIL	18-25	M	W	350	230
MORLEY	CL	6-12	M	W	350	230
MORLEY	CL	9-18	SE	W	350	230
MORLEY	CL	12-18	M	W	350	230
MORLEY	CL	12-18	SE	W	350	230
MORLEY	SOILS	6-12	SE	W	350	230
MORLEY	SOILS	12-18	SE	W	350	230
MORLEY-BELMORE,C		6-15	M	W	350	230
MORLEY-MILTON	SIL	2-6	S	W	750	230
MORLEY,LM-SUBST	L	0-2	S	W	1030	230
MORLEY,LM-SUBST-MILTON,C		2-6	S	W	870	230
MORNINGSUN	SIL	0-2	S	MW	1770	770
MORNINGSUN-XENIA	SIL	0-2	S	MW	1670	670
MORNINGSUN-XENIA	SIL	2-6	S	MW	1560	560
MORNINGSUN-XENIA	SIL	2-6	M	MW	1380	380
MORRISTOWN	L	0-8	S	W	350	230
MORRISTOWN	L	8-15	S	W	350	230
MORRISTOWN	L	15-25	S	W	350	230
MORRISTOWN	CL	0-8	S	W	350	230
MORRISTOWN	CL	8-25	S	W	350	230
MORRISTOWN	SICL	0-3	S	W	350	230
MORRISTOWN	SICL	0-6	S	W	350	230
MORRISTOWN	SICL	0-8	S	W	350	230
MORRISTOWN	SICL	1-8	S	W	350	230
MORRISTOWN	SICL	3-15	S	W	350	230
MORRISTOWN	SICL	6-20	S	W	350	230
MORRISTOWN	SICL	8-15	S	W	350	230
MORRISTOWN	SICL	8-25	S	W	350	230
MORRISTOWN	SICL	15-25	S	W	350	230
MORRISTOWN	CN-CL	0-6	S	W	350	230
MORRISTOWN	CN-CL	6-20	S	W	350	230
MORRISTOWN	CN-SICL	0-8	S	W	350	230
MORRISTOWN	CN-SICL	8-25	S	W	350	230
MORRISTOWN	SH-SICL	0-3	S	W	350	230
MORRISTOWN	SH-SICL	1-15	S	W	350	230
MORRISTOWN	SH-SICL	3-15	S	W	350	230
MORRISTOWN	SH-SICL	8-25	S	W	350	230
MORRISTOWN	SH-SICL	15-25	S	W	350	230
MORRISTOWN	ST-CL	0-8	S	W	350	230
MORRISTOWN	ST-CL	8-25	S	W	350	230
MORRISTOWN,STONY	CN-SICL	0-8	S	W	350	230
MORRISTOWN,STONY	CN-SICL	8-25	S	W	350	230
MORRISVILLE	SICL	12-18	M	MW	350	230
MORRISVILLE	SICL	18-25	M	MW	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
MORTIMER	SICL	2-6	M	MW	350	230
MORTIMER	SIL	2-6	S	MW	350	230
MOSHANNON	SIL	0-2	S	W	1670	670
MOSHANNON,OF-PH	SIL	0-2	S	W	1670	670
MOSHANNON,FF-PH	SIL	0-2	S	W	1030	230
MUCK	MUCK	0-2	S	VP	350	230
MUCK(WOOD)	MUCK	0-2	S	VP	1200	230
MUSKEGO	MUCK	0-2	S	VP	940	230
MUSKINGUM	SL	2-6	S	W	470	230
MUSKINGUM	SL	6-12	S	W	350	230
MUSKINGUM	SL	6-12	M	W	350	230
MUSKINGUM	SL	12-18	S	W	350	230
MUSKINGUM	SL	12-18	M	W	350	230
MUSKINGUM	SL	12-18	SE	W	350	230
MUSKINGUM	SL	18-25	S	W	350	230
MUSKINGUM	SL	18-25	M	W	350	230
MUSKINGUM	SL	18-25	SE	W	350	230
MUSKINGUM	STV-SL	18-25	S	W	350	230
MUSKINGUM	SIL	2-6	S	W	630	230
MUSKINGUM	SIL	6-12	S	W	390	230
MUSKINGUM	SIL	6-12	M	W	350	230
MUSKINGUM	SIL	6-12	SE	W	350	230
MUSKINGUM	SIL	12-18	S	W	350	230
MUSKINGUM	SIL	12-18	M	W	350	230
MUSKINGUM	SIL	12-18	SE	W	350	230
MUSKINGUM	SIL	18-25	S	W	350	230
MUSKINGUM	SIL	18-25	M	W	350	230
MUSKINGUM	SIL	18-25	SE	W	350	230
MUSKINGUM	CN-SIL	2-6	S	W	350	230
MUSKINGUM	CN-SIL	6-12	M	W	350	230
MUSKINGUM	CN-SIL	12-18	M	W	350	230
MUSKINGUM	CN-SIL	18-25	M	W	350	230
MUSKINGUM	STV-SIL	6-18	S	W	350	230
MUSKINGUM-GILPIN	SIL	18-25	S	W	350	230
MUSKINGUM-GILPIN	SIL	18-25	SE	W	350	230
NAPPANEE	CL	0-2	S	SWP	770	230
NAPPANEE	SL	0-2	S	SWP	1040	230
NAPPANEE	SL	2-6	S	SWP	770	230
NAPPANEE	L	0-2	S	SWP	1040	230
NAPPANEE	L	0-3	S	SWP	1040	230
NAPPANEE	L	2-6	S	SWP	770	230
NAPPANEE	L	2-6	M	SWP	440	230
NAPPANEE	SIL	0-2	S	SWP	1040	230
NAPPANEE	SIL	0-3	S	SWP	1040	230
NAPPANEE	SIL	2-6	S	SWP	770	230
NAPPANEE	SIL	4-10	M	SWP	380	230
NAPPANEE	SICL	0-2	S	SWP	770	230
NAPPANEE	SICL	0-3	S	SWP	770	230
NAPPANEE	SICL	2-6	S	SWP	440	230
NAPPANEE	SICL	2-6	M	SWP	380	230
NAPPANEE	SICL	6-12	M	SWP	350	230
NEGLEY	GR-SL	6-12	M	W	350	230
NEGLEY	GR-SL	12-18	M	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
NEGLEY	GR-SL	18-25	S	W	350	230
NEGLEY	GR-SL	18-25	M	W	350	230
NEGLEY	GR-SL	18-25	SE	W	350	230
NEGLEY	L	2-5	S	W	680	230
NEGLEY	L	5-10	S	W	490	230
NEGLEY	L	5-10	M	W	350	230
NEGLEY	L	6-12	S	W	490	230
NEGLEY	L	6-12	M	W	350	230
NEGLEY	L	8-15	S	W	350	230
NEGLEY	L	10-15	M	W	350	230
NEGLEY	L	12-18	S	W	350	230
NEGLEY	L	12-18	M	W	350	230
NEGLEY	L	12-20	M	W	350	230
NEGLEY	L	15-25	S	W	350	230
NEGLEY	L	18-25	S	W	350	230
NEGLEY	GR-L	2-5	S	W	580	230
NEGLEY	GR-L	5-10	M	W	350	230
NEGLEY	GR-L	10-15	M	W	350	230
NEGLEY	SIL	2-5	S	W	680	230
NEGLEY	SIL	2-6	S	W	680	230
NEGLEY	SIL	5-10	M	W	350	230
NEGLEY	SIL	8-15	S	W	350	230
NEGLEY	SIL	10-15	M	W	350	230
NEGLEY	SIL	15-25	S	W	350	230
NEGLEY	CL	6-12	SE	W	350	230
NEGLEY	CL	12-18	SE	W	350	230
NEGLEY	SOILS	10-20	SE	W	350	230
NEGLEY	SOILS	15-20	SE	W	350	230
NEWARK	SIL	0-2	S	SWP	770	230
NEWARK,OF-PH	SIL	0-2	S	SWP	1130	230
NEWARK,FF-PH	SIL	0-2	S	SWP	650	230
NEWARK,PO-PH	SIL	0-2	S	SWP	350	230
NEWARK,V,FF-PH	SIL	0-2	S	SWP	350	230
NICELY	SIL	6-12	M	MW	700	230
NICHOLSON	SIL	1-6	S	MW	1210	230
NICHOLSON	SIL	2-6	S	MW	1210	230
NICHOLSON	SIL	2-6	M	MW	990	230
NICHOLSON	SIL	6-12	M	MW	560	230
NINEVEH	SIL	0-2	S	W	870	230
NINEVEH	SIL	2-6	S	W	700	230
NOLIN	SIL	0-2	S	W	1540	540
NOLIN,RF-PH	SIL	0-2	S	W	1540	540
NOLIN,OF-PH	SIL	0-2	S	W	1540	540
NOLIN,FF-PH	SIL	0-2	S	W	1200	230
NOLIN,V,OF-PH	SIL	0-2	S	W	1820	820
OAKVILLE	FS	0-6	S	W	350	230
OAKVILLE	FS	2-6	S	W	350	230
OAKVILLE	FS	2-8	S	W	350	230
OAKVILLE	FS	2-12	S	W	350	230
OAKVILLE	FS	6-12	S	W	350	230
OAKVILLE	FS	6-18	S	W	350	230
OAKVILLE	LFS	0-6	S	W	350	230
OAKVILLE	LFS	2-6	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
OAKVILLE	LFS	6-12	S	W	350	230
OAKVILLE	LFS	12-25	S	W	350	230
OCKLEY	L	0-2	S	W	1510	510
OCKLEY	L	1-8	S	W	1230	230
OCKLEY	L	2-6	S	W	1270	270
OCKLEY	L	2-6	M	W	1070	230
OCKLEY	L	6-12	M	W	580	230
OCKLEY	SIL	0-2	S	W	1510	510
OCKLEY	SIL	0-3	S	W	1510	510
OCKLEY	SIL	2-6	S	W	1270	270
OCKLEY	SIL	2-6	M	W	1020	230
OCKLEY	SIL	6-12	S	W	1070	230
OCKLEY	SIL	6-12	M	W	580	230
OCKLEY,M-SUBST	SIL	0-2	S	W	1510	510
OCKLEY,M-SUBST	SIL	2-6	S	W	1270	270
OCKLEY,M-SUBST	SIL	2-6	M	W	1020	230
OCKLEY,M-SUBST	SIL	6-12	M	W	580	230
OCKLEY,T-SUBST	SIL	0-2	S	W	1390	390
OCKLEY,T-SUBST	SIL	2-6	S	W	1270	270
OCKLEY,T-SUBST	SIL	6-12	M	W	880	230
OCKLEY-KENDALLVILLE	SIL	0-2	S	W	1510	510
OCKLEY-KENDALLVILLE	SIL	2-6	S	W	1270	270
OCKLEY-KENDALLVILLE	SIL	2-6	M	W	1020	230
OCKLEY-KENDALLVILLE	SIL	6-12	M	W	420	230
OCKLEY-KENDALLVILLE	SIL	12-18	M	W	480	230
OCKLEY-KENDALLVILLE	SOILS	6-12	SE	W	460	230
OCKLEY-KENDALLVILLE	SOILS	12-18	SE	W	350	230
ODELL	SIL	0-2	S	SWP	2080	230
ODELL	SIL	0-3	S	SWP	2080	230
ODELL	SIL	2-6	S	SWP	1820	230
ODELL-LEWISBURG,C		0-2	S	SWP	2260	370
ODELL-LEWISBURG,C		2-6	S	SWP	1990	230
OGONTZ	FSL	0-2	S	MW	1310	310
OGONTZ	SIL	2-6	S	MW	1290	290
OLENTANGY	MK-SIL	0-2	S	VP	460	230
OLENTANGY	SIL	0-2	S	VP	460	230
OLMSTED	FSL	0-2	S	VP	1580	230
OLMSTED	L	0-1	S	VP	1640	230
OLMSTED	L	0-2	S	VP	1640	230
OLMSTED	SIL	0-2	S	VP	1640	230
OLMSTED	SICL	0-2	S	VP	1500	230
OLMSTED,SS-SUBST	L	0-2	S	VP	1500	230
OLMSTED-VALLEY	SOILS	0-2	S	VP	930	230
OMULGA	SIL	0-2	S	MW	1250	250
OMULGA	SIL	0-3	S	MW	1250	250
OMULGA	SIL	1-6	S	MW	1070	230
OMULGA	SIL	1-7	S	MW	1070	230
OMULGA	SIL	1-8	S	MW	1070	230
OMULGA	SIL	2-6	S	MW	1070	230
OMULGA	SIL	3-8	S	MW	990	230
OMULGA	SIL	6-12	S	MW	750	230
OMULGA	SIL	6-12	M	MW	580	230
OMULGA	SIL	6-15	S	MW	740	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
OMULGA	SIL	6-15	M	MW	560	230
OMULGA	SIL	7-15	S	MW	660	230
OMULGA	SIL	8-15	S	MW	640	230
OPEQUON	SIL	6-18	M	W	350	230
OPEQUON	SIL	18-25	M	W	350	230
OPEQUON	SICL	15-25	M	W	350	230
OPEQUON	C	6-18	SE	W	350	230
OPEQUON-BRATTON	SIL	8-15	M	W	350	230
ORRVILLE	FSL	0-2	S	SWP	730	230
ORRVILLE	L	0-2	S	SWP	830	230
ORRVILLE,BR-SUBST	SIL	0-2	S	SWP	850	230
ORRVILLE,BR-SUBST,OF-PH	SIL	0-2	S	SWP	830	230
ORRVILLE,BR-SUBST,FF-PH	SIL	0-2	S	SWP	650	230
ORRVILLE	SIL	0-2	S	SWP	830	230
ORRVILLE,OF-PH	SIL	0-2	S	SWP	830	230
ORRVILLE,FF-PH	SIL	0-2	S	SWP	650	230
ORRVILLE,V,MOD.SHALLOW	L	0-2	S	SWP	350	230
ORRVILLE,V	SIL	0-2	S	SWP	350	230
OSHTEMO	LS	0-2	S	W	350	230
OSHTEMO	LS	0-6	S	W	350	230
OSHTEMO	LS	2-6	S	W	350	230
OSHTEMO	LS	6-12	S	W	350	230
OSHTEMO	L	2-6	S	W	630	230
OSHTEMO	FSL	0-2	S	W	710	230
OSHTEMO	FSL	1-6	S	W	600	230
OSHTEMO	FSL	2-6	S	W	600	230
OSHTEMO	FSL	6-12	S	W	350	230
OSHTEMO	FSL	6-18	M	W	350	230
OSHTEMO	SL	0-2	S	W	710	230
OSHTEMO	SL	2-6	S	W	470	230
OSHTEMO	SL	3-8	S	W	450	230
OSHTEMO	SL	6-12	S	W	350	230
OSHTEMO,L-SUBST	SL	3-8	S	W	350	230
OSHTEMO,T-SUBST	SL	2-6	S	W	470	230
OTEGO,FF-PH	IL	0-2	S	MW	830	230
OTISVILLE	SL	1-6	S	W	350	230
OTISVILLE	GR-LS	1-6	S	W	350	230
OTISVILLE	GR-SL	1-6	S	W	350	230
OTISVILLE	GR-SL	2-6	S	W	350	230
OTISVILLE	GR-SL	6-12	S	W	350	230
OTISVILLE-CHENANGO	SOILS	12-25	S	W	350	230
OTTOKEE	FS	0-6	S	MW	790	230
OTTOKEE	FS	1-5	S	MW	800	230
OTTOKEE	LFS	0-4	S	MW	800	230
OTTOKEE	LFS	0-6	S	MW	770	230
OTTOKEE	LFS	1-6	S	MW	770	230
OTTOKEE	LS	0-6	S	MW	770	230
OTTOKEE-GLYNWOOD,C		3-8	S	MW	350	230
OTTOKEE-TUSCOLA,C		2-6	S	MW	770	230
OTTOKEE-SPINKS	LFS	0-2	S	MW	800	230
OTTOKEE-SPINKS	LFS	2-6	S	MW	770	230
OTWELL	SIL	0-3	S	MW	570	230
OTWELL	SIL	1-6	S	MW	390	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
OTWELL	SIL	2-6	S	MW	390	230
OTWELL	SIL	3-8	S	MW	350	230
OTWELL	SIL	6-12	S	MW	350	230
OTWELL	SIL	6-12	M	MW	350	230
OTWELL	SIL	6-15	S	MW	350	230
OTWELL	SIL	6-15	M	MW	350	230
OTWELL	SIL	8-15	S	MW	350	230
OTWELL	SIL	12-18	M	MW	350	230
OTWELL	SIL	18-25	M	MW	350	230
OTWELL-VINCENT	SIL	2-6	S	MW	530	230
OTWELL-VINCENT	SIL	6-12	S	MW	350	230
PACER	SIL	0-2	S	MW	2130	1130
PAINESVILLE	FSL	0-2	S	SWP	850	230
PANDORA	SIL	0-2	S	P	1430	230
PANDORA	SICL	0-2	S	P	1260	230
PAPAKATING	SIL	0-2	S	VP	580	230
PAPAKATING	SICL	0-2	S	VP	530	230
PARKE	SIL	0-3	S	W	1470	470
PARKE	SIL	2-5	S	W	1230	230
PARKE	SIL	2-6	S	W	1230	230
PARKE	SIL	2-6	M	W	1020	230
PARKE	SIL	3-8	S	W	1230	230
PARKE	SIL	3-8	M	W	930	230
PARKE	SIL	5-10	S	W	1020	230
PARKE	SIL	5-10	M	W	830	230
PARKE	SIL	6-12	S	W	1020	230
PARKE	SIL	6-12	M	W	830	230
PARKE	SIL	6-18	M	W	630	230
PARKE	SIL	8-15	M	W	630	230
PARKE	SIL	12-18	S	W	490	230
PARKE	SIL	12-18	M	W	350	230
PARKE	SIL	15-25	S	W	350	230
PARKE	SIL	18-25	S	W	350	230
PARKE	SIL	18-25	M	W	350	230
PARKE	SICL	12-18	SE	W	350	230
PARKE	SICL	18-25	SE	W	350	230
PARR	SIL	1-4	S	W	1730	730
PATE	SICL	8-15	S	MW	350	230
PATE	SICL	15-25	S	MW	350	230
PATE	SIC	8-15	M	MW	350	230
PATE	SIC	15-25	M	MW	350	230
PATTON	SIL	0-2	S	P	1990	230
PATTON	SICL	0-2	S	P	1870	230
PATTON,OV-PH	SICL	0-2	S	P	1870	230
PATTON	SICL	0-1	S	P	1870	230
PATTON,RF-PH	SICL	0-2	S	P	1870	230
PATTON,S-SUBST	SICL	0-2	S	P	1870	230
PATTON,L-SUBST	SICL	0-1	S	P	1870	230
PATTON,T-SUBST	SIL	0-2	S	P	1990	230
PATTON,SILTED	SIL	0-2	S	P	1990	230
PATTON,V	SIL	0-2	S	P	1990	230
PAULDING	SICL	0-2	S	VP	1060	230
PAULDING	SIC	0-2	S	VP	930	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
PAULDING	C	0-2	S	VP	930	230
PEKIN	SIL	1-7	S	MW	1120	230
PEOGA	SIL	0-2	S	P	860	230
PEOGA	SICL	0-2	S	P	860	230
PEOGA,RF-PH	SIL	0-2	S	P	860	230
PERRIN	SL	2-6	S	MW	1040	230
PEWAMO	SICL	0-1	S	VP	2240	350
PEWAMO	SIL	0-2	S	VP	2360	470
PEWAMO	CL	0-2	S	VP	2240	350
PEWAMO	SICL	0-2	S	VP	2240	350
PEWAMO	SIC	0-2	S	VP	1980	230
PEWAMO	C	0-2	S	VP	1980	230
PEWAMO,LM-SUBST	SICL	0-2	S	VP	1170	230
PEWAMO,OV-PH	SIL	0-2	S	VP	2360	470
PEWAMO,PO-PH	SICL	0-2	S	VP	350	230
PEWAMO,DRAINED	SICL	0-1	S	VP	2240	350
PEWAMO,V	MUCK	0-2	S	VP	1610	230
PHILO	SIL	0-2	S	MW	900	230
PHILO,FF-PH	SIL	0-2	S	MW	800	230
PIERPONT	SIL	2-6	S	MW	660	230
PIERPONT	SIL	2-6	M	MW	390	230
PIERPONT	SIL	6-12	M	MW	350	230
PIERPONT	SIL	12-18	S	MW	350	230
PIERPONT	SIL	12-18	M	MW	350	230
PIERPONT-PLATEA	SOILS	12-18	M	MW	350	230
PIKE	SIL	0-2	S	W	1470	470
PIKE	SIL	2-6	S	W	1230	230
PIKE	SIL	2-6	M	W	1020	230
PIKE	SIL	6-12	M	W	730	230
PINNEBOG	MUCK	0-2	S	VP	1770	230
PINEGROVE	SIL	1-8	S	W	350	230
PINEGROVE	LCOS	8-25	S	W	350	230
PINEGROVE	S	8-25	S	W	350	230
PINEGROVE	SL	1-8	S	W	350	230
PINEGROVE	SL	8-25	S	W	350	230
PINEGROVE	COSL	0-8	S	W	350	230
PINEGROVE	COSL	8-25	S	W	350	230
PINEGROVE	SICL	0-8	S	W	350	230
PINEGROVE	SICL	8-25	S	W	350	230
PIOPOLIS,FF-PH	SICL	0-2	S	VP	350	230
PIOPOLIS,FF-PH	SIL	0-2	S	VP	350	230
PIOPOLIS,PO-PH	SIL	0-2	S	VP	350	230
PLAINFIELD	S	3-8	S	E	350	230
PLAINFIELD	LS	0-6	S	E	350	230
PLAINFIELD	LS	3-8	S	E	350	230
PLAINFIELD	LS	6-12	S	E	350	230
PLATEA	SIL	0-2	S	SWP	540	230
PLATEA	SIL	2-6	S	SWP	410	230
PLATEA	SIL	2-6	M	SWP	350	230
PLATEA	SIL	6-12	S	SWP	350	230
PLATEA	SIL	6-12	M	SWP	350	230
PLATEA	SIL	6-12	SE	SWP	350	230
PLATEA-DARIEN,C	SIL	0-2	S	SWP	540	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
PLATEA-DARIEN,C	SIL	2-6	S	SWP	410	230
PLATEA-DARIEN,C	SIL	2-6	M	SWP	350	230
PLATTVILLE	SIL	1-6	S	W	1120	230
PLATTVILLE	SIL	2-6	S	W	1050	230
PLATTVILLE	SIL	6-12	S	W	790	230
PLATTVILLE, MOD.WET	SIL	2-6	S	W	1050	230
PLUMBROOK	FSL	0-2	S	SWP	2190	300
POPE,FF-PH	L	0-2	S	W	350	230
POPE,OF-PH	L	0-2	S	W	900	230
POPE,FF-PH	SL	0-2	S	W	350	230
POPE,FF-PH	SIL	0-2	S	W	350	230
POPE,OF-PH	SIL	0-2	S	W	900	230
POPE,FF-PH	FSL	0-2	S	W	350	230
POPE,RF-PH	FSL	0-3	S	W	1540	540
PRINCETON	FSL	2-6	S	W	790	230
PRINCETON	FSL	3-8	S	W	700	230
PRINCETON	FSL	6-12	M	W	570	230
PRINCETON	FSL	8-15	S	W	570	230
PRINCETON	SL	0-2	S	W	990	230
PRINCETON	SL	2-6	S	W	790	230
PRINCETON	SL	2-8	S	W	700	230
PRINCETON	SL	6-12	S	W	670	230
PRINCETON	SL	6-12	M	W	570	230
PRINCETON	SL	12-20	S	W	370	230
PROUT	L	0-2	S	SWP	610	230
PROUT	CN-L	0-2	S	SWP	610	230
PROUT	SIL	0-2	S	SWP	610	230
PROUT,V	L	0-2	S	MW	350	230
PROUT,V	L	2-6	S	MW	350	230
PROUT,V	SIL	0-2	S	SWP	1010	230
PSAMMAQUENTS,NEARLY LEVEL		0-2		VP	350	230
PURDY	SIL	0-2	S	P	350	230
PURDY,V	SIL	0-2	S	P	350	230
PYRMONT	SIL	0-2	S	SWP	620	230
PYRMONT	SIL	0-3	S	SWP	620	230
PYRMONT	SIL	2-6	S	SWP	350	230
PYRMONT,V,MOD.SHALLOW	SIL	0-2	S	SWP	620	230
RAGSDALE	SIL	0-2	S	VP	2290	400
RAGSDALE	SICL	0-2	S	VP	2150	260
RAINSBORO	SIL	0-2	S	MW	1020	230
RAINSBORO	SIL	2-5	S	MW	770	230
RAINSBORO	SIL	2-6	S	MW	770	230
RAINSBORO	SIL	5-10	S	MW	500	230
RAINSBORO	SIL	5-10	M	MW	350	230
RAINSBORO	SIL	6-12	S	MW	500	230
RAINSBORO	SIL	6-12	M	MW	350	230
RAINSBORO,ST-PH	SIL	6-12	S	MW	350	230
RAINSVILLE	SIL	0-2	S	MW	1380	380
RAINSVILLE	SIL	2-6	S	MW	1270	270
RAINSVILLE	SIL	2-6	M	MW	1090	230
RAMSEY	CN-SL	6-12	S	W	350	230
RAMSEY	CN-SL	12-18	S	W	350	230
RAMSEY	CN-SL	18-25	M	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
RANDOLPH	L	0-2	S	SWP	1240	230
RANDOLPH	L	2-6	S	SWP	990	230
RANDOLPH	ST-L	0-2	S	SWP	590	230
RANDOLPH	SIL	0-2	S	SWP	1240	230
RANDOLPH	SIL	0-3	S	SWP	1240	230
RANDOLPH	SIL	2-6	S	SWP	990	230
RARDEN	SIL	2-6	M	MW	350	230
RARDEN	SIL	3-8	S	MW	350	230
RARDEN	SIL	6-15	M	MW	350	230
RARDEN	SIL	8-15	S	MW	350	230
RARDEN	SIL	8-15	M	MW	350	230
RARDEN	SIL	15-25	S	MW	350	230
RARDEN-COOLVILLE	SIL	12-18	M	MW	350	230
RARDEN-GILPIN	SIL	8-15	S	W	350	230
RARDEN-GILPIN	SIL	8-15	M	W	350	230
RARDEN-GILPIN	SIL	15-25	S	W	350	230
RARDEN-GILPIN	SIL	15-25	M	MW	350	230
RARDEN-LILY,C		15-25	S	MW	350	230
RARDEN-WHARTON	SIL	8-15	M	MW	350	230
RARDEN-WHARTON	SIL	15-25	M	MW	350	230
RARDEN-WHARTON,C		6-15	M	MW	350	230
RARDEN-WHARTON,C		15-25	M	MW	350	230
RAUB	SIL	0-2	S	SWP	1930	230
RAUB	SIL	2-6	S	SWP	1670	230
RAUB-DANA	SIL	0-2	S	SWP	1930	230
RAVENNA	SIL	0-2	S	SWP	350	230
RAVENNA	SIL	2-5	S	SWP	350	230
RAVENNA	SIL	2-6	S	SWP	350	230
RAWSON	FSL	2-6	S	MW	1460	460
RAWSON	L	0-2	S	MW	1560	560
RAWSON	L	2-6	S	MW	1380	380
RAWSON	L	6-12	S	MW	1180	230
RAWSON	L	6-12	M	MW	930	230
RAWSON	SL	0-2	S	MW	1250	250
RAWSON	SL	2-6	S	MW	1190	230
RAWSON	SL	6-12	S	MW	950	230
RAWSON	SIL	2-6	S	MW	1380	380
RAWSON,STRAT-SUBST	FSL	2-6	S	MW	1090	230
RED HOOK	SL	0-2	S	SWP	390	230
RED HOOK	SIL	0-2	S	SWP	550	230
RED HOOK	SIL	0-4	S	SWP	560	230
RED HOOK	SIL	2-6	S	SWP	350	230
REESVILLE	SIL	0-2	S	SWP	1710	230
REESVILLE	SIL	2-4	S	SWP	1540	230
REESVILLE	SIL	2-6	S	SWP	1530	230
REMSEN	SIL	0-2	S	SWP	640	230
REMSEN	SIL	2-6	S	SWP	350	230
RENSELAER	SIL	0-1	S	VP	2990	1100
RENSELAER	L	0-1	S	VP	2990	1100
RENSELAER,T-SUBST	L	0-1	S	VP	2990	1100
RICHLAND	L	8-15	S	W	350	230
RICHLAND	L	15-25	S	W	350	230
RICHLAND	CN-L	8-15	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
RICHLAND	CN-L	15-25	S	W	350	230
RICHLAND	SIL	1-7	S	W	350	230
RICHLAND	SIL	2-6	S	W	350	230
RICHLAND	SIL	3-8	S	W	350	230
RICHLAND	SIL	6-15	S	W	350	230
RICHLAND	SIL	7-15	S	W	350	230
RICHLAND	SIL	8-15	S	W	350	230
RICHLAND	SIL	15-25	S	W	350	230
RICHLAND,C-SUBST	SIL	8-15	S	W	350	230
RICHLAND,ST-PH	SIL	15-25	S	W	350	230
RIDDLES	SIL	2-6	S	W	1520	520
RIDDLES	SIL	6-12	S	W	1050	230
RIDDLES	SIL	12-18	M	W	460	230
RIDDLES	SIL	18-25	S	W	350	230
RIGLEY	FSL	6-12	S	W	1080	230
RIGLEY	FSL	12-18	S	W	700	230
RIGLEY	FSL	18-25	S	W	350	230
RIGLEY	L	8-15	S	W	900	230
RIGLEY	L	15-25	S	W	350	230
RIGLEY	CH-L	15-25	S	W	350	230
RIGLEY	SL	2-6	S	W	1340	340
RIGLEY	SL	3-8	S	W	1190	230
RIGLEY	SL	6-12	S	W	1080	230
RIGLEY	SL	6-15	S	W	1060	230
RIGLEY	SL	8-15	S	W	900	230
RIGLEY	SL	12-18	S	W	700	230
RIGLEY	SL	15-25	S	W	350	230
RIGLEY	STV-SL	12-25	S	W	350	230
RIGLEY-COSHOCTON,C		18-25	S	W	350	230
RIGLEY-RARDEN,C		15-25	S	W	350	230
RIMER	LFS	0-2	S	SWP	860	230
RIMER	LFS	0-3	S	SWP	860	230
RIMER	LFS	2-6	S	SWP	350	230
RIMER	LFS	1-4	S	SWP	710	230
RIMER	LS	0-2	S	SWP	860	230
RIMER	LS	2-6	S	SWP	630	230
RIMER	FSL	0-2	S	SWP	970	230
RIMER,STRAT-SUBST	LFS	0-2	S	SWP	860	230
RIMER-FULTON,C		0-2	S	SWP	820	230
RIMER-TEDROW,OVER CLAY	LFS	0-2	S	SWP	860	230
RIMER-TEDROW,OVER CLAY	LFS	2-6	S	SWP	350	230
RIMER-TEDROW,C,T-SUBST	LFS	0-2	S	SWP	860	230
RIMER-TEDROW,C,T-SUBST	LFS	2-6	S	SWP	350	230
RIMER,DEEP-PH	LFS	0-2	S	SWP	900	230
RISINGSUN-ROLLERSVILLE,C		0-1	S	VP	1100	230
RITCHEY	L	0-2	S	W	350	230
RITCHEY	L	0-6	S	W	350	230
RITCHEY	L	2-6	S	W	350	230
RITCHEY	L	6-12	S	W	350	230
RITCHEY	ST-L	0-2	S	W	350	230
RITCHEY	SIL	1-5	S	W	350	230
RITCHEY	SIL	1-6	S	W	350	230
RITCHEY	SIL	2-6	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
RITCHEY	SIL	2-6	M	W	350	230
RITCHEY	SIL	6-12	S	W	350	230
RITCHEY	SIL	6-12	M	W	350	230
RITCHEY	SIL	6-18	S	W	350	230
RITCHEY	SIL	12-18	S	W	350	230
RITCHEY	SIL	12-18	M	W	350	230
RITCHEY	SIL	12-25	M	W	350	230
RITCHEY	SIL	18-25	M	W	350	230
RITCHEY	SICL	6-18	SE	W	350	230
RITCHEY-CHANNAHON	SIL	2-6	M	W	350	230
RITCHEY-CHANNAHON	SIL	6-12	M	W	350	230
RITCHEY-CHANNAHON	SIL	12-18	M	W	350	230
RITCHEY-CHANNAHON	SOILS	6-12	SE	W	350	230
RITCHEY-CHANNAHON	SOILS	12-18	SE	W	350	230
RITCHEY-ROMEO	SIL	2-12	S	W	350	230
RITTMAN	SIL	2-5	S	MW	790	230
RITTMAN	SIL	2-6	S	MW	790	230
RITTMAN	SIL	2-6	M	MW	350	230
RITTMAN	SIL	5-10	M	MW	350	230
RITTMAN	SIL	6-12	S	MW	350	230
RITTMAN	SIL	6-12	M	MW	350	230
RITTMAN	SIL	10-15	M	MW	350	230
RITTMAN	SIL	12-18	S	MW	350	230
RITTMAN	SIL	12-18	M	MW	350	230
RITTMAN	SIL	12-20	M	MW	350	230
RITTMAN	SIL	12-25	M	MW	350	230
RITTMAN	SIL	15-20	M	MW	350	230
RITTMAN	SIL	18-25	S	MW	350	230
RITTMAN	SIL	18-25	M	MW	350	230
RITTMAN	SICL	6-12	SE	MW	350	230
RITTMAN	SICL	12-18	SE	MW	350	230
RITTMAN	SOILS	10-15	SE	MW	350	230
RITTMAN	SOILS	15-20	SE	MW	350	230
RITTMAN,SS-SUBST	SIL	2-6	S	MW	790	230
RITTMAN,SS-SUBST	SIL	6-12	S	MW	350	230
ROCKMILL	SICL	0-2	S	VP	780	230
ROCKMILL,OF-PH	SICL	0-2	S	VP	780	230
RODMAN	GR-SL	4-12	S	W	350	230
RODMAN	GR-L	12-18	M	W	350	230
RODMAN	GR-L	12-20	M	W	350	230
RODMAN	GR-L	18-25	M	W	350	230
RODMAN-CASCO	L	12-18	M	W	350	230
RODMAN-CASCO	L	18-25	M	W	350	230
RODMAN-CASCO	GR-L	18-25	M	W	350	230
RODMAN-CASCO,C		18-25	S	W	350	230
RODMAN-FOX	SOILS	18-25	M	W	350	230
RODMAN-KENDALLVILLE,C		18-25	M	W	350	230
ROLLERSVILLE-RISINGSUN,C		0-1	S	VP	1270	230
ROMEO	SIL	0-6	S	W	350	230
ROMEO	SIL	0-10	S	W	350	230
ROMEO	SIL	6-18	S	W	350	230
ROMEO		0-2	S	W	350	230
ROMEO		2-6	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
ROSELMS	L	0-2	S	SWP	350	230
ROSELMS	L	0-3	S	SWP	350	230
ROSELMS	L	2-6	S	SWP	350	230
ROSELMS	SIL	0-2	S	SWP	350	230
ROSELMS	SIL	2-6	S	SWP	350	230
ROSELMS	SICL	0-2	S	SWP	350	230
ROSELMS	SICL	2-6	S	SWP	350	230
ROSELMS	SIC	0-2	S	SWP	350	230
ROSELMS	SIC	0-3	S	SWP	350	230
ROSELMS	SIC	2-6	S	SWP	350	230
ROSELMS	SIC	2-6	M	SWP	350	230
ROSS	L	0-2	S	W	2420	1420
ROSS	SIL	0-2	S	W	2420	1420
ROSS,RF-PH	SICL	0-2	S	W	2290	1290
ROSS,RF-PH	L	0-2	S	W	2420	1420
ROSS,OF-PH	L	0-1	S	W	2420	1420
ROSS,OF-PH	L	0-2	S	W	2420	1420
ROSS,OF-PH	SIL	0-2	S	W	2420	1420
ROSS,FF-PH	SIL	0-1	S	W	2070	1070
ROSS,OV-PH,FF-PH	SIL	0-2	S	W	1960	960
ROSS,V,SHALLOW	SIL	0-2	S	W	350	230
ROSSBURG,OF-PH	SICL	0-2	S	W	2060	1060
ROSSBURG,RF-PH	SIL	0-2	S	W	2350	1350
ROSSBURG,OF-PH	SIL	0-2	S	W	2330	1330
ROSSBURG,FF-PH	SIL	0-2	S	W	2020	1020
ROSSBURG,MOD.WET,S-SUBST,OF-PH	SIL	0-1	S	W	2180	1180
ROSSBURG-SLOAN,C,OF-PH		0-2	S	W	2220	1220
ROSSMOYNE	SIL	0-2	S	MW	1390	390
ROSSMOYNE	SIL	0-3	S	MW	1390	390
ROSSMOYNE	SIL	1-6	S	MW	1200	230
ROSSMOYNE	SIL	2-6	S	MW	1130	230
ROSSMOYNE	SIL	2-6	M	MW	890	230
ROSSMOYNE	SIL	3-8	M	MW	950	230
ROSSMOYNE	SIL	6-12	M	MW	440	230
ROSSMOYNE	SIL	6-15	M	MW	350	230
ROSSMOYNE	SIL	8-15	M	MW	350	230
ROSSMOYNE	SIL	12-18	M	MW	350	230
ROSSMOYNE	SICL	2-6	SE	MW	350	230
ROSSMOYNE	SICL	6-12	SE	MW	350	230
ROSSMOYNE	SOILS	6-12	SE	MW	350	230
ROSSMOYNE-BONNELL,C		6-12	SE	MW	350	230
ROSSMOYNE-CANA,C		2-6	S	MW	1040	230
ROSSMOYNE-CANA,C		6-12	M	MW	490	230
ROUNDHEAD	MUCK	0-2	S	VP	1870	230
ROUNDHEAD,L-SUBST	MUCK	0-1	S	VP	1870	230
RUSH	SIL	0-2	S	W	2100	1100
RUSH	SIL	0-3	S	W	2100	1100
RUSH	SIL	2-6	S	W	1830	830
RUSSELL	SIL	0-2	S	W	1590	590
RUSSELL	SIL	2-6	S	W	1350	350
RUSSELL	SIL	2-6	M	W	1090	230
RUSSELL	SIL	3-8	M	W	1050	230
RUSSELL	SIL	6-12	S	W	850	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
RUSSELL	SIL	6-12	M	W	660	230
RUSSELL	SIL	12-18	S	W	740	230
RUSSELL	SIL	12-18	M	W	530	230
RUSSELL	SIL	18-25	S	W	350	230
RUSSELL	SIL	18-25	M	W	350	230
RUSSELL	SOILS	2-6	SE	W	350	230
RUSSELL	SOILS	6-12	SE	W	350	230
RUSSELL	SOILS	12-18	SE	W	350	230
RUSSELL	SOILS	18-25	SE	W	350	230
RUSSELL-MIAMIAN	SIL	0-2	S	W	1370	370
RUSSELL-MIAMIAN	SIL	2-6	S	W	1110	230
RUSSELL-MIAMIAN	SIL	2-6	M	W	1010	230
RUSSELL-MIAMIAN	SIL	6-12	M	W	350	230
RUSSELL-MIAMIAN	SIL	12-18	M	W	350	230
RUSSELL-MIAMIAN,BR-SUBST	SIL	2-6	S	W	1110	230
RUSSELL-MIAMIAN,BR-SUBST	SIL	2-6	M	W	1010	230
RUSSELL-XENIA	SIL	2-6	M	W	1080	230
SANDUSKY	GR-COSL	0-2	S	VP	1410	230
SANDUSKY	L	0-1	S	VP	1410	230
SANDUSKY	L	0-2	S	VP	1410	230
SARAHSVILLE,FF-PH	SIC	0-2	S	SWP	350	230
SARAHSVILLE,FF-PH	SICL	0-2	S	SWP	350	230
SARANAC,RF-PH	SICL	0-1	S	VP	2010	230
SARANAC,FF-PH	SICL	0-2	S	VP	730	230
SARANAC,OF-PH	SICL	0-2	S	VP	1600	230
SARANAC,T-SUBST,FF-PH	SICL	0-1	S	VP	730	230
SARANAC,FF-PH	SIC	0-2	S	VP	1100	230
SARDINIA	SIL	0-2	S	MW	1260	260
SARDINIA	SIL	1-6	S	MW	1020	230
SARDINIA	SIL	1-8	S	MW	1020	230
SARDINIA	SIL	2-6	S	MW	1020	230
SARDINIA	SIL	2-6	M	MW	880	230
SARDINIA	SIL	6-12	M	MW	630	230
SAVONA	SIL	0-2	S	SWP	2190	300
SAYLESVILLE	SICL	6-12	M	W	350	230
SCHAFFENAKER	LS	2-12	S	W	350	230
SCHAFFENAKER	LS	12-18	S	W	350	230
SCHAFFENAKER	LS	12-25	S	W	350	230
SCIOTO	SIL	0-2	S	W	570	230
SCIOTO	SIL	2-6	S	W	350	230
SCIOTO	SICL	6-12	M	W	350	230
SCIOTO,RF-PH	SIL	0-2	S	W	570	230
SCIOTOVILLE	SIL	0-2	S	MW	1330	330
SCIOTOVILLE	SIL	0-4	S	MW	1170	230
SCIOTOVILLE	SIL	1-6	S	MW	1090	230
SCIOTOVILLE	SIL	1-8	S	MW	1090	230
SEBRING	SIL	0-2	S	P	380	230
SEBRING	SICL	0-2	S	P	350	230
SEBRING,RF-PH	SIL	0-2	S	P	380	230
SEBRING,SS-SUBST	SIL	0-2	S	P	380	230
SEBRING,T-SUBST	SIL	0-2	S	P	380	230
SEBRING,V,DARK SURFACE	SIL	0-2	S	P	380	230
SECONDCREEK	SICL	0-1	S	VP	1870	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
SECONDCREEK,OV-PH	SIL	0-1	S	VP	1680	230
SEES	SICL	2-6	S	MW	1210	230
SEES	SICL	4-12	M	MW	910	230
SEES	SICL	12-18	M	MW	540	230
SEES-WOOLPER	SIL	12-18	S	MW	350	230
SENECAVILLE	SIL	0-2	S	MW	880	230
SEWARD	LFS	0-2	S	MW	400	230
SEWARD	LFS	1-6	S	MW	350	230
SEWARD	LFS	2-6	S	MW	350	230
SEWARD	LFS	6-12	S	MW	350	230
SEWARD	LFS	12-18	S	MW	350	230
SEWARD	FSL	2-6	S	MW	350	230
SEWARD,DEEP-PH	LFS	0-5	S	MW	350	230
SEWARD,ST-SUBST	LFS	2-6	S	MW	350	230
SEWARD,ST-SUBST	LFS	6-12	S	MW	350	230
SEWARD-OTTOKEE,OVER CLAY	LFS	0-2	S	MW	400	230
SEWARD-OTTOKEE,OVER CLAY	LFS	2-6	S	MW	350	230
SEWARD-OTTOKEE,T-SUBST	LFS	0-2	S	MW	400	230
SEWARD-OTTOKEE,T-SUBST	LFS	2-6	S	MW	350	230
SHAWTOWN	L	0-2	S	W	380	230
SHAWTOWN	L	2-6	S	W	350	230
SHEFFIELD	SIL	0-2	S	P	350	230
SHEFFIELD,STRAT-SUBST	SIL	0-2	S	P	350	230
SHELOCTA	SIL	1-6	S	W	850	230
SHELOCTA	SIL	2-6	S	W	850	230
SHELOCTA	SIL	3-8	S	W	850	230
SHELOCTA	SIL	6-15	S	W	350	230
SHELOCTA	SIL	8-15	S	W	350	230
SHELOCTA	SIL	12-20	S	W	350	230
SHELOCTA	SIL	15-25	S	W	350	230
SHELOCTA-CRUZE	SIL	15-25	S	W	350	230
SHELOCTA-CRUZE,C		15-25	S	W	350	230
SHELOCTA-MUSE,C		15-25	S	W	350	230
SHELOCTA-MUSE,AS,HILLY		15-25	S	W	350	230
SHINROCK	L	0-2	S	MW	1330	330
SHINROCK	CL	6-12	M	MW	570	230
SHINROCK	SIL	0-2	S	MW	1330	330
SHINROCK	SIL	2-6	S	MW	1110	230
SHINROCK	SIL	2-6	M	MW	940	230
SHINROCK	SIL	6-12	S	MW	940	230
SHINROCK	SIL	6-12	M	MW	690	230
SHINROCK	SIL	12-18	M	MW	350	230
SHINROCK	SICL	2-6	M	MW	760	230
SHINROCK	SICL	6-12	M	MW	570	230
SHINROCK	SICL	8-20	SE	MW	350	230
SHINROCK	SICL	12-18	M	MW	350	230
SHINROCK	SOILS	18-25	S	MW	350	230
SHINROCK-MARTINSVILLE,C		6-12	M	MW	1180	230
SHINROCK-MARTINSVILLE,C		12-18	M	MW	350	230
SHINROCK-TUSCOLA,C		3-8	M	MW	360	230
SHINROCK,T-SUB-GLYNWOOD,C		1-4	S	MW	1010	230
SHINROCK,V,S-SUBSL	SIL	0-2	S	MW	1330	330
SHOALS,OF-PH	SIL	0-1	S	SWP	1580	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
SHOALS	SIL	0-2	S	SWP	1580	230
SHOALS,RF-PH	SIL	0-2	S	SWP	2080	230
SHOALS,OF-PH	SIL	0-2	S	SWP	1580	230
SHOALS,FF-PH	SIL	0-2	S	SWP	830	230
SHOALS	SICL	0-2	S	SWP	1400	230
SHOALS,FF-PH	SICL	0-2	S	SWP	660	230
SHOALS	L	0-2	S	SWP	1580	230
SHOALS,OF-PH	L	0-2	S	SWP	1580	230
SHOALS,FF-PH	L	0-2	S	SWP	830	230
SHOALS,T-SUBST,OF-PH	SIL	0-1	S	SWP	1580	230
SHOALS,V,T-SUBST	SIL	0-2	S	SWP	1580	230
SHOALS-SLOAN,OVER LM	SOILS	0-2	S	SWP	1400	230
SHOALS-SLOAN,C,MOD TO LM,FF-PH		0-2	S	SWP	350	230
SHOALS,V,CO-SUBSL	L	0-2	S	SWP	350	230
SHOALS,V,MOD.SHALLOW	SIL	0-2	S	SWP	350	230
SISSON	LFS	2-6	S	W	750	230
SISSON	FSL	2-6	S	W	870	230
SISSON	FSL	6-12	M	W	470	230
SISSON	L	2-6	S	W	1240	240
SISSON	L	6-12	S	W	850	230
SISSON	L	12-18	S	W	460	230
SISSON	SIL	2-6	S	W	1240	240
SISSON	SIL	6-12	M	W	700	230
SISSON	SIL	12-18	M	W	350	230
SISSON	SIL	12-18	SE	W	350	230
SISSON	SIL	18-25	M	W	350	230
SKIDMORE,OF-PH	CB-SIL	0-2	S	W	350	230
SKIDMORE,OF-PH	GR-L	0-2	S	W	350	230
SKIDMORE,FF-PH	GR-L	0-2	S	W	350	230
SKIDMORE,OF-PH	SIL	0-2	S	W	350	230
SKIDMORE,OF-PH	CN-SIL	2-6	S	W	350	230
SKIDMORE,V	GR-L	0-3	S	W	580	230
SKIDMORE,V	GR-L	3-8	S	W	370	230
SLEETH	L	0-3	S	SWP	1720	230
SLEETH	SIL	0-2	S	SWP	1720	230
SLEETH	SIL	0-3	S	SWP	1720	230
SLEETH	SIL	2-6	S	SWP	1440	230
SLEETH,M-SUBST	SIL	0-2	S	SWP	1720	230
SLEETH,M-SUBST	SIL	2-6	S	SWP	1440	230
SLEETH,L-SUBST	SIL	0-3	S	SWP	1720	230
SLIGO,OF-PH	SIL	0-1	S	MW	1370	370
SLOAN	L	0-2	S	VP	1610	230
SLOAN,OF-PH	L	0-1	S	VP	2070	230
SLOAN,OF-PH	L	0-2	S	VP	2070	230
SLOAN	SIL	0-2	S	VP	1610	230
SLOAN,FF-PH	SIL	0-1	S	VP	1610	230
SLOAN,FF-PH	SIL	0-2	S	VP	1610	230
SLOAN,OF-PH	SIL	0-2	S	VP	2070	230
SLOAN,OV-PH	SIL	0-2	S	VP	1610	230
SLOAN,S-SUBST,OF-PH	SIL	0-1	S	VP	1540	230
SLOAN,S-SUBST,OF-PH	SIL	0-2	S	VP	2070	230
SLOAN,T-SUBST,OF-PH	SIL	0-2	S	VP	2070	230
SLOAN	SICL	0-2	S	VP	1500	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
SLOAN,OF-PH	SICL	0-1	S	VP	1900	230
SLOAN,FF-PH	SICL	0-1	S	VP	1500	230
SLOAN,OF-PH	SICL	0-2	S	VP	1900	230
SLOAN,FF-PH	SICL	0-2	S	VP	1500	230
SLOAN,OVER LM	SICL	0-2	S	VP	1440	230
SLOAN,LM-SUBST,OF-PH	SICL	0-1	S	VP	1900	230
SLOAN,S-SUBST,OF-PH	SICL	0-2	S	VP	1450	230
SLOAN,T-SUBST,FF-PH	SICL	0-1	S	VP	1500	230
SLOAN,T-SUBST,OF-PH	SICL	0-2	S	VP	1900	230
SLOAN,V,GRAV-SUBSL	SIL	0-2	S	VP	1100	230
SMOTHERS	SIL	0-2	S	SWP	1010	230
SMOTHERS	SIL	2-4	S	SWP	900	230
SPARGUS	CN-SIL	2-6	S	W	850	230
SPARTA	LFS	0-3	S	E	350	230
SPARTA	LS	0-6	S	E	350	230
SPINKS	FS	1-6	S	W	350	230
SPINKS	FS	2-6	S	W	350	230
SPINKS	FS	6-12	S	W	350	230
SPINKS	FS	6-18	S	W	350	230
SPINKS	FS	12-18	S	W	350	230
SPINKS	LFS	0-6	S	W	350	230
SPINKS	LFS	2-6	S	W	350	230
SPINKS	LFS	6-12	S	W	350	230
SPINKS	LFS	12-18	S	W	350	230
SPINKS	LS	2-6	S	W	350	230
ST. CLAIR	L	2-6	S	MW	350	230
ST. CLAIR	L	6-12	M	MW	350	230
ST. CLAIR	SIL	2-6	S	MW	350	230
ST. CLAIR	SIL	2-6	M	MW	350	230
ST. CLAIR	SIL	6-12	S	MW	350	230
ST. CLAIR	SIL	6-12	M	MW	350	230
ST. CLAIR	SIL	12-18	M	MW	350	230
ST. CLAIR	SIL	12-25	M	MW	350	230
ST. CLAIR	SICL	2-6	M	MW	350	230
ST. CLAIR	SICL	4-12	M	MW	350	230
ST. CLAIR	SICL	6-12	M	MW	350	230
ST. CLAIR	SICL	12-18	M	MW	350	230
ST. CLAIR	SICL	12-25	M	MW	350	230
ST. CLAIR	SICL	12-25	SE	MW	350	230
ST. CLAIR	SICL	18-25	M	MW	350	230
ST. CLAIR	SIC	6-12	SE	MW	350	230
ST. CLAIR	SIC	12-18	SE	MW	350	230
ST. CLAIR	SIC	12-25	SE	MW	350	230
ST. CLAIR	SIC	18-25	SE	MW	350	230
ST. CLAIR	C	12-18	SE	MW	350	230
STAFFORD	LFS	0-2	S	SWP	350	230
STAFFORD	FSL	0-2	S	SWP	420	230
STAFFORD,V	SL	0-2	S	SWP	420	230
STANHOPE,FF-PH	SIL	0-2	S	P	350	230
STEINBURG	SL	15-25	S	W	350	230
STEINBURG-RIGLEY,V	FSL	3-8	S	W	1190	230
STEINBURG-RIGLEY,V	FSL	8-15	S	W	910	230
STEINBURG-RIGLEY,V	FSL	15-25	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
STENDAL,OF-PH	SIL	0-2	S	SWP	370	230
STENDAL,FF-PH	SIL	0-2	S	SWP	350	230
STONE,RF-PH	CL	0-2	S	SWP	1840	230
STONE	SICL	0-2	S	SWP	1840	230
STONELICK	FSL	0-2	S	W	360	230
STONELICK,FF-PH	FSL	0-2	S	W	350	230
STONELICK	SL	0-2	S	W	350	230
STONELICK,OF-PH	SL	0-2	S	W	350	230
STONELICK	L	0-2	S	W	360	230
STONELICK,OF-PH	L	0-2	S	W	360	230
STONELICK,GR-SUBST,FF-PH	L	0-1	S	W	350	230
STRAWN	SICL	2-6	M	MW	350	230
STRAWN	SICL	6-12	M	MW	350	230
STRAWN	SICL	12-18	M	MW	350	230
STRAWN-CROSBY,C		0-2	S	MW	870	230
STRAWN-CROSBY,C		2-6	S	MW	540	230
STRINGLEY-SLIGO,OF-PH	L	0-2	S	W	1480	480
SUGARVALLEY	SIL	0-2	S	SWP	1710	230
SUGARVALLEY-FINCASTLE	SIL	0-2	S	SWP	1710	230
SUMMITVILLE	SIL	2-5	S	MW	350	230
SUMMITVILLE	SIL	5-10	S	MW	350	230
SUMMITVILLE	SIL	5-10	M	MW	350	230
SUMMITVILLE	SIL	10-15	M	MW	350	230
SUMMITVILLE	SIL	10-20	S	MW	350	230
SWANTON	FSL	0-2	S	VP	350	230
SWANTON,V,SI-SUBSL	FSL	0-2	S	VP	350	230
SWITZERLAND	SIL	3-8	M	W	850	230
SWITZERLAND	SIL	8-15	M	W	350	230
SWITZERLAND	SIL	15-25	M	W	350	230
TAGGART	SIL	0-2	S	SWP	1500	230
TAGGART	SIL	0-3	S	SWP	1500	230
TAGGART	SIL	0-4	S	SWP	1500	230
TAGGART,RF-PH	SIL	0-2	S	SWP	1500	230
TARHOLLOW	SIL	2-6	S	MW	750	230
TARLTON	SIL	6-12	M	MW	350	230
TAWAS	MUCK	0-2	S	VP	1770	230
TEDROW	LFS	0-2	S	SWP	350	230
TEDROW	LFS	0-3	S	SWP	350	230
TEDROW	LFS	2-6	S	SWP	350	230
TEDROW	FS	0-3	S	SWP	350	230
TEDROW	LS	0-3	S	SWP	350	230
TEDROW-DIXBORO,C		0-2	S	SWP	610	230
TEDROW,V,SI-SUBSL	LFS	0-2	S	SWP	710	230
TEEGARDEN	SIL	2-6	S	MW	740	230
TEEGARDEN	SIL	6-15	S	MW	350	230
TEEGARDEN	SIL	6-15	M	MW	350	230
THACKERY,T-SUBST	L	0-2	S	MW	1260	260
THACKERY,S-SUBST	L	0-2	S	MW	1260	260
THACKERY,S-SUBST	SL	1-3	S	MW	1080	230
THACKERY	SIL	0-2	S	MW	1260	260
THACKERY	SIL	1-4	S	MW	1120	230
THACKERY	SIL	2-6	S	MW	1020	230
THACKERY	SIL	2-6	M	MW	890	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
THACKERY,M-SUBST	SIL	0-2	S	MW	1260	260
THACKERY,M-SUBST	SIL	2-6	S	MW	1020	230
THACKERY,T-SUBST	SIL	0-2	S	MW	1260	260
THACKERY,V	SIL	0-2	S	MW	1340	340
THACKERY,V	SIL	2-6	S	MW	1020	230
THRIFTON	CL	6-12	SE	W	350	230
THRIFTON	CL	12-20	SE	W	350	230
TIDERISHI	L	0-2	S	SWP	2370	480
TILSIT	SIL	0-2	S	MW	900	230
TILSIT	SIL	0-3	S	MW	900	230
TILSIT	SIL	0-4	S	MW	900	230
TILSIT	SIL	2-6	M	MW	700	230
TILSIT	SIL	3-8	S	MW	670	230
TILSIT	SIL	6-12	S	MW	500	230
TILSIT	SIL	12-18	S	MW	350	230
TILSIT-COOLVILLE,AS,UNDULATING		3-8	S	MW	650	230
TIOGA	FSL	0-2	S	W	1000	230
TIOGA,RF-PH	FSL	0-2	S	W	1000	230
TIOGA,OF-PH	FSL	0-2	S	W	1000	230
TIOGA,FF-PH	FSL	0-2	S	W	730	230
TIOGA,FF-PH	SL	0-2	S	W	730	230
TIOGA,RF-PH	SL	0-2	S	W	1000	230
TIOGA	L	0-2	S	W	1080	230
TIOGA,RF-PH	L	0-2	S	W	1080	230
TIOGA,OF-PH	L	0-2	S	W	1080	230
TIOGA,FF-PH	L	0-2	S	W	890	230
TIOGA,OF-PH	SIL	0-2	S	W	1080	230
TIOGA,V	L	0-2	S	W	1230	230
TIOGA,V	SIL	0-2	S	W	1230	230
TIPPECANOE	SIL	0-2	S	MW	1490	490
TIPPECANOE	SIL	2-6	S	MW	1240	240
TIRO	SIL	0-2	S	SWP	1580	230
TIRO	SIL	1-4	S	SWP	1430	230
TIRO	SIL	2-6	S	SWP	1260	230
TITUSVILLE	SIL	2-5	S	MW	740	230
TITUSVILLE	SIL	2-6	S	MW	740	230
TITUSVILLE	SIL	5-10	S	MW	470	230
TITUSVILLE	SIL	5-10	M	MW	350	230
TITUSVILLE	SIL	6-12	S	MW	470	230
TITUSVILLE	SIL	6-12	M	MW	350	230
TITUSVILLE	SIL	6-15	S	MW	450	230
TITUSVILLE	SIL	10-15	S	MW	350	230
TITUSVILLE	SIL	10-15	M	MW	350	230
TOLEDO	SICL	0-1	S	VP	1720	280
TOLEDO	SICL	0-2	S	VP	1720	280
TOLEDO,PO-PH	SICL	0-2	S	VP	350	230
TOLEDO	SIC	0-1	S	VP	1510	230
TOLEDO	SIC	0-2	S	VP	1510	230
TOLEDO,PO-PH	SIC	0-1	S	VP	350	230
TOLEDO,PO-PH	SIC	0-2	S	VP	350	230
TOLEDO,V,CALCAREOUS	SIC	0-2	S	VP	1060	230
TOWERVILLE	SIL	6-12	S	MW	350	230
TOWERVILLE	SIL	12-18	S	MW	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
TRAPPIST	SIL	3-8	S	W	540	230
TRAPPIST	SIL	8-15	S	W	350	230
TRAPPIST	SIL	15-25	S	W	350	230
TRAPPIST	SIL	15-25	M	W	350	230
TRAPPIST	SIL	18-25	S	W	350	230
TRAPPIST-MUSE	SIL	2-6	S	W	540	230
TRAPPIST-MUSE	SIL	6-12	M	W	350	230
TRAPPIST-MUSE	SIL	12-18	M	W	350	230
TREATY	SICL	0-1	S	VP	2290	400
TREATY	SICL	0-2	S	VP	2290	400
TREATY,OV-PH	SIL	0-1	S	VP	2150	260
TREMONT,RF-PH	SICL	0-2	S	MW	2520	1520
TREMONT,OF-PH	SIL	0-2	S	MW	2520	1520
TRUMBULL	SIL	0-2	S	P	350	230
TRUMBULL	SIL	2-6	S	P	350	230
TRUMBULL	SICL	0-2	S	P	350	230
TUSCARAWAS	CN-SIL	6-18	S	MW	350	230
TUSCOLA	LFS	0-2	S	MW	1160	230
TUSCOLA	LFS	2-6	S	MW	1050	230
TUSCOLA	VFSL	2-6	S	MW	1330	330
TUSCOLA	FSL	0-2	S	MW	1330	330
TUSCOLA	FSL	2-6	S	MW	1110	230
TUSCOLA	FSL	3-8	S	MW	1030	230
TUSCOLA	L	2-6	S	MW	1330	330
TUSCOLA	L	2-6	M	MW	1050	230
TUSCOLA	L	6-12	M	MW	770	230
TUSCOLA	SIL	0-2	S	MW	2110	1110
TUSCOLA	SIL	2-6	S	MW	1610	610
TUSCOLA-BENNINGTON,C		2-6	S	MW	510	230
TUSCOLA-SHINROCK,C		2-6	S	MW	1180	230
TUSCOLA,V	FSL	1-6	S	MW	1460	460
TUSCOLA,V	FSL	6-12	S	MW	870	230
TYGART	SIL	0-3	S	SWP	400	230
TYLER	SIL	0-2	S	SWP	770	230
TYLER	SIL	2-5	S	SWP	620	230
TYNER	LS	1-6	S	W	350	230
TYNER	LS	6-12	S	W	350	230
TYNER,V	SL	0-2	S	W	350	230
TYNER-OTISVILLE,C		2-6	S	W	350	230
UDIPSAMMENTS-SPINKS,C		0-6	S	W	350	230
UNIONTOWN	SIL	0-2	S	MW	1480	480
UNIONTOWN	SIL	1-6	S	MW	1420	420
UNIONTOWN	SIL	2-6	S	MW	1420	420
UNIONTOWN	SIL	2-6	M	MW	1140	230
UNIONTOWN	SIL	6-12	M	MW	720	230
UPSHUR	SIL	2-6	S	W	350	230
UPSHUR	SIL	2-8	S	W	350	230
UPSHUR	SIL	3-8	S	W	350	230
UPSHUR	SIL	6-12	M	W	350	230
UPSHUR	SIL	8-15	S	W	350	230
UPSHUR	SIL	12-18	M	W	350	230
UPSHUR	SICL	2-6	S	W	350	230
UPSHUR	SICL	6-12	S	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
UPSHUR	SICL	6-12	M	W	350	230
UPSHUR	SICL	6-15	S	W	350	230
UPSHUR	SICL	6-15	M	W	350	230
UPSHUR	SICL	8-15	S	W	350	230
UPSHUR	SICL	8-15	M	W	350	230
UPSHUR	SICL	12-18	S	W	350	230
UPSHUR	SICL	12-20	M	W	350	230
UPSHUR	SICL	15-25	S	W	350	230
UPSHUR	SICL	15-25	M	W	350	230
UPSHUR	SICL	15-25	SE	W	350	230
UPSHUR	SICL	18-25	S	W	350	230
UPSHUR	SIC	8-15	SE	W	350	230
UPSHUR	SIC	15-25	SE	W	350	230
UPSHUR	C	6-12	SE	W	350	230
UPSHUR	C	12-18	SE	W	350	230
UPSHUR	C	18-25	SE	W	350	230
UPSHUR-BERKS,C		15-25	M	W	350	230
UPSHUR-BERKS,C		6-15	M	W	350	230
UPSHUR-ELBA	SICL	8-15	S	W	350	230
UPSHUR-ELBA	SICL	15-25	S	W	350	230
UPSHUR-GILPIN,C		8-15	S	W	350	230
UPSHUR-GILPIN,C		8-15	M	W	350	230
UPSHUR-GILPIN,C		15-25	S	W	350	230
UPSHUR-GILPIN,C		15-25	M	W	350	230
UPSHUR-MUSKINGUM,C		2-5	M	W	350	230
UPSHUR-MUSKINGUM,C		5-10	M	W	350	230
UPSHUR-MUSKINGUM,C		10-15	M	W	350	230
UPSHUR-MUSKINGUM,C		15-20	M	W	350	230
UPSHUR-STEINBURG,C		15-25	S	W	350	230
VALLEY	SIL	0-2	S	P	350	230
VALLEY	SICL	0-2	S	P	350	230
VALLEY-LORAIN	SIL	0-2	S	P	710	230
VANDALIA	SIL	8-15	S	W	350	230
VANDALIA	SIL	8-15	M	W	350	230
VANDALIA	SIL	12-18	S	W	350	230
VANDALIA	SIL	15-25	S	W	350	230
VANDALIA	SIL	15-25	M	W	350	230
VANDALIA	SICL	6-12	S	W	350	230
VANDALIA	SICL	6-15	M	W	350	230
VANDALIA	SICL	8-15	S	W	350	230
VANDALIA	SICL	12-18	S	W	350	230
VANDALIA	SICL	15-25	S	W	350	230
VANDALIA	SICL	15-25	M	W	350	230
VANDALIA	SICL	15-25	SE	W	350	230
VANDALIA	SICL	18-25	S	W	350	230
VANDALIA-BROOKSIDE,C		12-20	M	W	350	230
VANDALIA-BROOKSIDE,C		15-25	S	W	350	230
VANDALIA-GILPIN,C		15-25	SE	W	350	230
VANDALIA-GUERNSEY	SICL	8-15	M	W	350	230
VANDALIA-GUERNSEY	SICL	15-25	M	W	350	230
VANDALIA-RICHLAND,C		15-25	S	W	350	230
VANDERGRIFT	SIL	2-6	S	MW	940	230
VANDERGRIFT	SIL	6-15	S	MW	820	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
VANLUE	L	0-2	S	SWP	1890	230
VAUGHNSVILLE	L	0-2	S	MW	1050	230
VAUGHNSVILLE	L	0-3	S	MW	1050	230
VAUGHNSVILLE	L	1-4	S	MW	950	230
VAUGHNSVILLE	L	2-6	S	MW	920	230
VAUGHNSVILLE,V	L	0-2	S	MW	430	230
VENANGO	SIL	0-2	S	SWP	560	230
VENANGO	SIL	2-6	S	SWP	440	230
VENANGO	SIL	2-6	M	SWP	350	230
VENANGO	SIL	6-12	S	SWP	350	230
VENANGO	SIL	6-12	M	SWP	350	230
VENANGO,SS-SUBST	SIL	0-2	S	SWP	560	230
VENANGO,SS-SUBST	SIL	2-6	S	SWP	440	230
VINCENT	SIL	2-6	S	W	790	230
VINCENT	SIL	6-12	S	W	520	230
VINCENT	SIL	6-15	S	W	510	230
VINCENT	SIL	12-18	S	W	350	230
VINCENT	SICL	2-6	S	W	680	230
VINCENT	SICL	2-6	M	W	430	230
VINCENT	SICL	6-12	M	W	350	230
WABASH	SIC	0-2	S	VP	1210	230
WABASHA	SICL	0-2	S	VP	1530	230
WABASHA,FF-PH	SICL	0-2	S	VP	940	230
WABASHA,PO-PH	SICL	0-2	S	VP	350	230
WABASHA	SIC	0-2	S	VP	1280	230
WABASHA,FF-PH	SIC	0-1	S	VP	770	230
WABASHA,FF-PH	SIC	0-2	S	VP	770	230
WABASHA,V,MOD.SHALLOW	SICL	0-2	S	VP	450	230
WADSWORTH	SIL	0-2	S	SWP	490	230
WADSWORTH	SIL	1-4	S	SWP	350	230
WADSWORTH	SIL	2-5	S	SWP	350	230
WADSWORTH	SIL	2-6	S	SWP	350	230
WADSWORTH	SIL	6-12	S	SWP	350	230
WADSWORTH	SIL	6-12	M	SWP	350	230
WADSWORTH,V	SIL	2-6	S	SWP	350	230
WAKELAND,OF-PH	SIL	0-2	S	SWP	1440	230
WAKEMAN	SL	2-6	S	W	350	230
WAKEMAN	SL	6-12	S	W	350	230
WALLINGTON	SIL	0-2	S	SWP	350	230
WALLINGTON	SIL	2-6	S	SWP	350	230
WALLKILL	SIL	0-2	S	VP	950	230
WALLKILL,OF-PH	SIL	0-2	S	VP	950	230
WALLKILL,FF-PH	SIL	0-2	S	VP	950	230
WALLKILL,PO-PH	SIL	0-2	S	VP	350	230
WALLKILL,LAC-SUBST,OF-PH	SIL	0-2	S	VP	950	230
WALLKILL	SICL	0-2	S	VP	780	230
WALLKILL,C-SUBST,FF-PH	SIL	0-2	S	VP	840	230
WALLKILL,SI-SUBST	SIL	0-2	S	VP	1100	230
WALLKILL,V,C-SUBSL	SIL	0-2	S	VP	1240	230
WALLKILL,V	SICL	0-2	S	VP	1100	230
WALLKILL,V	SIC	0-2	S	VP	650	230
WAPAHANI-MIAMIAN	CL	6-12	SE	MW	350	230
WAPAHANI-MIAMIAN	CL	12-18	SE	MW	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
WAPPINGER,RF-PH	SL	0-2	S	W	630	230
WARNERS	MUCK	0-2	S	VP	1150	230
WARNERS	SIL	0-2	S	VP	1150	230
WARNERS	SOILS	0-2	S	VP	350	230
WARNERS,OVER CLAY		0-2	S	VP	1310	230
WARNERS,V,C-SUBSL	SOILS	0-2	S	VP	1880	230
WARSAW	L	0-2	S	W	1470	470
WARSAW	L	0-3	S	W	1470	470
WARSAW	L	2-6	S	W	1230	230
WARSAW	SIL	0-2	S	W	1470	470
WARSAW	SIL	0-3	S	W	1470	470
WARSAW	SIL	1-4	S	W	1320	320
WARSAW	SIL	2-6	S	W	1230	230
WARSAW,V	SL	0-2	S	W	1460	460
WARSAW,V	SIL	0-2	S	W	930	230
WASHTENAW	SOILS	0-2	S	VP	2290	400
WATERTOWN	GR-LS	2-6	S	W	350	230
WATERTOWN	SL	0-2	S	W	350	230
WATERTOWN	SL	1-8	S	W	350	230
WATERTOWN	SL	2-6	S	W	350	230
WATERTOWN	SL	6-12	S	W	350	230
WATERTOWN	SL	6-15	S	W	350	230
WATERTOWN	SL	8-15	S	W	350	230
WATERTOWN	SL	15-25	S	W	350	230
WAUPECAN	SIL	0-2	S	W	2280	1280
WAUSEON	LFS	0-1	S	VP	1270	230
WAUSEON	LFS	0-2	S	VP	1270	230
WAUSEON	FSL	0-1	S	VP	1270	230
WAUSEON	FSL	0-2	S	VP	1270	230
WAUSEON,OVER CLAY	LFS	0-2	S	VP	1270	230
WAUSEON,OVER CLAY	FSL	0-2	S	VP	1270	230
WAUSEON,DEEP TO TILL	FSL	0-1	S	VP	1270	230
WAUSEON,STRAT-SUBST	LFS	0-2	S	VP	1090	230
WAYLAND	SIL	0-2	S	P	350	230
WAYLAND	SICL	0-2	S	P	350	230
WAYNETOWN	SIL	0-2	S	SWP	1720	230
WEA	SIL	0-2	S	W	2000	1000
WEA	SIL	0-3	S	W	2000	1000
WEA	SIL	1-3	S	W	1900	900
WEA	SIL	2-6	S	W	1750	750
WEA,V	SIL	0-2	S	W	1460	460
WEIKERT	CN-FSL	1-6	S	W	350	230
WEIKERT	CN-SIL	6-12	S	W	350	230
WEIKERT	CN-SIL	12-18	S	W	350	230
WEIKERT	CN-SIL	18-25	M	W	350	230
WEIKERT-MUSKINGUM	SOILS	2-5	S	W	350	230
WEIKERT-MUSKINGUM	SOILS	2-5	M	W	350	230
WEIKERT-MUSKINGUM	SOILS	5-10	S	W	350	230
WEIKERT-MUSKINGUM	SOILS	5-10	M	W	350	230
WEIKERT-MUSKINGUM	SOILS	5-10	SE	W	350	230
WEIKERT-MUSKINGUM	SOILS	10-15	S	W	350	230
WEIKERT-MUSKINGUM	SOILS	10-15	M	W	350	230
WEIKERT-MUSKINGUM	SOILS	10-15	SE	W	350	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
WEIKERT-MUSKINGUM	SOILS	15-20	M	W	350	230
WEIKERT-MUSKINGUM	SOILS	15-20	SE	W	350	230
WEINBACH	SIL	0-2	S	SWP	1580	230
WEINBACH	SIL	0-3	S	SWP	1580	230
WEINBACH	SIL	2-6	S	SWP	1320	230
WELLSTON	SIL	1-6	S	W	870	230
WELLSTON	SIL	1-7	S	W	870	230
WELLSTON	SIL	1-8	S	W	870	230
WELLSTON	SIL	2-5	S	W	870	230
WELLSTON	SIL	2-6	S	W	870	230
WELLSTON	SIL	2-6	M	W	760	230
WELLSTON	SIL	2-8	S	W	870	230
WELLSTON	SIL	3-8	S	W	800	230
WELLSTON	SIL	5-10	S	W	750	230
WELLSTON	SIL	5-10	M	W	500	230
WELLSTON	SIL	6-12	S	W	750	230
WELLSTON	SIL	6-12	M	W	500	230
WELLSTON	SIL	6-15	S	W	500	230
WELLSTON	SIL	8-15	S	W	500	230
WELLSTON	SIL	8-15	M	W	400	230
WELLSTON	SIL	10-15	M	W	360	230
WELLSTON	SIL	12-18	S	W	360	230
WELLSTON	SIL	12-18	M	W	350	230
WELLSTON	SIL	15-20	M	W	350	230
WELLSTON-CRUZE	SIL	8-15	S	W	560	230
WELLSTON-CRUZE,C	SIL	8-15	S	W	560	230
WELLSTON-GUERNSEY	SIL	8-15	S	W	560	230
WERNOCK	SIL	8-15	S	W	350	230
WERNOCK,V	SIL	3-8	S	W	850	230
WESTBORO-SCHAFFER	SIL	0-2	S	SWP	1080	230
WESTBORO-SCHAFFER	SIL	2-6	S	SWP	970	230
WESTGATE	SIL	2-6	S	MW	900	230
WESTGATE	SIL	2-8	S	MW	900	230
WESTGATE	SIL	6-12	M	MW	500	230
WESTGATE	SIL	6-15	M	MW	390	230
WESTGATE	SIL	8-15	M	MW	370	230
WESTLAND	SIL	0-2	S	VP	1520	230
WESTLAND,M-SUBST,OV-PH	SIL	0-2	S	VP	2660	770
WESTLAND,OV-PH	SIL	0-2	S	VP	1520	230
WESTLAND	CL	0-1	S	VP	2660	770
WESTLAND	CL	0-2	S	VP	2660	770
WESTLAND	SICL	0-2	S	VP	2660	770
WESTLAND,C-SUBST	SICL	0-2	S	VP	2190	300
WESTLAND,M-SUBST	SICL	0-2	S	VP	2660	770
WESTLAND,OV-PH	SICL	0-2	S	VP	1520	230
WESTLAND,SI-SUBST	SICL	0-2	S	VP	2260	370
WESTLAND-RENSSELAER,C		0-1	S	VP	2830	940
WESTMORE	SIL	2-6	S	W	980	230
WESTMORE	SIL	1-8	S	W	950	230
WESTMORE	SIL	2-8	S	W	760	230
WESTMORE	SIL	3-8	S	W	760	230
WESTMORE	SIL	6-15	S	W	610	230
WESTMORE	SIL	8-15	S	W	610	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
WESTMORE	SIL	8-15	M	W	370	230
WESTMORE	SIL	15-25	S	W	350	230
WESTMORE-COSHOCTON	SIL	15-25	M	W	350	230
WESTMORELAND	SIL	3-8	S	W	590	230
WESTMORELAND	SIL	6-15	S	W	350	230
WESTMORELAND	SIL	8-15	S	W	350	230
WESTMORELAND	SIL	8-15	M	W	350	230
WESTMORELAND	SIL	12-18	S	W	350	230
WESTMORELAND	SIL	15-25	S	W	350	230
WESTMORELAND	SIL	15-25	M	W	350	230
WESTMORELAND-COSHOCTON	SIL	8-15	S	W	350	230
WESTMORELAND-COSHOCTON	SIL	15-25	S	W	350	230
WESTMORELAND-COSHOCTON,C		8-15	M	W	350	230
WESTMORELAND-COSHOCTON,C		15-25	M	W	350	230
WESTMORELAND-GILPIN,C		15-25	S	W	350	230
WESTMORELAND-GUERNSEY	SIL	8-15	S	W	350	230
WESTMORELAND-GUERNSEY	SIL	8-15	M	W	350	230
WESTMORELAND-GUERNSEY	SIL	15-25	S	W	350	230
WESTMORELAND-GUERNSEY	SIL	15-25	M	W	350	230
WESTMORELAND-GUERNSEY,C		12-20	M	W	350	230
WESTMORELAND-UPSHUR,C		8-15	S	W	350	230
WESTMORELAND-UPSHUR,C		15-25	S	W	350	230
WESTMORELAND-UPSHUR,C		15-25	M	W	350	230
WESTMORELAND-UPSHUR,C		15-25	SE	W	350	230
WETZEL	SICL	0-2	S	P	2010	230
WEYERS	COSL	0-2	S	VP	840	230
WEYERS	SIL	0-1	S	VP	840	230
WHARTON	SIL	2-5	S	MW	350	230
WHARTON	SIL	5-10	S	MW	350	230
WHARTON	SIL	5-10	M	MW	350	230
WHARTON	SIL	8-15	S	MW	350	230
WHARTON	SIL	10-15	M	MW	350	230
WHARTON	SIL	15-25	S	MW	350	230
WHARTON-LATHAM,C		6-15	S	MW	350	230
WHARTON-LATHAM,C		15-25	S	MW	350	230
WHEELING	L	0-2	S	W	1680	680
WHEELING	L	0-3	S	W	1680	680
WHEELING	L	2-6	S	W	1450	450
WHEELING	L	3-10	S	W	1220	230
WHEELING	L	6-12	M	W	1010	230
WHEELING	SIL	0-2	S	W	1680	680
WHEELING	SIL	0-3	S	W	1680	680
WHEELING	SIL	1-6	S	W	1450	450
WHEELING	SIL	1-8	S	W	1440	440
WHEELING	SIL	2-6	S	W	1450	450
WHEELING	SIL	3-6	S	W	1450	450
WHEELING	SIL	3-8	S	W	1300	300
WHEELING	SIL	6-12	S	W	1210	230
WHEELING	SIL	6-12	M	W	1010	230
WHEELING	SIL	6-15	S	W	1210	230
WHEELING	SIL	6-15	M	W	1100	230
WHEELING	SIL	6-18	M	W	800	230
WHEELING	SIL	8-15	S	W	1210	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
WHEELING	SIL	12-18	S	W	800	230
WHEELING	SOILS	12-18	M	W	610	230
WHEELING-MENTOR	SIL	12-18	S	W	800	230
WHITAKER	L	0-2	S	SWP	1890	230
WHITAKER	L	0-3	S	SWP	1890	230
WICK,FF-PH	SIL	0-2	S	VP	350	230
WILBUR,OF-PH	SIL	0-2	S	MW	830	230
WILLETTE	MUCK	0-1	S	VP	1280	230
WILLETTE	MUCK	0-2	S	VP	1280	230
WILLETTE,PO-PH	MUCK	0-2	S	VP	350	230
WILLIAMSBURG	SIL	0-2	S	W	1520	520
WILLIAMSBURG	SIL	1-6	S	W	1440	440
WILLIAMSBURG	SIL	2-6	S	W	1440	440
WILLIAMSBURG	SIL	2-6	M	W	750	230
WILLIAMSBURG	SIL	6-12	S	W	750	230
WILLIAMSBURG	SIL	6-12	M	W	620	230
WILLIAMSBURG	SIL	6-15	S	W	750	230
WILLIAMSBURG	SIL	6-15	M	W	630	230
WILLIAMSBURG	SIL	12-18	M	W	350	230
WILLIAMSBURG	SIL	18-25	M	W	350	230
WILLIAMSBURG-MARTINSVILLE	SIL	2-6	S	W	1520	520
WILLIAMSBURG-MARTINSVILLE	SIL	6-12	M	W	580	230
WILLIAMSBURG-MARTINSVILLE	SIL	12-18	M	W	350	230
WILLIAMSON	SIL	0-2	S	W	1160	230
WILLIAMSON	SIL	2-6	S	W	920	230
WILLIAMSON	SIL	6-12	M	W	630	230
WILLIAMSON	SIL	12-18	M	W	350	230
WILMER	L	0-2	S	SWP	1200	230
WILMER,V	SIL	0-2	S	MW	1520	520
WILMER,V	SIL	2-6	S	MW	1000	230
WOODSFIELD	SIL	1-6	S	W	790	230
WOODSFIELD	SIL	1-8	S	W	790	230
WOODSFIELD	SIL	2-6	S	W	790	230
WOODSFIELD	SIL	3-8	S	W	790	230
WOODSFIELD	SIL	6-12	S	W	590	230
WOODSFIELD	SIL	6-12	M	W	410	230
WOODSFIELD	SIL	6-15	S	W	580	230
WOODSFIELD	SIL	8-15	S	W	420	230
WOODSFIELD	SIL	12-18	S	W	350	230
WOODSFIELD	SIL	12-18	M	W	350	230
WOODSFIELD	SIL	15-25	S	W	350	230
WOODSFIELD-ZANESVILLE	SIL	2-6	S	W	790	230
WOODSFIELD-ZANESVILLE	SIL	6-12	S	W	610	230
WOODSFIELD-ZANESVILLE	SIL	12-18	S	W	350	230
WOOLPER	SIL	2-6	S	W	1520	520
WOOLPER-SEES	SIL	6-12	S	W	1050	230
WOOSTER	L	5-10	M	W	750	230
WOOSTER	SIL	2-5	S	W	1140	230
WOOSTER	SIL	2-5	M	W	880	230
WOOSTER	SIL	2-6	S	W	1140	230
WOOSTER	SIL	2-6	M	W	880	230
WOOSTER	SIL	5-10	S	W	880	230
WOOSTER	SIL	5-10	M	W	750	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
WOOSTER	SIL	6-12	S	W	880	230
WOOSTER	SIL	6-12	M	W	750	230
WOOSTER	SIL	12-18	S	W	490	230
WOOSTER	SIL	12-18	M	W	350	230
WOOSTER	SIL	12-18	SE	W	350	230
WOOSTER	SIL	12-25	M	W	350	230
WOOSTER	SIL	18-25	S	W	350	230
WOOSTER	SIL	18-25	M	W	350	230
WOOSTER	SOILS	10-15	S	W	490	230
WOOSTER	SOILS	10-15	M	W	350	230
WOOSTER	SOILS	10-15	SE	W	350	230
WOOSTER	SOILS	15-20	M	W	350	230
WOOSTER	SOILS	15-20	SE	W	350	230
WOOSTER,SS-SUBST	SIL	6-12	M	W	750	230
WOOSTER,SS-SUBST	SIL	12-18	M	W	350	230
WOOSTER-CHILI	SOILS	2-6	S	W	860	230
WOOSTER-CHILI	SOILS	6-12	S	W	670	230
WOOSTER-CHILI,C		2-6	S	W	860	230
WOOSTER-CHILI,C		6-12	M	W	670	230
WOOSTER-CHILI,C		12-18	M	W	350	230
WOOSTER-RIDDLES	SIL	2-6	S	W	1560	560
WOOSTER-RIDDLES	SIL	6-12	S	W	1160	230
WOOSTER-RIDDLES	SIL	6-12	M	W	960	230
WOOSTER-RIDDLES	SIL	12-18	M	W	570	230
WYATT	SIL	1-8	S	MW	840	230
WYATT	SIL	2-6	S	MW	870	230
WYATT	SIL	3-8	S	MW	840	230
WYATT	SIL	8-15	M	MW	350	230
WYATT	SICL	3-8	M	MW	490	230
WYATT	SICL	6-12	M	MW	350	230
WYATT	SICL	6-15	M	MW	350	230
WYATT	SICL	8-15	M	MW	350	230
WYATT	SICL	12-18	M	MW	350	230
WYATT	SICL	15-25	M	MW	350	230
WYNN	SIL	2-6	S	W	870	230
WYNN	SIL	2-6	M	W	350	230
WYNN	SIL	6-12	S	W	350	230
WYNN	SIL	6-12	M	W	350	230
WYNN	SIL	6-12	SE	W	350	230
WYNN	SIL	12-18	M	W	350	230
WYNN	SICL	6-12	SE	W	350	230
XENIA	SIL	0-2	S	MW	1530	530
XENIA	SIL	2-6	S	MW	1280	280
XENIA	SIL	2-6	M	MW	1080	230
XENIA	SIL	6-12	S	MW	1080	230
XENIA	SIL	6-12	M	MW	870	230
XENIA	SOILS	2-6	SE	MW	370	230
XENIA	SOILS	6-12	SE	MW	350	230
XENIA,BR-SUBST	SIL	0-2	S	MW	1530	530
XENIA,BR-SUBST	SIL	2-6	S	MW	1280	280
XENIA,BR-SUBST	SIL	2-6	M	MW	790	230
ZANESVILLE	SIL	1-6	S	W	700	230
ZANESVILLE	SIL	1-8	S	W	690	230

VALUE PER ACRE

SOIL SERIES	TEXTURE	SLOPE	EROSION	DRAINAGE	CROPLAND	WOODLAND
ZANESVILLE	SIL	2-6	S	W	700	230
ZANESVILLE	SIL	2-6	M	W	510	230
ZANESVILLE	SIL	3-8	S	W	550	230
ZANESVILLE	SIL	6-12	S	W	510	230
ZANESVILLE	SIL	6-12	M	W	350	230
ZANESVILLE	SIL	6-15	S	W	380	230
ZANESVILLE	SIL	6-15	M	W	350	230
ZANESVILLE	SIL	8-15	S	W	350	230
ZANESVILLE	SIL	12-18	S	W	350	230
ZANESVILLE	SIL	12-18	M	W	350	230
ZANESVILLE-WOODSFIELD	SIL	2-6	S	W	780	230
ZANESVILLE-WOODSFIELD	SIL	2-6	M	W	620	230
ZANESVILLE-WOODSFIELD	SIL	6-12	S	W	350	230
ZANESVILLE-WOODSFIELD	SIL	6-12	M	W	350	230
ZANESVILLE-WOODSFIELD	SIL	12-18	M	W	350	230
ZEPERNICK,OF-PH	SIL	0-2	S	SWP	830	230
ZIPP,FF-PH	SICL	0-2	S	VP	350	230
ZIPP,PO-PH	SICL	0-2	S	VP	350	230
ZURICH	SIL	6-12	M	W	530	230
ZURICH	SIL	12-18	M	W	350	230
ZURICH	SIL	18-25	M	W	350	230

2021 CAUV Summary Table							
PRODUCTIVITY	# OF	NET RETURN/ACRE			CROPLAND VALUE/ACRE		
INDEX	UNITS	LOW	HIGH	AVG.	LOW	HIGH	AVG.
0-49	602	0	2	0	350	350	350
50-59	749	0	60	5	350	770	358
60-69	1,114	0	114	43	350	1,460	598
70-79	800	33	170	97	430	2,190	1,253
80-89	211	94	207	153	1,200	2,660	1,969
90-99	35	174	233	196	2,230	2,980	2,512
100+	6	233	233	233	2,990	2,990	2,990
ALL	3,517	0	233	48	350	2,990	759