

September 27, 2017

Vote:	Fischer	yea
	Shryock	yea
	Lee	yea

Wednesday **Regular** **September 27, 2017**

Mr. Shryock made a motion, seconded by Mr. Lee to approve the following Transfers/Additional/Reductions which have been certified by the County Auditor.

TO	FROM	AMOUNT
001-0611-5113.00 H/D/L/V	001-0610-5113.00 H/D/L/V	\$10,000.00

035-0100-5400.01	Shared Trn. To PA	\$20,000.00
------------------	-------------------	-------------

200-0300-5400.02	Processing Fees	200-0300-5210.02	Equip. Trailers	\$757.00
200-0300-5400.02	Processing Fees	200-0300-5200.00	Supplies	\$350.00
200-0300-5400.02	Processing Fees	200-0300-5111.00	Workers Comp.	<u>\$493.00</u>
			Total	\$1,600.00

220-0547-5260.00	Administration	\$1,679.06
------------------	----------------	------------

120-0100-5200.00	Supplies	120-0100-5260.04	Bill Serv. Cont.	\$1,000.00
120-0100-5250.00	Cont. Repairs	120-0100-5260.04	Bill Serv. Cont.	\$2,000.00
120-0100-5250.01	Cont. Rep. Veh.	120-0100-5260.04	Bill Serv. Cont.	<u>\$2,000.00</u>
			Total	\$5,000.00

Authorization to Sign

Vote:	Fischer	yea
	Shryock	yea
	Lee	yea

Mr. Ike Reger, Maintenance Supervisor attended the meeting at the request of the Commissioners to discuss getting estimates for the replacement of the deck as well as the sidewalk in front of the Prosecutors Office. Mr. Reger stated that they have contacted a contractor to get an estimate for this project. Mr. Fischer stated that they would also like him to get an estimate to have the building power-washed. Mr. Reger stated that it is their intent to have the trustees in the jail do this work. Mr. Fischer then stated that the Commissioners have a concern with Maintenance using rock salt on the sidewalks close to the sandstone buildings at the court square as well as the Annex Building. Mr. Reger presented the Commissioners with some information about the use of calcium chloride as well as rock salt and the cost differences for the county to utilize each. He explained that the calcium chloride is approximately 6 times as expensive as rock salt. He stated that he feels no matter what we use it will affect the sand stone.

COMMISSIONER'S JOURNAL

Wednesday


Regular

September 27, 2017


Mr. Shryock stated that he is not certain but you can visually see on the buildings that the rock salt or something is affecting our buildings just about spreader high. This would appear to be caused by the rock salt. Mr. Fischer stated that in his experience, calcium chloride is more expensive, but it doesn't seem to cause the pitting of cement as badly as the rock salt. He also feels the calcium chloride works better than the salt. The Commissioners stated that they would like him to use calcium chloride on sidewalks around the buildings. Mr. Reger stated that he understands that it will be much more expensive, but he is in agreement that it will work better for us than the rock salt. The Commissioners thanked him for attending.

Adjourn

At 12:00 p.m. Mr. Fischer adjourned the meeting.




Gary L. Fischer



Dane R. Shryock



D. Curtis Lee


Administrator/Clerk